Presented by

.....

..... *193*

22500031514

FIFTY-SEVENTH

ANNUAL REPORT

OF THE

REGISTRAR GENERAL

FOR

SCOTLAND.

1911.

Presented to Parliament by Command of His Majesty.

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call. Ser
No. WA

GLASGOW:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY JAMES HEDDERWICK & SONS LIMITED, ST. VINCENT PLACE.

To be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
WYMAN AND SONS, LIMITED, 29 BREAMS BUILDINGS, FETTER LANE, LONDON, E.C., and
28 ABINGDON STREET, LONDON, S.W., and 54 ST. MARY STREET, CARDIFF; or
E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

1914.

[Cd. 7332.] *Price* 2*s*.

CONTENTS.

	PAGE.
Report by the Registrar-General to the Secretary for Scotland,	v
Report by Dr. J. C. Dunlop to the Registrar-General,	vii
On Population,	x
On Births,	x
On Marriages,	xv
On Deaths,	xv
On Causes of Death,	xxi
Meteorological Notes,	xxxi
Appendix—Change in Classification of Causes of Death,	xlv

APPENDIX TABLES.

Table	1.	Births, Deaths, and Marriages in Scotland, 1855–1911,	xlix
,,	2.	Birth-, Death-, and Marriage-rates in Scotland, 1855–1911,	l
,,	3.	Births, Deaths, and Marriages registered in each Quarter, 1901–1911,	lii
,,	4.	Birth- and Death-rates in Larger Burghs,	liii
,,	5.	Birth- and Death-rates in Smaller Burghs,	liv
,,	6.	Birth- and Death-rates in County Districts,	lviii
,,	7.	Birth-, Marriage-, and Death-rates in Counties,	lxi
,,	8.	Birth-rate among Married and among Unmarried Women	lxii
,,	18.	Ages at Death—Quinquennial Age Groups,	lxiii
,,	19.	Death-rates—Quinquennial Age-groups,	lxiii
,,	20.	Percentage of Deaths in Quinquennial Age-groups,	lxiii
,,	21.	Ages at Death—Single Years of Age and Condition as to Marriage,	lxiv
,,	22.	Deaths in Age-groups in Larger Burghs,	lxvi
,,	23.	Death-rates in Age-groups in Larger Burghs,	lxvi
,,	24.	Deaths by Age and Cause,	lxvii
,,	25.	Death-rates by Age and Cause,	lxviii
,,	26.	Percentage of Deaths from various Causes in Age-groups,	lxix
,,	27.	Deaths from various Causes—Scotland and Groups of Public Health Districts,	lxx
,,	28.	Death-rates from various Causes—Scotland and Groups of Public Health Districts,	lxxi
,,	29.	Deaths from various Causes—Larger Burghs,	lxxii
,,	30.	Death-rates from various Causes—Larger Burghs,	lxxiii
,,	31.	Deaths from Principal Epidemic and certain other Diseases, 1855–1911,	lxxiv
,,	32.	Death-rates from Principal Epidemic and certain other Diseases, 1855–1911,	lxxv
,,	33.	Deaths and Death-rate from Puerperal Conditions,	lxxvii
,,	34.	Deaths from Malignant Disease,	lxxviii

PAGE.

Table 35. Deaths from Suicide, ... lxxx
,, 36. Deaths from Poison, ... lxxxii
,, 37. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months, ... lxxxiii
,, 38. Deaths of Children of less than One Year, showing the Month of Registration of Death, ... lxxxiii
,, 39. Certified and Uncertified Deaths, ... lxxxiv
,, 40. Meteorology of Scotland, 1911, ... lxxxv
,, 41. Weather, and Weekly Death-rates, 1911, ... lxxxv

ABSTRACTS.

PAGE.

Tables of the Population in 1901 and 1911, and of the Births, Illegitimate Births, Deaths, and Marriages during the Year 1911, in every Registration District, ... 1–22

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes, ... 24
Scotland—Males, ... 28
Scotland—Females, ... 32
Counties of Scotland—Both Sexes, ... 36
Scotland, by Month of Registration—Both Sexes, ... 52
Glasgow—Both Sexes, ... 56
Edinburgh do. 60
Dundee do. 64
Aberdeen do. 68
Paisley do. 72
Leith do. 76
Greenock do. 80
Middle District of Lanark—Both Sexes, ... 84

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen, ... 88
Do. Argyll, ... 107
Do. Ayr, ... 120
Do. Banff, ... 140
Do. Berwick, ... 151
Do. Bute, ... 158
Do. Caithness, ... 163
Do. Clackmannan 166
Do. Dumbarton, ... 171
Do. Dumfries, ... 179
Do. Edinburgh (Midlothian), ... 191
Do. Elgin, ... 203
Do. Fife, ... 210
Do. Forfar, ... 242
Do. Haddington, ... 255
Do. Inverness, ... 264
Do. Kincardine, ... 275
Do. Kinross, ... 284
Do. Kirkcudbright, ... 286
Do. Lanark, ... 296
Do. Linlithgow, ... 310
Do. Nairn, ... 318
Do. Orkney, ... 320
Do. Peebles, ... 326
Do. Perth, ... 329
Do. Renfrew, ... 346
Do. Ross and Cromarty, ... 356
Do. Roxburgh, ... 368
Do. Selkirk, ... 377
Do. Shetland, ... 380
Do. Stirling, ... 383
Do. Sutherland, ... 392
Do. Wigtown, ... 394

REPORT.

TO THE RIGHT HONOURABLE

THOMAS M'KINNON WOOD, M.P.,

His Majesty's Secretary for Scotland.

General Registry Office of Births, &c.,
EDINBURGH, *5th March*, 1914.

Sir,

I had the honour in 1912, in compliance with the requirements of the Scottish Registration Act, 17 and 18 Vict., cap. 80, to transmit to you, as His Majesty's Secretary for Scotland, General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1911, along with the usual Explanation and Commentary.

At the same time, the Forty-seventh Annual Report on Vaccination, being that for the year 1910, was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict., cap. 108.

I have now the honour to submit a more detailed Report in which the units for the purpose of the classification of Vital Statistics are the areas of the Local Authorities—*i.e.*, the Public Health Districts of the country—which, with your approval, have been adopted in place of the Registration Districts as hitherto.

As explained in the Report to the Registrar General by the Superintendent of Statistics, the delay which has taken

place in the submission of the present Report is entirely due to the great labour necessarily involved in the initiation and organisation of the new scheme of reporting which has now come into operation, as stated above.

I have the honour to be,

SIR,

Your most obedient Servant,

J. PATTEN MACDOUGALL,
Registrar General.

REPORT TO THE REGISTRAR GENERAL,

BY JAMES CRAUFURD DUNLOP, M.D., F.R.C.P. (Edin.).

Sir,

I have now the honour to submit a Report dealing with the Births and Deaths registered in Scotland during the year ending 31st December 1911.

The publication of this Report is unduly late, but this is to be attributed to unavoidable delays arising from the complete reorganisation of the entire system of preparing and publishing the Scottish vital statistics. It is confidently expected that the Annual Reports of future years, 1912 and 1913 excepted, will be ready for publication within six or seven months from the end of each year, and that the undue delay in the publication of this Report will be fully compensated by the earlier publication of those of subsequent years.

As this is the first Annual Report drafted according to the revised scheme, it may be well to draw attention to the more essential changes. These are :—

1. *The adoption of Public Health Districts—burghs and county districts—as the geographical units.* In previous reports, in addition to the vital statistics of Scotland as a whole, there were given those of counties, of the principal towns, and those of groups of registration districts, the grouping being made according to whether the registration districts contained, in whole or in part, urban areas or did not do so. But these divisions of the country differed essentially from those adopted for public health purposes, and the change is no doubt very desirable, if not indeed essential. The public health districts now dealt with are those defined in the twelfth section of the Public Health (Scotland) Act, 1897, and consist of burghs, each taken separately, and county, or extra-burghal, districts, which in some instances consist of entire counties less any burghs situated within them, and in other instances of portions of counties, also less any burghs in them.

2. *The correction of all local, not national, birth and death statistics for those events occurring and registered in public health districts different from those of the usual residence.* This transfer for statistical purposes of registered events, both births and deaths, to the place of usual residence is a well-established statistical principle, and has the advantage of eliminating the statistical influences of the presence of large institutions situated within public health districts, and of residents of one public health district passing to another district for purposes of medical or obstetrical treatment.

3. *The postponement of the more elaborate marriage statistics of the year—church of celebration, etc.—to the Report dealing with the births and deaths of the following year.* The Detailed Annual Reports of past years have been prepared direct from the birth,

death, and marriage registers, and the intention is to continue this so far as regards the more elaborate marriage statistics, but not so for birth and death statistics, for these in future will be compiled from special abstracts and transcripts prepared and submitted at short intervals by the Registrars. One main object of the reorganisation is early publication, and keeping this in view it was thought better to publish the birth and death statistics at the earliest possible time, but without the full marriage statistics of the year, rather than wait. The full marriage statistics for the year 1910, which by the reorganised scheme would fall to be included in this Report, were published in the Detailed Annual Report of that year, and their republication in this Report is therefore not called for.

4. *The adoption of the international classification of the causes of death.* This has been done in conformity with the adoption of this classification by the Registrars-General of England and Wales and of Ireland, and is in many ways an improvement, and more especially so by facilitating comparisons between Scottish statistical observations and those of other countries. Appended to this report—on pages xlv to xlviii—there is given a note of the principal alterations brought about by the adoption of this classification.

5. *The use of a new method of estimating national and local populations in post-censal periods.* The method in previous use was based on the assumption that the rate of increase or decrease shown by censal figures which occurred during the previous inter-censal period continues during the subsequent post-censal period, and was carried out by calculating a series in geometrical progression starting with the most recent census population and having a difference proportional to the intercensal rate of increase or decrease. But the recent census, and indeed other previous censuses, have shown that estimates made in this manner have not been altogether satisfactory, and a careful search for a better method has been made. Several have been considered, and the one adopted is as follows :—

The population of Scotland for the middle of a year is estimated by adding or deducting from the last census population the ascertained difference in the intervening period between the natural increase—the excess of births over deaths—as shewn by registration figures, and the loss by emigration as shewn by returns issued by the Board of Trade. This method may appear crude, but by trial application of it to past inter-censal periods it was found to give satisfactory approximations, and much smaller errors at the end of those periods than by the older method.

The estimated populations of the larger burghs, those burghs which at the time of the last census had populations of over 30,000, are got from special housing returns supplied by local burgh authorities, it being assumed that these town populations vary directly with the number of occupied houses in them. This method was also tested by application to the figures of previous censuses and found to be satisfactory.

The above estimations, *i.e.*, (1) of Scotland and (2) of the larger burghs, or towns, are taken as fixed, and the difference between them is distributed between all the remaining public health districts

in this manner:—Firstly, a provisional assumption is made that the last intercensal increases and decreases in the population of these districts continue in the post-censal period, and on this assumption a series of estimates made in arithmetical progression is calculated; secondly, these provisional estimates are summed and their sum compared with the aggregate population of these districts as previously ascertained, and the total difference noted; thirdly, that difference is distributed proportionately between all the smaller burghal and all the county districts, and the result gives the estimated populations of those districts for the year.

The new method is not perfect, and no doubt faulty when dealing with the populations of the less populous districts, but is defensible on two grounds, the one that all the more important estimates are based on annual observations, and the other that it is improbable that estimations of any reliability can be made of the smaller populations by any known method without annual observation, which in practice is not available.

In making these estimates, it is assumed that the sex and age distribution of Scotland, and of public health districts, continues as at the date of the last census.

6. *The use of mechanical tabulation.* The greater complexity of tabulation resulting from the change of the geographical unit, and from the transfer of deaths of non-residents, has entailed the adoption of the Hollerith system of mechanical card tabulation in place of the older-fashioned ticking sheet. Experience shows this method to be a great improvement, for it not only satisfactorily overtakes the more difficult and elaborate tabulation, but also lends itself to thorough and complete checking and thus ensures greater accuracy.

One cannot refer to the changes now introduced, even on the assumption that they are right and necessary, without expressing regret at the consequent discontinuance of the grouping of registration districts into urban districts of varying populations and mainland and insular rural districts, a system adopted at the commencement of this series of reports in 1855 and kept up continuously since. This grouping has been a feature of Scottish statistics, and has been of value in demonstrating differences between the changes of mortalities in town and country districts, and its continuance would no doubt for many reasons be desirable, but the difficulties in the way of this are found to be so great that its abandonment has been found to be unavoidable. A grouping of burghal public health districts and of county, or extra-burghal, public health districts, has been devised to replace the older grouping of registration districts, and it is hoped that in course of time a series of figures will grow which will be at least as valuable as that got from the grouping of registration districts. A break of continuity in a serial publication such as this is undesirable, but in the present instance could not be obviated.

Among minor changes now introduced may be mentioned a tabulation of all deaths registered in Scotland by sex, condition as to marriage, and single ages, and one of each cause of death by the month of registration. A fuller tabulation of deaths of children of less than one year old is also given.

ESTIMATED POPULATIONS OF SCOTLAND AND OF THE PRINCIPAL DIVISIONS OF THE COUNTRY.

The Twelfth Census of Scotland was taken on 2nd April 1911, the year now under review, and the population was found to be 4,760,904, males numbering 2,308,839, and females, 2,452,065. During the quarter which elapsed between the taking of the census and the middle of the year registered births numbered 32,935, and registered deaths, 18,027, the natural increase of the period being 14,908, but during the same period there was a loss of 24,680 by emigration, emigrants numbering 33,890, while immigrants only numbered 9210, and the difference between the natural increase and the loss by migration, 9772, falls to be deducted from the censal population to get the estimated population for the middle of the year, which is thus assessed at 4,751,132, including 2,304,100 males, and 2,447,032 females. This estimated population, though less than the census population, is 12,521 more than the estimated population for the middle of the year 1910.

Of this estimated population, there is allotted to the public health districts of the larger burghs, those with censal populations of over 30,000, 2,161,941, to smaller burghal public health districts, 971,988, and to the county, or extra-burghal, public health districts, 1,617,203.

BIRTH STATISTICS OF SCOTLAND AND OF THE PRINCIPAL DIVISIONS OF THE COUNTRY.

Births registered in Scotland during the year numbered 121,850, and are 2209 fewer than those registered in the previous year, 1910. They number 7137 less than the average registered annually during the preceding five years, and 8843 less than the average during the preceding ten years. These births are fewer than those registered in any single year since 1873 with the exception of 1890, when the births of the year only numbered 121,526. A maximum number of births was registered in 1903 and amounted to 133,525, and

TABLE A.—Population of Scotland and its Groups of Public Health Districts.

Groups of Districts.	1901.			1911.			Estimated to 30th June 1911.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs*	991,608	1,062,139	2,053,747	1,037,791	1,129,056	2,166,847	1,035,442	1,126,499	2,161,941
Smaller Burghs*	422,576	475,097	897,673	460,000	513,572	973,572	459,252	512,736	971,988
County Districts	759,571	761,112	1,520,683	811,048	809,437	1,620,485	809,406	807,797	1,617,203
SCOTLAND .	2,173,755	2,298,348	4,472,103	2,308,839	2,452,065	4,760,904	2,304,100	2,447,032	4,751,132

* The term "Larger Burghs" in this and other Tables means Burghs with censal populations exceeding 30,000, and "Smaller Burghs" means Burghs with censal populations of less than that amount.

compared with this number the births of the year are 11,675 fewer.

Of the children whose births were registered during the year, 62,274 were male, and 59,576 female. The male children are 870 fewer than in 1910, 3537 fewer than the average number registered during the previous five years, and 4414 fewer than the average number registered during the preceding ten years. The female children are 1339 fewer than in 1910, 3600 fewer than the average number registered during the previous five years, and 4429 fewer than the average number registered during the preceding ten years. The ratio of male to female children was 104·5 to 100. *(Tables 1 and 2.)*

The birth-rate of the year is 25·65 per thousand of the estimated population. It is 0·53 less than that of the previous year, 1·92 less than the mean of the birth-rates of the preceding five years, and 2·73 less than the mean of those of the preceding ten years. It is the lowest Scottish annual birth-rate yet recorded. In 1893 and all earlier years the national birth-rate constantly exceeded 30 per thousand, and the same occurred in the years 1895, 1896, and 1898, but since 1899 it has constantly been less than 30, falling below 29 for the first time in 1905, below 28 for the first time in 1907, and in this year, 1911, for the first time below 26. *(Table 2.)*

The birth-rate of male children per thousand of the estimated male population was 27·03, and of female children per thousand of the estimated female population, 24·35.

Of the 121,850 children whose births were registered during the year, 57,239 are allotted to the larger burghs, those with populations exceeding 30,000, 23,868 to the smaller burghs, those with populations of less than 30,000, and 40,743 to county, or extra-burghal, public health districts. The birth-rate in the group of large burghs for the year is 26·48 per thousand, in the group of smaller burghs, 24·56 per thousand, and in the group of county public health districts, 25·19 per thousand.

The birth-rate of the year expressed as per thousand women of child-bearing age, 15 to 45, was 106·6. In the group of larger burghs this rate was 103·6, in the group of smaller burghs, 100·5, and in the county, or extra-burghal, public health districts, 115·3.

The birth-rate of the year in all burghal public health districts averaged 25·88, and varied from 44·3 in Kinross, 39·6 in Prestonpans, 37·4 in Aberchirder, 36·3 in Bathgate, 35·6 in Lochgelly, 35·2

TABLE B.—Births in Scotland and its Groups of Public Health Districts in 1911.

Groups of Districts.	Births.			Birth-rate per 1000 of Estimated Population.		Illegit. Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Legitimate	Illegitimate.	
Larger Burghs .	57,239	53,121	4,118	24·57	1·90	7·19
Smaller Burghs .	23,868	22,034	1,834	22·67	1·89	7·68
County Districts	40,743	37,495	3,248	23·19	2·01	7·97
SCOTLAND . .	121,850	112,650	9,200	23·71	1·94	7·55

in Rosehearty, 35·1 in Tranent, and 35·1 in Whitburn, to 3·1 in Earlsferry, 5·2 in Cromarty, 8·5 in Abernethy, and 9·3 in Cove and Kilcreggan. In 4 of the burghal public health districts the birth-rate was less than 10 per thousand, in 19 it was more than 10 but less than 15, in 49 it was more than 15 but less than 20, in 62 it was more than 20 but less than 25, in 34 it was more than 25 but less than 30, in 28 it was more than 30 but less than 35, and in 8 it was more than 35. The birth-rate of the year in Glasgow was 27·6; in Edinburgh, 20·7; in Dundee, 26·1; in Aberdeen, 24·5; in Paisley, 25·7; in Leith, 26·1; in Greenock, 30·7; and in Perth, 20·8. *(Table 5.)*

In the county, or extra-burghal, public health districts the birth-rate of the year averaged 25·19, and varied from 34·2 in the Middle Ward District of Lanark, 32·9 in the Bathgate District of Linlithgow, 32·8 in the Central District of Stirling, 31·8 in the Ayr District of Ayr, and 31·5 in the Kirkcaldy District of Fife, to 10·2 in the Arran District of Bute, 11·0 in the County District of Kinross, and 12·3 in the Western District of Ross and Cromarty. In 9 of these county public health districts the birth-rate of the year was more than 10 but less than 15 per thousand; in 30, more than 15 but less than 20; in 41, more than 20 but less than 25; in 20, more than 25 but less than 30; and in 6, more than 30 but less than 35. In none of the county districts was the birth-rate of the year less than 10 or more than 35.* *(Table 6.)*

In the entire counties—burghs included—the birth-rate of the year varied from 31·8 in Linlithgow, 29·3 in Lanark, 28·3 in Stirling, 27·9 in Dumbarton, and 26·6 in Renfrew, to 13·9 in Bute, 16·9 in Sutherland, 17·4 in Peebles, 17·7 in Argyll, and 18·1 in Shetland. In 7 counties the birth-rate exceeded 25 per thousand, in 15 it was between 20 and 25, while in 11 it was less than 20. *(Table 7.)*

Of the 121,850 children whose births were registered in Scotland during the year, 9200, or 7·55 per cent., were illegitimate. These

*In all descriptions of the rates of public health districts given in this report, no reference is made to those of the Cumbrae District of Bute, which consists of the islands of that name, exclusive of Millport. Its population is less than 100, and all rates calculated on such a population are insignificant.

TABLE C.—Birth-rate in Scotland and its Groups of Public Health Districts in 1911.

Groups of Districts.	Estimated Number of Women aged 15–45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–45.	
		Number.	Percent. of Total.	Rate.	Relative Quantity, Scotland being=100.	Rate.	Relative Quantity, Scotland being=100.
Large Burghs .	552,543	57,239	47·0	26·48	103·2	103·6	97·2
Smaller Burghs .	237,406	23,868	19·6	24·56	95·8	100·5	94·3
Country Districts	353,444	40,743	33·4	25·19	98·2	115·3	108·2
SCOTLAND . .	1,143,393	121,850	100·0	25·65	100·0	106·6	100·0

illegitimate births are 151 more than registered in the previous year, 75 more than the average of the numbers registered during the preceding five years, and 333 more than the average during the preceding ten years. *(Tables 1 and 2.)*

From the year 1855, when registration was instituted, up to the year 1866 the annual number of illegitimate births increased from 7357 to 11,673, but from 1867 to 1903 steadily decreased, falling below 11,000 in 1872, below 10,000 in 1888, and below 9000 in 1898, and numbering 8295 in 1903. Since 1904, however, the decrease has not continued, for in each of the subsequent years, 1907 excepted, these children have numbered more than 9000. *(Table 1.)*

The illegitimate rate of the year, the percentage which illegitimate children constitute of the total children registered, is 7·55, and is 0·26 more than in the previous year, 0·47 more than the mean of the illegitimate rates of the preceding five years, and 0·76 more than the mean of those of the preceding ten years. It is more than those of all years since 1891, but less than those of all years from 1855 to 1891. The maximum illegitimate rate occurred in 1866 and was 10·27; compared with this figure the rate for 1911 is 2·72 less. *(Table 2.)*

The legitimate birth-rate expressed as per thousand of the total population is 23·71, and the illegitimate birth-rate similarly expressed, 1·94.

The legitimate birth-rate of the year expressed as per thousand married women aged 15 to 45 is 231·3, and the illegitimate birth-rate expressed as per thousand unmarried or widowed women of similar ages is 14·0. The former is 7·0 less, but the latter 0·4 more, than in 1910. *(Table 8.)*

In the burghal public health districts the illegitimate rate, the percentage of the total births constituted by the illegitimate births, averaged 7·34, and varied from 0 in Abernethy, Anstruther-Wester, Ballater, Cove and Kilcreggan, Cromarty, Dornoch, Earlsferry, Elie, Lochgilphead, Millport, New Galloway, and Tain, to 35·7 in Old Meldrum, 33·3 in Aberchirder, 29·2 in Whithorn, 25·8 in Turriff, 25·2 in Huntly, 25·0 in Rothes, 21·7 in Rosehearty, and 20·0 in East Linton, Fortrose, and Invergordon. In 50 of these districts this rate was less than 5 per cent., in 84 it was more than 5 but less than 10 per cent., in 37 more than 10 but less than 15, in 24 more than 15 but less than 20, and in 10 it was more than 20. In Glasgow this rate was 7·4; in Edinburgh, 8·2; in Dundee, 8·4; in Aberdeen, 10·4; in Paisley, 5·8; in Leith, 5·7; in Greenock, 6·0; and in Perth, 9·4. *(Tables 4 and 5.)*

In the county, or extra-burghal, public health districts the illegitimate rate averaged 8·0, and varied from 1·9 in the Lochaber District of Inverness, and the same in the County District of Kinross, 2·4 in the North Isles District of Shetland, and 2·6 in the Lews District of Ross and Cromarty, to 22·6 in the Huntly District of Aberdeen, 22·2 in the Garioch District of Aberdeen, 19·5 in Deeside District of Aberdeen, 18·8 in the Machars District of Wigtown, 17·9 in the Ellon District of Aberdeen, and 17·6 in the Upper Deeside District of Kincardine. In 12 of these districts this rate was less than 5 per cent.; in 46, between 5 and 10 per cent.; in 35, between 10 and 15 per cent.; in 11, between 15 and 20 per cent.; and in 2, more than 20 per cent. *(Table 6.)*

In the entire counties, burghs included, the illegitimate rate of the year ranged from 4·52 in Dumbarton, 4·58 in Shetland, 5·18 in Linlithgow, 5·30 in Renfrew, 5·48 in Stirling, and 5·59 in Fife, to 15·94 in Wigtown, 15·67 in Elgin, 13·84 in Banff, 13·64 in Aberdeen, 12·95 in Caithness, and 12·37 in Nairn. In 2 counties the illegitimate rate was less than 5 per cent.; in 19, between 5 and 10 per cent.; in 10, between 10 and 15 per cent.; and in 2, between 15 and 20 per cent. *(Table 7.)*

In the counties the legitimate birth-rate per thousand married women aged 15 to 45 ranged from 278·6 in Caithness, 269·2 in Linlithgow, 259·6 in Ross and Cromarty, and 255·4 in Inverness, to 152·9 in Bute, 172·7 in Peebles, 181·0 in Selkirk, 188·2 in Roxburgh, and 189·4 in Berwick. In 5 counties this rate was less than 200; in 7, more than 200 but less than 220; in 13, more than 220 but less than 240; in 6, more than 240 but less than 260; and in 2, more than 260. In the eighteen larger burghs this rate—legitimate children per thousand married women of child-bearing age—ranged from 273·5 in Hamilton, and 273·1 in Coatbridge, to 187·3 in Edinburgh, and 187·8 in Perth. In 2 of these towns it was less than 200; in 5, more than 200 but less than 220; in 4, more than 220 but less than 240; in 3, more than 240 but less than 260; and in 4, more than 260 but less than 280. *(Table 8.)*

In the counties the illegitimate birth-rate per thousand unmarried and widowed women of child-bearing age varied from 27·6 in Banff, 26·9 in Wigtown, 26·1 in Elgin, 24·1 in Aberdeen, and 23·6 in Caithness, to 5·5 in Shetland, 6·2 in Bute, 7·1 in Peebles, 8·1 in Ross and Cromarty, and 8·4 in Selkirk. In 7 counties this rate was less than 10 per thousand; in 5, more than 10 but less than 12; in 6, more than 12 but less than 14; in 5, more than 14 but less than 16; in 2, more than 16 but less than 18; in 2, more than 18 but less than 20; and in 6, more than 20. In the larger burghs this rate varied from 17·9 in Hamilton, 17·8 in Ayr, 17·2 in Falkirk, and 17·1 in Aberdeen, to 8·2 in Clydebank, 9·3 in Paisley, 9·4 in Edinburgh, and 9·4 in Partick. In 4 of these towns this rate was less than 10 per thousand; in 2, between 10 and 12; in 3, between 12 and 14; in 5, between 14 and 16; and in 4, between 16 and 18. *(Table 8.)*

The average number of births registered daily in Scotland during the year was 334, which is 6 less than in the previous year. This average varied from 380 in May, and 360 in June, to 305 in December, and 308 in November. In March this average was 357, in April 345, in July 336, in January 335, in February 332, in October 317, in September 316, and in August 314. In the previous year the highest daily average number of births was in May, 377, and the lowest in September, 318. *(Table 40.)*

The birth-rate for the year now under review, 1911, in England and Wales was 24·4, and in Ireland, 23·2, the former being 1·2, and the latter 2·4, less than the Scottish rate.

The following are the 1911 birth-rates in some European countries:—Roumania, 43·0; Servia, 36·2; Hungary, 35·0; Italy, 31·5; Austria, 31·4; Spain, 31·2; Finland, 29·1; Germany, 28·6; Holland, 27·8; Denmark, 26·8; Norway, 25·9; Sweden, 23·8; and France, 18·7.

MARRIAGE STATISTICS OF SCOTLAND AND OF THE COUNTIES.

As previously pointed out, the more elaborate marriage statistics of the year, those dealing with the church of celebration, the ages and education of those married, etc., etc., are not included in this report, but will be included in the report dealing with the births and deaths of the year 1912.

Marriages registered in Scotland during 1911 numbered 31,811, and for this number the equivalent annual marriage-rate is 6·70 per thousand. These marriages are 909 more than in the previous year, but their number is the same as the average during the preceding five years, and 14 less than the average during the preceding ten years. The marriage-rate of the year is 0·18 more than that of the previous year, but is 0·10 less than the mean of the marriage-rates of the preceding five years, and 0·21 less than the mean of those of the preceding ten years. *(Tables 1 and 2.)*

In the counties the marriage-rate of the year varied from 7·90 in Lanark, 7·80 in Midlothian, 6·81 in Clackmannan, 6·65 in Forfar, 6·57 in Dumfries, and 6·48 in Aberdeen, to 2·44 in Sutherland, 3·38 in Ross and Cromarty, 3·53 in Argyll, and 3·96 in Shetland. *(Table 7.)*

The average number of marriages registered daily in Scotland throughout the year was 87, which is the same as in the previous year. This average varied from 156 in June, and 130 in July, to 41 in May, and 56 in March. In December it was 127; in January, 106; in April, 87; in September, 79; in October, 72; in August, 65; in November, 63; and in February, 62. In the previous year the daily average number of marriages was highest in June, 148, and in July, 122, and lowest in May, 39, and in February, 58.

The marriage-rate of the year in England and Wales was 7·60 per thousand, and in Ireland, 5·35. The former is 0·90 more, but the latter 1·35 less, than the Scottish marriage-rate.

The following are the marriage-rates of the year in some European countries:—Roumania, 10·52; Servia, 10·31; Hungary, 9·23; Germany, 7·84; France, 7·77; Austria, 7·59; Italy, 7·50; Denmark, 7·17; Holland, 7·15; Spain, 7·11; Norway, 6·24; Finland, 5·98; Sweden, 5·87.

DEATH-RATES OF SCOTLAND AND OF THE PRINCIPAL DIVISIONS OF THE COUNTRY.

Deaths registered in Scotland during 1911 numbered 71,732. Compared with those registered in the previous year they are 536 fewer, compared with the average number registered during the preceding five years they are 3802 fewer, and compared with the average number registered during the preceding ten years they are 4692 fewer. It is the smallest number of deaths registered in Scotland in any year since 1896, when the deaths numbered 70,677. The maximum number of deaths registered in Scotland in any one year was 83,573, which occurred in 1891, and compared with that number this year's is 11,841 less. *(Table 1.)*

The annual death-rate is 15·10 per thousand. It is 0·15 less than that of the previous year, 1·04 less than the mean of the death-rates of the preceding five years, and 1·50 less than that of the preceding ten years. It is the lowest annual Scottish death-rate yet recorded, and that is since 1855. From 1857 to 1880 the death-rate of Scotland was constantly over 20 per thousand; it fell below 20 in 1881; below 19 for the first time in 1886; below 18 for the first time in 1894; below 17 for the first time in 1896; and below 16 for the first time in 1909. The maximum death-rate occurred in 1864, and was 23·58 per thousand, and compared with that the death-rate of 1911 is 8·48 less. *(Table 2.)*

Of the deaths registered during the year, 35,823 were of males, and 35,909 of females. The male death-rate per thousand of the estimated male population was 15·55, and the female death-rate per thousand of the estimated female population, 14·67. The former is 0·13 less, and the latter 0·17 less, than in the previous year. *(Tables 1 and 2.)*

In the tables which give the statistics regarding the local divisions of the country, the public health districts, three different death-rates are given; the first is the crude death-rate and is calculated on the actual number of deaths occurring in the districts; the second is the corrected death-rate, the correction being made to allow for deaths of non-residents registered within the districts and for the deaths of residents of the districts registered elsewhere in Scotland; and the third is the corrected and adjusted death-rate which is both corrected for the deaths of non-residents and for the deaths of residents registered elsewhere in Scotland and adjusted to allow for differences between the age and sex distributions of the populations of the districts and that of Scotland. The crude death-rates are of little importance when the corrected death-rates are available. The corrected death-rates are the rates which give the best conception of the actual mortalities of the districts. The corrected and adjusted death-rates are the rates which are best adapted for mutual comparison, and for comparison with the national death-rate. In the following remarks all death-rates quoted, except where specially noted, are the corrected death-rates.

Of the total deaths registered, 35,167 were of residents of the larger burghs, 14,697 of residents of the smaller burghs, and 21,868 of residents of the county, or extra-burghal, public health districts.

The death-rate in the larger burghal public health districts, which include all burghs with censal populations exceeding 30,000, averaged 16·27, and varied from 18·4 in Greenock, 17·5 in Glasgow, 17·4 in Dundee, and 17·3 in Govan, to 13·0 in Motherwell, 13·5 in Kilmarnock, 14·0 in Kirkcaldy, and 14·1 in Clydebank. The annual death-rate of Leith was 16·6; of Ayr, 15·9; of Coatbridge, 15·7; of Aberdeen, 15·3; of Paisley, 15·3; of Falkirk, 15·2; of Perth, 15·0; of Hamilton, 14·9; of Edinburgh, 14·8; and of Partick, 14·3. The influence of correction in some instances is found to be a raising of the death-rate, and in some instances a lowering of it. The corrected death-rate is found to be higher than the crude death-rate in Partick by 3·4, in Clydebank by 2·8, in Govan by 2·2, in Kirkcaldy by 1·4, in Leith by 1·4, and in Motherwell by 1·3, but the corrected death-rate is found to be lower than the crude death-rate in Ayr by 1·5, in Edinburgh by 1·2, and in Falkirk by 1·0. *(Table 4.)*

The effect of adjustment to allow for the varying sex and age distributions of the populations of these towns is found to raise the rate in all instances, that of Perth excepted. The adjusted death-rates of these towns are found to vary from 19·3 in Govan, 19·2 in Glasgow, 18·7 in Greenock, and 18·0 in Dundee, to 14·3 in Kirkcaldy, and 14·7 in Perth, Kilmarnock, and Motherwell. *(Table 4.)*

In the following Table G, the three death-rates of the principal towns are compared, the towns being arranged in the order of magnitude of the adjusted rates.

The death-rates of the smaller burghs average 15·12 per thousand, and range from 24·7 in Rothes, 24·4 in Turriff, 23·8 in Lochmaben, 23·3 in Gatehouse, 22·1 in Kintore, 21·1 in Portsoy, and 21·0 in Cove and Kilcreggan, and in Laurencekirk, to 4·3 in

TABLE E.—Deaths in Scotland and its Groups of Public Health Districts in 1911.

GROUPS OF DISTRICTS.	Estimated Population.	Deaths.	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,161,941	35,167	16·24	16·27	17·37
Smaller Burghs . .	971,988	14,697	14·47	15·12	14·73
County Districts . .	1,617,203	21,868	13·95	13·52	12·65
SCOTLAND . . .	4,751,132	71,732	15·10	15·10	15·10

TABLE G.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Govan . . .	15·1	+2·2	17·3	+2·0	19·3
Glasgow . . .	17·8	−0·3	17·5	+1·7	19·2
Greenock . . .	18·7	−0·3	18·4	+0·3	18·7
Dundee . . .	17·6	−0·2	17·4	+0·6	18·0
Leith . . .	15·2	+1·4	16·6	+0·7	17·3
Coatbridge . .	15·2	+0·5	15·7	+1·3	17·0
Paisley . . .	15·3	...	15·3	+1·6	16·9
Falkirk . . .	16·2	−1·0	15·2	+1·5	16·7
Clydebank . .	11·3	+2·8	14·1	+2·2	16·3
Hamilton . . .	14·3	+0·6	14·9	+1·2	16·1
Ayr	17·4	−1·5	15·9	+0·2	16·1
Partick . . .	10·9	+3·4	14·3	+1·4	15·7
Aberdeen . .	15·0	+0·3	15·3	+0·2	15·5
Edinburgh . .	16·0	−1·2	14·8	+0·6	15·4
Motherwell . .	11·7	+1·3	13·0	+1·7	14·7
Perth . . .	15·6	−0·6	15·0	−0·3	14·7
Kilmarnock . .	13·5	...	13·5	+1·2	14·7
Kirkcaldy . . .	12·6	+1·4	14·0	+0·3	14·3

Elie, 7·7 in Newmilns and Greenholm, 8·5 in Markinch, 8·6 in New Galloway, 8·6 in Innerleithen, and 8·8 in Queensferry. In 8 of these smaller burghal public health districts the corrected death-rate of the year was less than 10 per thousand; in 74, more than 10 but less than 15; in 91, more than 15 but less than 20; and in 14, more than 20. When these death-rates are adjusted for the varying sex and age distribution of the populations of these burghs it is found that 16 have adjusted death-rates which are less than 10, the lowest being those of Elie (3·5), New Galloway (7·1), and Markinch (7·4); 96 have adjusted death-rates of more than 10 but less than 15; 74 of more than 15 but less than 20; and one only, Sanquhar, of more than 20. *(Table 5.)*

The death-rates of the year in the county, or extra-burghal, public health districts, corrected, average 13·52 per thousand, and vary from 8·6 in the County District of Selkirk, 8·7 in the Harris District of Inverness, 8·9 in the Hawick District of Roxburgh, 9·0 in the Dundee District of Forfar, and 9·3 in the Black Isle District of Ross and Cromarty, to 19·3 in the Easter Ross District of Ross and Cromarty, 18·9 in the South-Western District of Ross and Cromarty, 17·5 in the Western District of Stirling, and 17·4 in the Skye District of Inverness. In 5 of these districts the death-rate was less than 10 per thousand; in 79, between 10 and 15 per thousand; and in 22, between 15 and 20 per thousand. *(Table 6.)*

The effect of adjustment for age and sex distribution is generally to lower the death-rate in these county districts. In one district, the County District of Selkirk, the rate is unaffected by adjustment, in 84 it is lower, in only 21 is it raised. In some districts the death-rate is much lowered by adjustment; for instance, in the South-Western District of Ross and Cromarty adjustment lowers the rate from 18·9 to 12·4; in the Western District of Ross and Cromarty from 15·2 to 9·6; in the County District of Sutherland from 15·9 to 10·4; in the South Ronaldshay District of Orkney from 16·0 to 10·7; in the Skye District of Inverness from 17·4 to 12·2; in the Walls District of Orkney from 15·3 to 10·4; and in the Mull District of Argyll from 16·4 to 11·7. Of the death-rates of these county districts, when corrected for non-resident deaths and adjusted for varying sex and age distribution, 14 are less than 10 per thousand; 17 are more than 10 but less than 11; 25 are more than 11 but less than 12; 25 are more than 12 but less than 13; 16 are more than 13 but less than 14; 5 are more than 14 but less than 15; 3 are more than 15 but less than 16; while only one, that of the Western District of Stirling, is more than 16, its amount being 16·1. *(Table 6.)*

The death-rates of the counties, burghs within them included, averaged 15·10 per thousand, and varied from 16·90 in Orkney, 16·38 in Forfar, 16·29 in Lanark, and 16·13 in Bute, to 12·43 in Selkirk, 12·77 in Kincardine, 12·91 in Berwick, and 12·95 in Peebles. In 4 counties the death-rate of the year was more than 12 but less than 13; in 7, more than 13 but less than 14; in 11, more than 14 but less than 15; in 7, more than 15 but less than 16; and in 4, more than 16 but less than 17. When the county death-rates are adjusted to allow for the varying sex and age distribution of the populations they are found to vary from 17·73 in Lanark, 16·12 in Renfrew, 15·87 in Forfar, and 15·38 in Midlothian, to 9·94

in Shetland, 11·27 in Sutherland, 11·44 in Berwick, and 11·55 in Kincardine. Of the adjusted county death-rates 6 are higher than the national death-rate, and 27 lower. The six which are higher are those of Lanark, Renfrew, Forfar, Midlothian, Linlithgow, and Clackmannan. *(Table 7.)*

When drawing attention to the differences observed between the death-rates of the counties and of the public health districts, both burghal and county, it is only right to point out that many of those differences might be ascribed to ordinary sampling fluctuations, and none of them should be accepted as indicative of true difference of mortality without further examination. Many of these rates are based on comparatively small populations, and are therefore liable to considerable fluctuation without being indicative of real or significant change in the mortality of the district.

The daily average number of deaths registered in Scotland during the year was 197, which is 1 less than in the previous year. This average ranged from 239 in February, and 219 in March, to 170 in July, and 175 in August. In April it was 217; in January, 204; in December, 203; in May, 203; in November, 192; in October, 184; and in June, 175. In 1910 this average was highest in January, 236; and in February, 231; and lowest in July, 160; and in September and October, in both of which months it was 169. *(Table 40.)*

The death-rate of the year in England and Wales was 14·6 per thousand, and in Ireland, 16·5. The former is 0·5 less, but the latter is 1·4 more, than the Scottish death-rate.

The following are the death-rates of the year in some European countries:—Roumania, 25·7; Hungary, 25·1; Spain, 23·2; Austria, 21·9; Servia, 21·8; Italy, 21·4; France, 19·6; Germany, 17·3; Finland, 16·5; Holland, 14·5; Sweden, 13·8; Denmark, 13·6; Norway, 13·2.

AGE DISTRIBUTION OF THOSE DYING DURING THE YEAR.

Of the 71,732 persons whose deaths were registered in Scotland during the year 1911, 21,040, or 29·33 per cent., were less than 5 years old; 3143, or 4·38 per cent., were more than 5 but less than 15; 3506, or 4·89 per cent., were more than 15 but less than 25; 4152, or 5·79 per cent., were more than 25 but less than 35; 4946, or 6·90 per cent., were more than 35 but less than 45; 6191, or 8·63 per cent., were more than 45 but less than 55; 8091, or 11·28 per cent., were more than 55 but less than 65; 10,673, or 14·88 per cent., were more than 65 but less than 75; and 9987, or 13·92 per cent., were more than 75. In 3 instances the ages of those dying were not ascertained. Compared with the numbers registered during the previous year, 1910, deaths of persons of less than 5 are 520 fewer; of more than 5 but less than 15, 187 fewer; of more than 25 but less than 35, 40 fewer; of more than 45 but less than 55, 33 fewer; and of more than 55 but not less than 65, 176 fewer; but those of persons of more than 15 but less than 25 are 40 more; of more than 35 but less than 45, 124 more; of more than 65 but less than 75, 17 more; and of more than 75, 242 more. *(Tables 18 and 20.)*

Among the male deaths a larger percentage were of children and a smaller proportion of elderly persons, than among the female deaths. Among the male deaths 21·47 were of children of less than one year old, and 10·60 of children of more than one but less than five years old, while 14·22 were of men of over 65 but under 75, and 11·13 of men of over 75. Of the female deaths, 16·75 were of children of less than one year old, and 9·85 of children of more than one but less than five years old, while 15·53 per cent. were of women of more than 65 but less than 75, and 16·71 of women of more than 75 years old. *(Table 20.)*

The average age of all persons whose deaths were registered during the year was 39·2, this average among the males who died being 36·9, and among the females, 41·5. The average age of the males whose deaths were registered is 0·6 more than the corresponding average of the previous year, and that of the females whose deaths were registered, 0·3 more.

The average age at death in the large burghs, both sexes, is found to be 35·2; in the smaller burghs, 42·3; and in the county, or extra-burghal districts, 43·5. Compared with the average of the entire country, that of the larger burghs is 4·0 less; of the smaller burghs, 3·1 more; and of the county districts, 4·3 more.

A tabulation showing, by single years of age and condition as to marriage, the ages of those whose deaths were registered during the year, may be seen in Table 21.

Children of less than one year old whose deaths were registered during the year numbered 13,707, and as the registered births of the year numbered 121,850, the infantile mortality rate is 112·5 per thousand births. These deaths are 271 more than in 1910. This rate is 4·2 higher than in 1910, but is 0·2 less than the mean of the infantile mortality rates of the preceding five years, and 3·6 less than the mean of those of the preceding ten years. *(Table 2.)*

In the larger burghs this rate averaged 130, and varied between 157 in Dundee, 140 in Coatbridge, 139 in Aberdeen, and 137 in Glasgow, to 97 in Kilmarnock, 98 in Kirkcaldy, 109 in Motherwell, and 112 in Paisley and in Hamilton. In Ayr this rate was 134; in Govan, 133; in Leith, 133; in Perth, 129; in Partick, 125; in Edinburgh, 114; in Greenock, 113; in Falkirk, 113; and in Clydebank, 113. *(Table 4.)*

In the smaller burghs this rate averaged 107, and varied from 0 in Abernethy, Burghead, Charlestown of Aberlour, Crail, Dollar, Earlsferry, East Linton, Gatehouse, Kingussie, Moffat, and New Galloway, to 250 in Cove and Kilcreggan, 209 in Dunbar, 202 in Brechin, and 200 in Sanquhar. In 11 of these burghs this rate was 0; in 16, more than 0 but less than 50; in 72, more than 50 but less than 100; in 72, more than 100 but less than 150; in 12, more than 150 but less than 200; and in 4, more than 200. *(Table 5.)*

In the county, or extra-burghal, public health districts, the infantile mortality rate of the year averaged 91, and varied from 0 in the South-Western District of Ross and Cromarty, 22 in the Ardnamurchan District of Argyll, 26 in the Langholm District of Dumfries, and 27 in the Mull District of Argyll, to 241 in the County District of Kinross, 213 in the Arran District of Bute, and 155 in the Western District of Ross and Cromarty. In 19 of these districts this rate was less than 50; in 66, more than 50 but less

than 100; in 18, more than 100 but less than 150; in 1, more than 150 but less than 200; and in 2, more than 200. *(Table 6.)*

In the entire counties, burghs included, the infantile mortality rate of the year averaged 112·5, and varied from 132 in Forfar, 128 in Lanark, 122 in Linlithgow, 115 in Midlothian, 113 in Aberdeen, and 110 in Dumbarton, to 50 in Sutherland, 54 in Shetland, 71 in Argyll, 72 in Berwick, 73 in Kirkcudbright, 74 in Orkney, and 75 in Ross and Cromarty. In 9 counties this rate was less than 80; in 13, more than 80 but less than 100; in 8, more than 100 but less than 120; and in 3, more than 120. *(Table 7.)*

Deaths of persons of seventy years of age and upwards registered during the year numbered 16,117, 6747 being of males, and 9370 of females. The estimated number of persons of these ages living at the middle of the year is 152,584, 58,923 being male, and 93,661 female, and thus the death-rate in this section of the population for both sexes collectively is 105·6 per thousand, for males 114·5, and for females 100·0. In 1910 the corresponding male death-rate was 120·6 per thousand, and the female 109·6.

During the year the deaths of 11 reputed centenarians were recorded, and, in continuance of what was done in the previous year, attempts have been made in each case to verify the age. In two instances only, those of two women, have the ages been satisfactorily verified, in one instance the stated age was found to be incorrect, while in the remaining eight instances satisfactory proof was not obtained. In the two years in which attempts to verify the ages of centenarians have been made 29 cases in all have been collected, and of them 11 have been proven to be correct, and 4 to be incorrect, while sufficient proof has been wanting in 14.

CAUSES OF DEATH IN SCOTLAND IN 1911.

Of the 71,732 deaths registered in Scotland during the year, 70,597, or 98·4 per cent., were certified as to the cause of death either by a registered medical practitioner or by a procurator-fiscal, while 1135, or 1·6 per cent., were not so certified. This proportion, 1·6 per cent., is the smallest proportion of deaths uncertified as to cause yet recorded in the annual reports. In 1881 they amounted to 10·9 per cent., and since then the fall has been constant. In 1882 it was less than 10 per cent.; in 1884, less than 9 per cent.; in 1887, less than 8 per cent.; in 1889, less than 7 per cent.; in 1890, less than 6 per cent.; in 1893, less than 5 per cent.; in 1895, less than 4 per cent.; in 1902, less than 3 per cent.; and in 1910 it was for the first time less than 2 per cent., being 1·9. *(Table 39.)*

Among the counties, uncertified deaths are found to be relatively most numerous in Ross and Cromarty, 21·7 per cent.; in Sutherland, 19·5 per cent.; in Shetland, 14·7 per cent.; in Inverness, 14·5 per cent.; and in Orkney, 12·3 per cent.; while in the counties of Dumfries, Kinross, Peebles, Roxburgh, and Selkirk the certified deaths constituted 100 per cent., and the uncertified 0. In 22 counties the rate of uncertified deaths was less than 1 per cent.; in 3, more than 1 but less than 3 per cent.; in 2, more than 3 but less than 5 per cent.; and in 6, more than 5 per cent. *(Table 39.)*

In the larger burghs deaths uncertified as to cause were relatively

most numerous in Paisley, 3·5 per cent.; in Edinburgh, 2·5 per cent.; in Govan, 1·1 per cent.; and in Kirkcaldy, 1·0 per cent. In the remainder of the larger burghs this rate was less than 1 per cent., and in five of them was 0 per cent., these five being Partick, Coatbridge, Motherwell, Perth, and Ayr. *(Table 39.)*

There were 5 deaths from *small-pox* registered during the year. In the two previous years, 1910 and 1909, there were no deaths in Scotland from this cause, but in 1908 there were 6. Of the five deaths, 4 were registered in Dundee, and the remaining one in Paisley. *(Tables 29 and 31.)*

Deaths from *enteric fever* numbered 272, and for this number the equivalent death-rate is 6 per 100,000. These deaths are 8 more than in the previous year, 1910, but 50 less than the average number during the preceding five years, 1906 to 1910, and 149 fewer than the average during the preceding ten years, 1901 to 1910. The death-rate from this cause is the same as in the previous year, 1 less than the mean of those of the preceding five years, and 3 less than the mean of those in the preceding ten years. In the larger burghs the death-rate from this cause ranged from 12 per 100,000 in Coatbridge, 11 in Clydebank, 9 in Partick, and 8 in Glasgow, Kirkcaldy, Hamilton, and Perth, to 1 in Edinburgh and Dundee, and 2 in Aberdeen. In the larger burghs taken collectively the death-rate of the year from enteric fever is found to be 5 per 100,000; in the smaller burghs, 6; and in the county districts, 6. Of the 272 deaths, 81 were of persons more than 15 but less than 25 years of age; 71, more than 25 but less than 35; and 39, more than 35 but less than 45, the numbers in the other age periods being smaller. *(Tables 24-32.)*

Deaths from *typhus fever* numbered 8. They are 2 fewer than in 1910, 6 fewer than the average number during the previous five years, but 11 less than the average number during the previous ten years. Of these deaths, 4 occurred in the larger burghs, 3 being in Glasgow, and 1 in Greenock. *(Tables 27, 29, and 31.)*

Deaths from *measles* numbered 923, and, with the exception of those registered in 1909, are fewer than in any year since 1894.

TABLE H.—Deaths from Uncertified Causes, 1881-1911.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881 . .	7863	10·9	1897 . .	3041	3·8
1882 . .	7220	9·9	1898 . .	2459	3·1
1883 . .	7278	9·5	1899 . .	2425	3·0
1884 . .	6487	8·6	1900 . .	2757	3·4
1885 . .	6204	8·3	1901 . .	2392	3·0
1886 . .	5932	8·1	1902 . .	2180	2·8
1887 . .	5466	7·3	1903 . .	2058	2·8
1888 . .	5029	7·1	1904 . .	1893	2·4
1889 . .	4566	6·2	1905 . .	1741	2·3
1890 . .	4569	5·8	1906 . .	1727	2·3
1891 . .	4691	5·6	1907 . .	1796	2·3
1892 . .	4267	5·6	1908 . .	1654	2·1
1893 . .	3729	4·7	1909 . .	1552	2·1
1894 . .	3290	4·6	1910 . .	1396	1·9
1895 . .	3222	3·9	1911 . .	1135	1·6
1896 . .	2509	3·6			

They are 1320 fewer than in 1910; 724 less than the average during the years 1906 to 1910; and 635 less than the average during 1901 to 1910. The death-rate from this cause was 19 per 100,000, which is 29 less than that of the previous year, 16 less than the mean of the rates of the preceding five years, and 15 less than the mean of the rates of the preceding ten years. In the larger burghs the death-rate of the year from measles ranged from 74 per 100,000 in Clydebank, 73 in Aberdeen, 61 in Govan, 38 in Glasgow, and 36 in Hamilton, to 1 in Dundee, 4 in Paisley, 6 in Partick, 7 in Motherwell, and 10 in Kirkcaldy. In the larger burghs taken collectively this rate was 30; in the smaller burghs, 13; and in the county districts, 9. Of the 923 deaths, 856 were of children of less than five years old, 231 of them being of children of less than one year old. *(Tables 24-32.)*

Deaths from *scarlet fever* numbered 451, and the death-rate from this cause was 9 per 100,000. These deaths are 144 fewer than in the previous year, but are 51 more than the average during the preceding five years, and 50 more than the average during the preceding ten years. This death-rate is 4 less than in the previous year, but is the same as the mean of those of the previous five years, and the same as the mean of those of the preceding ten years. In the larger burghs taken collectively this rate was 12 per 100,000; in the smaller burghs, 7; and in the county districts, 8. In the larger burghs this rate ranged from 22 in Motherwell, 19 in Greenock, 17 in Govan, and 17 in Paisley, to 5 in Leith and Coatbridge, 6 in Kilmarnock, and 8 in Dundee and in Perth. Of the 451 deaths from scarlet fever, 213 were of children of more than 1 but less than 5 years of age, and 129 of children of more than 5 but less than 10. Deaths of persons of over 25 from scarlet fever numbered 25, and of children of less than 1, 18. *(Tables 24-32.)*

Deaths from *whooping-cough* numbered 2347, and for this the equivalent death-rate is 49 per 100,000. These deaths are 1348 more than in the previous year—when they were abnormally few, only numbering 999—506 more than the average during the previous five years, and 315 more than the average during the previous ten years. The death-rate from this cause is 28 more than in the previous year, and 9 more than the average of the rates of the preceding five years, and 5 more than that of the preceding ten years. The death-rate from whooping-cough in the larger burghs taken collectively was 66 per 100,000; in the smaller burghs, 37; and in the county districts, 35. In the larger burghs relatively high death-rates from this cause occurred in Govan, 114 per 100,000; in Paisley, 96; in Motherwell, 94; in Leith, 91; in Partick, 85; in Falkirk, 83; and in Glasgow, 82; and low rates in Coatbridge, 12; in Kilmarnock, 12; in Hamilton, 34; in Kirkcaldy, 35; and in Edinburgh, 36. Of the 2347 dying from whooping-cough, 2255, or 96·1 per cent., were children of less than 5 years old, 1034 of them being less than one year old, while only 7 of these deaths occurred among persons of more than ten years of age. *(Tables 24-32.)*

Deaths attributed to *diphtheria*, including those certified as due to *croup*, numbered 931, and are equal to a death-rate of 20 per 100,000. These deaths are 8 fewer than in the previous year, but are 92 more than the average during the preceding five years, and

126 more than the average during the preceding ten years. The death-rate from this cause is the same as in the previous year, but is 2 more than the mean of the death-rates of the previous five years, and the same amount more than that of the previous ten years. In the larger burghs taken collectively the death-rate from this cause was 22; in the smaller burghs, 17; and in the county districts, 17. In the larger burghs this death-rate ranged from 64 per 100,000 in Perth, 44 in Leith and in Motherwell, 39 in Hamilton, and 34 in Clydebank, to 9 in Greenock, 9 in Kilmarnock, 12 in Paisley, 15 in Aberdeen, and 17 in Edinburgh. Of those dying from diphtheria, or from croup, 534 were children of more than 1 but less than 5 years old, 250 were of children of more than 5 but less than 10 years old, and 14 were of persons of over 25. *(Tables 24-32.)*

Other deaths from infectious diseases include 226 from influenza, 167 from erysipelas, 10 from dysentery, 6 from malaria, 9 from chicken-pox, 7 from cholera nostras, 4 from actinomycosis, 3 from German measles, 2 from sprue, and 1 each from bubonic plague, dengue, granuloma fungoides, paratyphoid fever, mumps, and pellagra.

Deaths from all forms of *tuberculous disease* numbered 8387, and the death-rate from this cause was 177 per 100,000. This is the lowest number of deaths from tuberculous disease yet recorded in Scotland; it is 130 less than the number recorded in the previous year, 1077 less than the mean of the numbers of the preceding five years, and 1240 less than that of the preceding ten years. This

TABLE I.—Death-rate from Tuberculosis in Scotland in 1911.

	Estimated Population	Death-rate per 1000 from				
		All Tuberculosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND	4,751,132	1·77	1·15	0·22	0·18	0·22
Larger Burghs	2,161,941	2·08	1·34	0·27	0·20	0·27
Smaller Burghs	971,988	1·68	1·10	0·20	0·19	0·19
County Districts	1,617,203	1·40	0·92	0·16	0·14	0·18
Glasgow	781,922	2·29	1·48	0·31	0·22	0·28
Edinburgh	319,247	1·84	1·24	0·21	0·12	0·27
Dundee	164,466	2·56	1·70	0·24	0·24	0·38
Aberdeen	163,567	1·73	1·22	0·23	0·09	0·19
Govan	89,471	1·94	1·13	0·30	0·21	0·30
Paisley	84,281	1·70	1·14	0·17	0·14	0·25
Leith	80,277	2·08	1·41	0·24	0·19	0·24
Greenock	75,028	2·47	1·51	0·41	0·31	0·24
Partick	66,924	1·64	1·02	0·28	0·18	0·16
Coatbridge	43,288	1·89	1·09	0·16	0·32	0·32
Motherwell	40,466	1·80	0·94	0·42	0·32	0·12
Kirkcaldy	39,597	1·97	1·09	0·30	0·15	0·43
Hamilton	38,653	1·89	0·80	0·34	0·52	0·23
Clydebank	37,828	2·35	1·27	0·48	0·34	0·26
Perth	35,772	1·90	1·17	0·34	0·22	0·17
Kilmarnock	34,618	1·75	1·24	0·14	0·20	0·17
Falkirk	33,561	2·09	1·25	0·36	0·18	0·30
Ayr	32,975	1·57	1·21	0·09	0·09	0·18

death-rate is also the lowest annual Scottish death-rate from tuberculosis yet recorded. It is 4 less than that of the previous year, which was the record for lowness, 27 less than the mean of those of the previous five years, and 34 less than the mean of those of the previous ten years. It is less than one half of the mean of the tuberculosis death-rates of the years 1855 to 1880. Deaths from tubercle of males numbered 4264, the corresponding death-rate being 184 per 100,000, while these deaths among females numbered 4123, the corresponding death-rate being 168. In the larger burghs taken collectively the death-rate from tubercle was 208 per 100,000; in the smaller burghs, 168; and in the county districts, 140. In the larger burghs relatively high death-rates from this cause occurred in Dundee, 256 per 100,000; in Greenock, 247; in Clydebank, 235; in Glasgow, 229; and in Falkirk, 209; while relatively low rates occurred in Ayr, 157; Partick, 164; Paisley, 170; Aberdeen, 173; Kilmarnock, 175; Motherwell, 180; and Edinburgh, 184. *(Tables 24-32.)*

Of the 8387 deaths from tuberculosis, 5233 were ascribed to phthisis, 218 to acute phthisis, 111 to miliary tuberculosis, 1048 to tuberculous meningitis, 839 to abdominal tubercle, 149 to tuberculosis of the spine, 61 to tuberculosis of joints, and 728 to other, or to disseminated, tuberculosis.

These deaths from *phthisis*, 5451, are 42 more than in the previous year, but are 628 less than the average number during the preceding five years, and 897 less than the average during the preceding ten years. The death-rate from phthisis amounted to 115 per 100,000, which is the same as in the previous year, which rate was the lowest recorded since 1855, but is 16 less than the mean of the rates of the preceding five years, and 24 less than that of the preceding ten years. In the larger burghs taken collectively the death-rate from phthisis was 134 per 100,000; in the smaller burghs, 110; and in the county districts, 92. In the larger burghs this death-rate ranged from 170 in Dundee, 151 in Greenock, 148 in Glasgow, 141 in Leith, 127 in Clydebank, 125 in Falkirk, and 124 in Edinburgh and Kilmarnock, to 80 in Hamilton, 94 in Motherwell, 102 in Partick, and 109 in Coatbridge and Kirkcaldy. In Aberdeen this rate was 122; in Ayr, 121; in Perth, 117; in Paisley, 114; and in Govan, 113. Of the deaths from phthisis, 2678 were of males and 2773 of females, the male death-rate being 116, and the female, 113. *(Tables 24-32.)*

Of those dying from phthisis during the year, the largest numbers were aged between 15 and 55. Those over 15 but under 25 numbered 1328; over 25 but under 35, 1366; over 35 but under 45, 1057; and over 45 but under 55, 689. The age groups of the population with the highest death-rates from phthisis were 25 to 34, 185 per 100,000; 35 to 44, 176; 45 to 54, 155; 15 to 24, 151; and 55 to 64, 129; and those with the lowest were 5 to 9, 21; 1 to 4, 29; over 75, 33; under 1, 34; 10 to 14, 41; and 65 to 74, 76. *(Tables 24 and 25.)*

Deaths from *tuberculous meningitis* numbered 1048, and for this number the annual death-rate is 22 per 100,000. In the larger burghs this death-rate was 27; in the smaller burghs, 20; and in the county districts, 16. In the larger burghs this rate ranged from 48 in Clydebank, 42 in Motherwell, 41 in Greenock, 36 in

Falkirk, and 34 in Hamilton and Perth, to 9 in Ayr, 14 in Kilmarnock, 16 in Coatbridge, and 17 in Paisley. Of the 1048 deaths from tuberculous meningitis, 758 were of children of under five years of age, and 81 of persons of over 15. The death-rate from this cause ranged from 258 per 100,000 in age group under 1, 113 in age group 1 to 4, and 29 in age group 5 to 9, to 5 or less in all age groups over 15. *(Tables 24-30.)*

The deaths from *abdominal tuberculosis*, which numbered 839, are equal to an annual death-rate of 18 per 100,000. In the larger burghs taken collectively this death-rate was 20; in the smaller burghs, 19; and in the county districts, 14. In the larger burghs this rate ranged from 52 in Hamilton, 34 in Clydebank, 32 in Coatbridge, 32 in Motherwell, and 31 in Greenock, to 9 in Ayr, 9 in Aberdeen, 12 in Edinburgh, 14 in Paisley, and 15 in Kirkcaldy. In the age groups of the population this rate ranged from 164 per 100,000 in age group under 1; 70 in age group 1 to 4; and 21 in age group 5 to 9; to 3 in age group 65 to 74; 4 in age group over 75; and 5 in age groups 35 to 44, 45 to 54, and 55 to 64. *(Tables 24-30.)*

Deaths from *malignant disease* numbered 4948, and the death-rate therefrom was 104 per 100,000. These deaths are 85 more than in the previous year, 285 more than the average during the preceding five years, and 694 more than that during the preceding ten years. This death-rate is 1 more than that of the previous year, 4 more than the mean of those of the preceding five years, and 11 more than the mean of those of the preceding ten years. It is the highest annual Scottish death-rate from malignant disease yet recorded, that of the previous year being the next highest. Previous to 1861 this death-rate averaged 34 per 100,000; from 1861 to 1870 it averaged 42; from 1871 to 1880, 49; from 1881 to 1890, 59; from 1891 to 1900, 74; and from 1901 to 1910, 93. In the larger burghs taken collectively this rate was 104; in the smaller burghs, 114; and in the county districts, 99. In Edinburgh it was 134; in Greenock, 113; in Kirkcaldy, 109; in Ayr, 109; in Dundee, 108; and in Aberdeen, 108. In Hamilton it was 57; in Clydebank, 63; in Coatbridge, 69; in Motherwell, 74; and in Falkirk, 74. Of these deaths, 3483 were of persons aged 55 or more; 1293, 35 to 54; and 172, less than 35. The death-rate in age groups ranged from 977 per 100,000 in age group over 75; 756 in age group 65 to 74; 468 in age group 55 to 64, and 204 in age group 45 to 54, to 2 in age groups 1 to 4, 5 to 9, and 10 to 14. Of the deaths from malignant disease, 2747 were ascribed to carcinoma, 231 to sarcoma, and 1970 to other or unspecified form of cancer. *(Tables 24-32.)*

A tabulation of the deaths from malignant disease during the year according to the part of the body affected in shown in Table 34 (page lxxviii), and it may there be seen that the parts more frequently affected in males, and the number of deaths therefrom, during the year were:—Stomach, 570; intestine, 295; liver, 207; and rectum, 147; and among females:—Stomach, 569; uterus, 444; breast, 407; intestine, 390; liver, 331; and rectum, 139. Deaths from malignant disease among males numbered in all 2046, and among females, 2902. The male death-rate was 89, and the female death-rate 119, per 100,000. *(Tables 28 and 34.)*

Deaths from *bronchitis* numbered 4546. They are 158 fewer

than in the previous year, 471 less than the average number during the preceding five years, and 748 less than that during the preceding ten years. It is the smallest number of deaths from this cause in Scotland in all years since 1859. The death-rate from bronchitis was 96 per 100,000, which is 4 less than the rate of the previous year, 12 less than the mean of those of the preceding five years, and 20 less than the mean of those of the preceding ten years. In the larger burghs taken collectively this rate was 111; in the smaller burghs, 97; and in the county districts, 75. In the larger burghs this rate ranged from 152 in Paisley, 150 in Coatbridge, 137 in Greenock, 133 in Dundee, and 122 in Glasgow, to 45 in Clydebank, 75 in Kilmarnock, 76 in Kirkcaldy, 80 in Falkirk, and 81 in Edinburgh. Of these 4546 deaths, 1301 were of children of less than 5 years of age, and 2047 of persons of over 65. The highest death-rates from this disease are found in age groups over 75, 1354 per 100,000; under 1, 886; 65 to 74, 578; 55 to 64, 209; and 1 to 4, 81; and the lowest in age groups 10 to 14, 3; 15 to 24, 4; and 25 to 34, 6. *(Tables 24-32.)*

Deaths ascribed to *pneumonia*, all forms, numbered 5905, and the death-rate was 124 per 100,000. These deaths are 424 fewer than in the previous year, 812 less than the average during the preceding five years, and 743 less than that during the preceding ten years. This death-rate is 10 less than that of the previous year, 20 less than the mean of those of the preceding five years, and 21 less than the mean of those of the preceding ten years. In the larger burghs taken collectively this death-rate for the year was 154 per 100,000; in the smaller burghs, 101; and in the county districts, 98. In the larger burghs this rate ranged from 188 in Greenock, 182 in Glasgow and in Govan, 178 in Coatbridge, and 164 in Leith and in Falkirk, to 72 in Motherwell, 75 in Perth, 78 in Kirkcaldy, and 81 in Kilmarnock. Relative to the populations, deaths from pneumonia were most frequent in the youngest and the oldest age periods. In age group under 1 the death-rate from this cause was 1276 per 100,000; in age group over 75, 581; in age group 65 to 74, 351; in age group 1 to 4, 289; in age group 55 to 64, 194; and in age group 45 to 54, 120; in age groups between 5 and 24 it was less than 30, and in those between 25 and 44, less than 70. Of the deaths from pneumonia, 2342 were ascribed to broncho-pneumonia, and 3563 to other or unspecified forms of the disease. *(Tables 24-32.)*

Deaths from *all diarrhœal diseases* numbered 2909, and the corresponding death-rate was 61 per 100,000. These deaths are 198 more than in the previous year, and 212 more than the average during the preceding five years, but are 23 less than the average during the preceding ten years. This death-rate is 3 more than that of the previous year, and the same amount more than the mean of the rates of the preceding five years, but 3 less than that of the preceding ten years. *(Tables 31 and 32.)*

Of the deaths from diarrhœal diseases, 2306 were of children of less than two years old. These deaths are 254 more than in the previous year, and are equal to a death-rate of 49 per 100,000. In the larger burghs taken collectively this death-rate was 61; in the smaller burghs, 39; and in the county districts, 38. In the larger burghs this rate ranged from 97 in Ayr, 92 in Dundee, 88 in Coat-

bridge, 85 in Hamilton, 76 in Greenock, 75 in Perth, and 69 in Glasgow, Partick, and Motherwell, to 30 in Edinburgh, 33 in Falkirk, 34 in Clydebank, and 35 in Aberdeen and Kirkcaldy. Of these 2306 deaths, 1881 were of children of less than one year old, and 425 of children of more than one but less than two years old. *(Tables 24 to 30.)*

Deaths from *diseases and accidents of pregnancy and parturition*, including those ascribed to puerperal sepsis, numbered 699, and as the registered births of the year numbered 121,850, these deaths are equal to a death-rate of 5·7 per thousand births. These deaths are 11 fewer than in the previous year, but this death-rate is of the same amount. In the larger burghs taken collectively this death-rate was 6·2; in the smaller burghs, 5·8; and in the county districts, 5·0. In the larger burghs this rate ranged from 10·5 in Clydebank, 8·6 in Coatbridge, 7·6 in Leith, 7·4 in Greenock, and 7·0 in Ayr, to 3·7 in Govan, 4·1 in Kirkcaldy, 4·5 in Hamilton, and 4·7 in Dundee. In Glasgow this rate was 6·2, and in Edinburgh, 6·8 *(Table 33.)*

Deaths ascribed to *syphilis* numbered 210. They are 11 more than in the previous year, and are equal to a death-rate of 4 per 100,000, which is 1 less than the mean of those of the preceding ten years. Of these deaths, 169, or 80·5 per cent., were of children of less than one year old. *(Tables 24, 31, and 32.)*

Deaths from diabetes numbered 445; from cerebro-spinal meningitis, 85; from acute rheumatism, 234; from chronic rheumatism, 182; from gastric ulcer, 363; and from appendicitis, 410. Compared with the returns of the previous year, the deaths from diabetes are 15 fewer; from cerebro-spinal meningitis, 3 fewer; and from chronic rheumatism, 3 fewer; but those from gastric ulcer are 12 more, and from appendicitis, 23 more. Deaths from diseases of the ear and mastoid numbered 149, and are 14 fewer than in the previous year.

Deaths attributed to *congenital debility, premature birth, and malformations* numbered 4727, 656 being attributed to malformations, 2365 to premature birth, and 1706 to congenital debility. Collectively they are equivalent to a death-rate of 99 per 100,000. In the larger burghal districts this rate was 108; in the smaller districts, 101; and in the county districts, 87. *(Table 28.)*

Deaths attributed to *old age*, including those certified as due to senile debility and to senile dementia, numbered 3644, and are equal to a death-rate of 77 per 100,000.

Deaths from *violent causes* numbered 2888, 253 being attributed to suicide, 11 to homicide, and 2624 to accidents. Compared with the returns of the previous year, these deaths are 163 more, those from accident being 208 more, while those from suicide are 34 fewer, and from homicide 11 fewer. The total deaths from violence are 53 less than the average during the preceding five years, and 125 less than in the preceding ten years. The death-rate from violence is 61 per 100,000, which, though 3 more than in the previous year, is 2 less than the mean of the corresponding rates of the preceding five years, and 5 less than the mean of those of the preceding ten years. In the larger burghs taken collectively the death-rate from violent causes was 63; in the smaller burghs, 55; and in the county districts, 61. In the larger burghs this rate ranged from 82 per 100,000 in Clydebank, 80 in Leith, 76 in

Greenock, 73 in Govan, 72 in Falkirk, and 71 in Glasgow, to 40 in Kirkcaldy, 46 in Paisley, 49 in Edinburgh and Motherwell, and 55 in Partick and Kilmarnock. In age group under 1 the death-rate from violence is 195 per 100,000, and is found to be less in the immediately older age groups, falling to a minimum of 19 in age group 10 to 14. In the older age groups this death-rate increases, being 35 in age group 15 to 24, 47 in age group 25 to 34, 67 in age group 35 to 44, 81 in age group 45 to 54, 103 in age group 55 to 64, 133 in age group 65 to 74, and 245 in age group of over 75. Deaths from violence among males numbered 2073, and among females, 815; the male death-rate was 90 per 100,000, and the female, 33. *(Tables 24-32.)*

Among the deaths of males from violent causes there were 409 by drowning, 199 by falling, 192 in mines and quarries, 189 by burns and scalds, 182 by suicide, 133 on railways, 71 by horses and horsed vehicles, 55 by overlaying, 64 by other suffocations, 43 by poison (suicidal excluded), 28 by accidents with motor vehicles, and 9 by accidents with tramway cars. Among the deaths of females from violence there were 216 by burns and scalds, 96 by drowning, 71 by suicide, 48 by falls, 44 by overlaying, 45 by other forms of suffocation, 28 by poison (suicide excluded), 12 on railways, 10 by accidents with horses and horsed vehicles, 10 by accidents with motor vehicles, and 4 by accidents with tramway cars.

Accidental deaths from *poisoning* include:—Opium and its preparations, 15; coal gas, 13; carbolic acid, 7; carbonic oxide, 5; arsenic, 4; hydrochloric acid, 3; irritant poison, not otherwise specified, 2; chloral, 2; chloroform, 2; cyanide of potassium, 2; aconite and belladonna, 2; and one each from the following:—Ammonia, alcohol, carbon bisulphide, creolin, chloride of zinc, caustic soda, fumes from burning ironstone, furnace gas, iodine, Jeyes' fluid, narcotic (not otherwise specified), nitric acid, oxalic acid, oxalate of potassium, sewer gas, and strychnine. In 3 instances the nature of the poison was not stated. *(Table 36.)*

Male *suicides* numbered 182, and female, 71. Of the male suicides, 52 were by hanging, 49 by cutting or stabbing, 25 by poison, 22 by drowning, 12 by gunshot, 12 by precipitation, 7 on railways, and 3 by unstated means. Of the female suicides, 26 were by hanging, 18 by drowning, 14 by cutting or stabbing, 9 by poison, 3 on railways, and 1 by precipitation, there being none by gunshot or by unstated means. The suicidal poisonings include 6 by carbolic acid, 6 by coal gas, 6 by opium, 5 by cyanide of potassium, 2 by strychnine, and 1 each by ammonia, A.B.C. Liniment, arsenic, cannabis indica, prussic acid, and salts of antimony; in three instances the nature of the poison was not specified. *(Table 35.)*

In addition to the above-noted accidental deaths from poisoning, there were 42 attributed, partly or entirely, to the administration for surgical purposes of anæsthetics. In 38 of these chloroform was the anæsthetic used, in 2 it was a mixture of chloroform and ether, in 1 it was ether alone, and in one instance the nature of the anæsthetic was not specified. *(Table 36.)*

The following list shows in order of frequency some of the more important causes of deaths, the quantities stated being the percentages of the total deaths caused by those named:—Tuberculosis,

all forms, 11·69; Organic Heart Disease, 8·64; Pneumonia, 8·23; Cancer, 6·90; Congenital Debility, Premature Birth, and Malformations, 6·59; Bronchitis, 6·34; Violence, 4·02; Whooping-cough, 3·27; The Diarrhœas of Childhood, 3·21; Nephritis and Bright's Disease, 2·99; Meningitis, not described as tuberculous, 1·36; Diphtheria and Croup, 1·30; Measles, 1·29; Diseases and Accidents of Pregnancy and Parturition (including Puerperal Sepsis), 0·97; Diseases of the Liver, not malignant, 0·73; Scarlet Fever, 0·63; Appendicitis, 0·57. Deaths from phthisis constituted 64·99 per cent. of all deaths from tuberculosis, and 7·60 per cent. of the total deaths of the year; those from tuberculous meningitis constituted 12·50 per cent. of all deaths from tuberculosis, and 1·46 per cent. of the total deaths of the year; and those from abdominal tuberculosis constituted 10·00 per cent. of all deaths from tuberculosis, and 1·17 per cent. of the total deaths of the year. *(Table 26.)*

On pages 52 to 55 there is a tabular statement showing the distribution of deaths by specified causes according to the month of registration. It shows the months in which particular causes were more prevalent and less prevalent. In it it may be seen that measles was most prevalent in December, 186 deaths, and least prevalent in September, 24 deaths; whooping-cough was most prevalent in April, 347 deaths, and least so in October, 56 deaths. Deaths from diphtheria and croup varied from 120 in January, to 30 in May; from phthisis, from 515 in March to 366 in July; from tuberculous meningitis, from 114 in March and May to 59 in November; from meningitis, not described as tuberculous, from 104 in March to 60 in November; from valvular heart disease, from 239 in February to 180 in September; from bronchitis, from 659 in February to 128 in August; from pneumonia, from 731 in April to 212 in August; from the diarrhœas of childhood, from 585 in August and 566 in September, to 77 in February and 84 in May; and from violence, from 289 in July to 183 in June.

Tables 37 and 38 consist of special tabulations dealing with the deaths of children of less than one year old, Table 37 showing the causes of these deaths in combination with months of life of the children, and Table 38 the same facts in combination with the calendar months of registration. These deaths in all numbered 13,707. Of them, 4647, or 33·90 per cent., were due to congenital debility, premature birth, or malformations; 1881, or 13·72 per cent., to diarrhœas; 1380, or 10·07 per cent., to pneumonia; 1034, or 7·54 per cent., to whooping-cough; 958, or 6·99 per cent., to bronchitis; 592, or 4·32 per cent., to tubercle; 356, or 2·60 per cent., to meningitis, not described as tuberculous; 556, or 4·06 per cent., to "convulsions"; 231, or 1·68 per cent., to measles; and 169, or 1·23 per cent., to syphilis. The infantile death-rate per thousand registered births from congenital debility, premature birth, and malformations, was 38·1; from diarrhœas, 15·4; from pneumonia, 11·3; from whooping-cough, 8·5; from bronchitis, 7·9; from tuberculosis, 4·9; from meningitis, not described as tuberculous, 2·9; from "convulsions", 4·6; from measles, 1·9; and from syphilis, 1·4. *(Tables 37 and 38.)*

Deaths of children of less than one year old varied from 1322 in August, 1306 in September, and 1305 in December, to 855 in June,

969 in July, and 1072 in October. The infantile death-rate per thousand births (calculated on the assumption that the births were evenly distributed throughout the year) varied from 130·4 in September, 127·7 in August, 126·3 in February, and 126·1 in December, to 85·4 in June, 93·6 in July, and 103·6 in October. In January this rate was 113·7; in May, 111·5; in November, 111·3; in April, 110·8; and in March, 110·3. The relatively high infantile mortality rates of August and September were associated with a prevalence of deaths from the diarrhœas of childhood. Deaths of children of this age from bronchitis were most frequent in November and December and least frequent in from June to August, the maximum number being in December, 170, and the minimum in August, 21; those from pneumonia varied from 248 in December, and 187 in November, to 49 in August, and 51 in June. *(Table 38.)*

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The following remarks on the weather of the year are the Notes made by Mr. A. Watt, M.A., F.R.S.E., under the direction of the Council of the Scottish Meteorological Society, which appear in the Registrar-General's Quarterly Reports:—

The month of *January* was characterised by an extremely high mean pressure; a high mean temperature, with a normal mean daily range; a low mean rainfall; and a slight excess of Westerly winds.

The mean pressure of 30·167 ins., or 0·364 in. above the normal, was as much as six-tenths of an inch above that for the preceding month, and has been exceeded in January during the last 50 years only in 1880 and 1896. There was a considerable fall of the barometer from 5th to 6th, and a rapid fall of about 1 in. from 10th to 11th, followed by almost as rapid a recovery. Except at these dates pressure was almost continuously high, at Leith always above 30 ins. with readings exceeding 30·5 ins. from 17th to 19th and on 30th and 31st. The sea-level extremes there were 30·693 ins. on the evening of 31st and 29·284 ins. on the morning of 6th.

The mean temperature was 39°·6, or 2°·3 above the normal, the excess being well-defined in all districts and equally well marked by day and by night. During the first two weeks conditions differed little from the normal, though there was a touch of cold about 4th, when several districts reported their lowest readings for the month; but during the third week, and still more so during the fourth, extremely mild weather was experienced. Temperature fell rapidly on 31st, with minima for the month at most stations on that day. As compared with former years, January 1906 was at least as mild, and January 1898 very much milder with a mean temperature of 42°·9. Highest readings occurred about 18th, or, more generally, on 25th or 26th. The actual extremes were 56° at Tillypronie on 18th, and 16° at Balmoral on 4th and at West Linton on 31st.

The mean rainfall was 2·63 ins., or 32 per cent. below the normal. A few scattered stations in West and North had about their average amounts, but there was as a rule a large deficiency,

and several Eastern districts had considerably less than half their normal January rainfalls. At Perth the aggregate was as low as 0·49 in., or less than one-fifth of the normal, whilst Fortrose, Dundee, Edinburgh, and other stations had less than 1 in. It may be noted, however, that within the area of greatest deficiency slightly lower rainfalls were recorded in 1907, 1906, and 1905, but at Nairn the month was the driest January since 1889. Many Eastern stations entirely escaped falls of any importance, whilst, roughly speaking, heavy falls occurred in West on 5th; in North-West, West and South on 10th; and in North-West and West on 24th and 25th. On 10th, Greenock recorded as much as 2·34 ins., and several stations more than 1 in.; on 24th, Glencarron, Fort-William, and Lochbuie more than 1 in.; and on 25th, Greenock fully 1 in. Except around those date falls were as a rule unimportant, and in most districts there were many rainless days.

A violent Westerly gale was general from 10th to 12th with heavy falls of rain, sleet, and snow. Eastern and Northern coasts reported gales and strong winds about 1st, 5th, and 15th. Thunderstorms at Dunrobin and Glencarron on 10th, and in Orkney on 9th and 15th. Sunshine amounts differed but little from the normal. Hardly any fog occurred except, at times, in the Firth of Forth. Auroras observed at Baltasound on 3rd, 4th, 22nd, 23rd, 24th, 25th, 27th, 31st, and elsewhere in the North on some of these dates or on 2nd or 8th.

The month of *February* was characterised by a rather high mean pressure; a slightly high mean temperature, with a rather large mean daily range; a high mean rainfall; and a large excess of South-Westerly winds.

The mean pressure was 29·927 ins., or 0·081 in. above the normal. The high pressure conditions for which January had been remarkable continued almost unbroken until 15th, and at Leith the barometer stood continuously above 30·5 ins. from 1st to 8th. From 16th onwards fluctuations were rapid and considerable with some very low readings—as low as 28·29 ins. at Sumburgh Head on 23rd. The range for the month was larger than any hitherto recorded—more than 2 ins. in all districts—the extreme readings at Leith at sea-level being 30·812 ins. on 1st, and 28·664 ins. on 23rd.

The mean temperature was 39°·0, or 0°·8 above the normal, the days being 1°·4 and the nights 0°·2 above their respective averages. Temperature variations agreed closely with the two well-defined and contrasted periods of pressure conditions just noted, and moderate to rather low temperatures during the first half of the month were more than balanced by very mild weather during the latter half. The opening days were decidedly cold, and in most districts the first week was from 6° to 8° or more colder than the third. Highest readings occurred between 16th and 22nd, the absolute maximum being 59°—at Crathes on 16th, at Dalkeith on 18th, and at Greenock on 22nd. The lowest reading in screen was 11° at Balmoral on 2nd and 11th, and the exposed thermometer fell to 8° at that place on both these days.

The mean rainfall was 4·67 ins., or 52 per cent. above the normal. There was a striking contrast between conditions in the

East and elsewhere. In the Eastern counties there was in general a deficiency, though in Midlothian a slight excess, with aggregates at Crathes and Montrose of less than 1 in.; whilst in Western districts there was a very large excess, Poltalloch, Inveraray, Helensburgh, Rothesay, and Paisley having more than twice their average amounts. In South and North also rainfall was, as a rule, above the normal, Nairn having double its average. Glenquoich had more than 18 ins., and Glencarron and Fort-William more than 12 ins. Within the relatively wettest area, however, the month was in general less wet than February 1903, though at Poltalloch it was wetter than any February in a record going back to 1866. The first 8 days or so were practically rainless, and almost the entire rainfall of the month was registered between 12th and 25th. During this period some very heavy falls occurred in North-West and West. On 12th, 15th, and 16th more than 1 in. fell at North-Western stations, whilst on 17th a severe rainstorm affected a wide area, Glenquoich, Stronvar, Buchlyvie, Helensburgh, and Greenock reporting more than 2 ins., and many stations between 1 and 2 ins. There were again heavy falls on 21st and 22nd, Greenock and Fort-William having more than 1 in. on each of those days, and Glenquoich more than 3 ins. on 21st and more than 2 ins. on 22nd. At Glenquoich about 7 ins. of rain fell between 13th and 17th, and nearly 7 ins. between 21st and 23rd. By way of contrast, the heaviest fall for the month at Aberdeen and Dundee was less than ¼ in.

From 15th onwards South-Westerly winds frequently reached gale force, the stormiest periods being 16th to 17th and 22nd to 23rd. The heavy rains of 17th were accompanied by destructive flooding in some Western districts. Snow and hail occurred at times early in the month, though not to any important extent. A thunderstorm was somewhat widely experienced on 22nd. Eastern districts were sunnier than Western, 87 hrs. at Crathes as compared with 61 at Oban. Dense land fog was experienced

---

TABLE J.—Monthly Mortality and Mean Temperature in Scotland.

MONTHS.	YEAR 1911.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	39°·6	6,337	1,060	1,177	38°·0
February	39·0	6,682	1,118	1,079	37·7
March	39·7	6,775	1,133	1,149	39·9
April	43·9	6,503	1,088	1,096	43·2
May	52·1	6,283	1,051	1,036	48·7
June	54·9	5,243	877	916	54·0
July	59·0	5,258	880	873	56·8
August	59·4	5,410	905	863	55·8
September	52·8	5,481	917	830	53·1
October	45·5	5,707	955	889	47·6
November	40·5	5,746	961	976	41·2
December	40·9	6,307	1,055	1,116	38·5
YEAR	47·3	71,732	12,000	12,000	46·2

during the first two or three days, and much fog in the Firth of Forth from 1st to 12th. Auroras observed in the North between 21st and 28th, at Gordon Castle on 4 days, and in Orkney and Shetland on 3 days.

The month of *March* was characterised by a high mean pressure; an average mean temperature, with a low mean daily range; a low mean rainfall; and a very large excess of North-Easterly and Easterly winds.

The mean pressure was 29·973 ins., or 0·164 in. above the normal. During the first twelve days or so moderate fluctuations of pressure occurred, but thereafter conditions were unusually stable. At Leith the barometer at sea-level was continuously above 30 ins. from 18th to 28th, the extremes there being 30·453 ins. on 25th, and 29·499 ins. on 12th, giving a range for the month of rather less than 1 in. as compared with more than 2 ins. in February.

The mean temperature of 39°·7 was practically equal to the normal, the days being 0°·6 below and the nights 0°·9 above their respective averages. South-Eastern stations and some Northern ones had a small deficiency. Early in the month there was on the whole a continuance of the mild South-Westerly type of weather which had prevailed throughout February; but from 13th onwards, with winds persistently from East or North-East, the day temperatures were much below the normal except in the West during the last week or so. The last week was in many districts fully 4° colder than the first. At Edinburgh the month was colder than any of the three preceding ones, and on no day after 3rd did the thermometer in screen reach 50°, whilst on several days it failed to reach 40°. The absolute maximum of 58° occurred at Loanhead (Logie Coldstone) on 2nd, at Fortrose on 12th, and on 30th at Ardtornish on the Sound of Mull and at Oban. The minimum was 16° at Leadhills on 7th, the next lowest reading being 21° at Kingussie on 23rd.

The mean rainfall was 1·90 in., or 35 per cent. below the normal. In the hilly district of Aberdeenshire, and at Leith and here and there in the South-East, there was a trifling excess, but in nearly all districts there was a well-marked shortage amounting to 50 per cent. or 60 per cent. at many places in West and South. A very large part of the country received only between 1 and 2 ins.; a number of stations less than 1 in.; and at Cargen (near Dumfries), where the small aggregate of 0·85 in. represented only one quarter of the average, a drier March has been experienced during the last fifty years only in 1900. Rather heavy falls occurred in many districts on 1st, and moderate falls in West and North-West on several days before the 12th. At Aberdeen, however, no day before the 12th had as much as one-tenth of an inch, and in North-East and South-East the least dry period was from about 14th to 18th. There were everywhere many rainless or practically rainless days, and at many Western stations no day after the 11th or 12th had as much as one-tenth of an inch, and at Dumfries no day after 3rd.

Early in the month the South-Westerly winds at times reached gale force, whilst during the third week there were several falls of hail and sleet. The prevailing Easterly winds were associated

with rather cloudy skies on the East Coast, but with very sunny weather in the West. Oban had an aggregate of 192 hours, Castlebay 179, and Stornoway 172, as compared with 107 hours at Aberdeen and 97 hours at Edinburgh. The only station reporting a thunderstorm was Kirkwall—on evening of 1st. Practically no fog occurred. Auroras observed at Baltasound on 5th, at Fort-William on 21st and 22nd, and at Fort-Augustus on 20th, 28th, and 29th.

The month of *April* was characterised by a slightly high mean pressure; a fractionally low mean temperature, with a small mean daily range; a rather high mean rainfall; and an excess of winds from a Northerly, and also from a South-Westerly quarter.

The mean pressure was 29·919 ins., or 0·036 in. above the normal. Until about 14th there was a continuance of the steady high pressure conditions which had prevailed during the latter half of March, but thereafter fluctuations were considerable, with somewhat low readings about 19th and 27th. At Leith the extremes at sea-level were 30·519 ins. on 5th and 29·185 ins. on 27th.

The mean temperature was 43°·9, or 0°·2 below the normal, and the mean daily range was somewhat small, with the days 0°·9 below and the nights 0°·6 above their respective averages. A considerable number of stations had a slight temperature excess. Early in the month, with winds from North and North-East, decidedly cold weather was experienced with lowest readings for the month very generally between 4th and 6th. The days at this time were unusually cold, though warmer in Scotland than in the South of England, and on 5th the thermometer at Edinburgh failed to reach 40°. After the first ten days or so, with winds, as a rule, from South-West, temperature was frequently above the normal, and the fourth week of the month was very generally about 7° or 8° warmer than the first. Highest readings occurred about 13th or 22nd, the actual highest being 67° at Smeaton on 22nd, whilst the lowest was 12° at Leadhills on 6th.

The mean rainfall was 2·91 ins., or 24 per cent. above the normal, and, as in March, there was a marked contrast between conditions in the East and those elsewhere. In the Eastern counties there was a deficiency, with aggregates of less than one inch, representing less than half the normal, at Dundee, Perth, and Cupar. Elsewhere there was, as a rule, a decided excess, with more than 10 ins. at Glenquoich and other stations in the hilly region to the West of the Caledonian Canal, and as much as 17 ins. at Loan, near the head of Loch Hourn. Drumlanrig and Inveraray had about twice their normal amounts, and several widely-scattered stations such as Stornoway, Fort-William, Paisley, and Cargen, an excess of 50 per cent. or more. The dry conditions of March continued in nearly all districts until about 14th, that is throughout the period of high pressure referred to above, and thereafter decidedly wet weather occurred, except in Eastern districts, until about the close of the month. Extremely heavy individual falls were confined to one or two districts, but Glenquoich had 2 ins. on 21st, and 1 in. or more on 15th, 17th, 22nd, and 23rd. At the other extreme, Dundee had falls exceeding one-tenth of an inch on 24th and 25th only, about half of the month's small total of 0·78 in. being accounted for on these two days.

During the first week there were falls of snow and hail, and during the third the weather was at times stormy. Bright sunshine was decidedly below the average, and towards the North-West the amounts were much below those recorded in March. Fog in moderate amounts around the Northern coasts between 21st and 25th. Thunder reported at Balmoral on 18th, at Kingussie on 19th, at Poltalloch on 21st, at Fort-William on 24th, and near Dumfries on 29th. Aurora observed at Stornoway on 8th.

The month of *May* was characterised by a slightly high mean pressure; an extremely high mean temperature, with a large mean daily range; a normal mean rainfall; and an excess of winds from an Easterly and also from a South-Westerly quarter.

The mean pressure was 29·966 ins., or 0·022 in. above the normal. Until 3rd our area was affected by a rather deep depression to the far North, but thereafter pressure movements were very moderate, and from about 20th onwards the distribution was of a decidedly anticylonic type. At Leith pressure was above 30 ins. from 6th to 12th, from 18th to 21st, and from 27th to 31st, and the sea-level extremes were 30·371 ins. on 29th, and 29·385 ins. on 3rd.

The mean temperature was 52°1, or 3°·1 above the normal, with the days 3°·9 and the nights 2°·4 above their respective averages. At a number of stations the temperature excess was more than 4°, and during the last 50 years a warmer May has been experienced in Scotland only in 1889 and 1896. The first few days were somewhat cold, with lowest readings for the month in most districts on 1st, but here and there on 5th and 6th, but thereafter temperature was continuously above the average, except for a brief break with Northerly winds about 20th, and during the last few days the thermometer, especially in the Western districts, reached an unusually high level for the time of year. The highest readings were 83° at Fort-William and Balmoral on 29th, and 82° at Ardtornish and Colmonell on 30th, and the lowest 27° at Stronvar on 1st and at Eskdalemuir on 6th.

The mean rainfall was 2·26 ins., or 1 per cent. below the normal, an excess in most Western and some Southern and Northern districts being balanced by a decided shortage in East, South-East, and here and there towards the North. Thus the differences from the normal ranged from an excess of 60 per cent. at Fort-William and Cargen to deficiencies of more than 50 per cent. at Strathpeffer, Montrose, Dundee, Perth, Colinsburgh, Duns, and Kelso, where the aggregates for the month were less than 1 in. During the opening days some heavy falls occurred—more than 1 in. at Fort-William, Lochbuie, Oban, and Stronvar on 1st; at Stronvar and Cargen on 3rd, when Leadhills had as much as 2½ ins.; at Lochbuie on 5th, and at Stronvar on 6th. Considerable falls occurred also in many districts on 13th and 14th, and towards North-West on 22nd. There were, however, many rainless days, and the latter half of the month was rainless or all but so in many districts. At Dundee and Perth falls exceeding one-tenth of an inch occurred only on 3rd and 13th, half the month's small aggregate at these places being accounted for on these two days.

Except during the first week or so, when Southerly winds were strong at times, wind force was very light. Between 12th and

14th, thunderstorms occurred in many districts, and on 13th a heavy rainfall caused serious flooding in the Luce valley. Thunder occurred here and there at the end of the month also. Large amounts of sunshine were recorded, and the month was in general the sunniest May since 1900, though at Stornoway May 1910 was at least as sunny. Somewhat dense fog occurred on Eastern and Northern coasts from 13th to 15th, and on 27th and 28th. Auroras were not reported.

The month of *June* was characterised by a slightly low mean pressure; a normal mean temperature; a mean rainfall practically equal to the normal; and a slight excess of winds from North and North-West.

The mean pressure was 29·931 ins., or 0·015 in. below the normal. Pressure was high and fairly steady until 16th, but thereafter somewhat irregular, with considerable disturbances about 17th, 21st, 24th, and 29th. At Leith pressure was above 30 ins. from 1st to 11th, and from 14th to 16th, and the sea-level extremes were 30·544 ins. on 6th, and 29·401 ins. on 18th.

The mean temperature was 54°·9, being the normal, the days being 0°·7 above and the nights 0°·7 below their respective averages. Early in the month there was a continuance of the warm weather for which May had been remarkable, and some North-Western stations had for the week ending June 3rd a mean temperature from 10° to 12° above the normal. About the middle of the month winds from North and North-West caused a considerable fall of temperature, and a partial recovery was followed by cold weather during the last week of the month. The range of conditions was very great. Thus Glencarron had for the week ending June 3rd a mean temperature of 61°·7 (or 12°·2 above the normal), but for that ending July 1st, one of only 48°·8 (or 4°·6 below the normal). On 7th Colinsburgh reached 85° in the shade and Smeaton 84°, whilst lowest readings occurred from 14th to 16th, with a minimum, at the reporting stations, of 28° in the screen at Wolfelee on 15th and at Balmoral on 16th. About that time severe ground frost occurred in the North, and at Carrbridge on 15th a reading of 25° in the screen—the lowest ever recorded in Scotland in June—was accompanied by one as low as 17° from a thermometer exposed on the grass.

The mean rainfall was 2·60 ins., or 3 per cent. above the normal, but the distribution was very irregular. Thus Forfarshire and Eastern Perthshire had a serious deficiency, more than 50 per cent. at Dundee; and at Dunrobin, in the Central Highlands, and here and there in the West there was a shortage. On the other hand, in South, South-East, and extreme North there was a decided excess, more than 50 per cent. at Wick, Nairn, Cargen, and Kelso, whilst Berwickshire received more than double the average, with totals above any recorded in June since 1879. The drought of the latter half of May was prolonged during the first half of June, but from 16th to 24th conditions were very unsettled, with rain on every day in some districts, and the following well-defined rainstorms occurred:—(1) On 17th in West and South, with 1 in. or more at Dumbarton, Paisley, Dumfries, and other stations. (2) On 21st in North-West and West, with 1 in. or more at Glencarron, Fort-

William, Greenock, and other stations. (3) On 24th in North, North-East, and South-East, with more than 1 in. at Wick, Nairn, Aberdeen, and Edinburgh; 2 ins. at Kelso; 2·71 ins. at Marchmont; and more than 3 ins. at Duns. It is noteworthy that on this day Forfarshire received quite nominal falls, and that at Dundee no day during the month had as much as one quarter of an inch.

Slight falls of snow occurred on the Northern Mountains about the middle of the month, and hail at lower levels. The heavy rains of the 24th were the accompaniment of a gale from North-East and East, and wind force was high for a day or two about that time. Thunderstorms occurred at a few wide-spread stations on 1st, and were very general between 17th and 19th. The first half of the month, and especially the first week, was extremely sunny, with aggregates for the month above the normal. Fog occurred round our Northern coasts on 8th and 9th, and in East and North from 18th to 20th. Auroras were not reported.

The month of *July* was characterised by an extremely high mean pressure; a high mean temperature, with a large mean daily range; a low mean rainfall; and a slight excess of winds from S.W.

The mean pressure of 30·077 ins. was 0·185 in. above the normal, and during the last 50 years a higher mean pressure has been recorded for July only in 1885. Until 14th, conditions were of a decidedly high-pressure type, whilst later there were some moderate irregularities. At Leith the sea-level extremes were 30·618 ins. on 10th and 29·526 ins. on 18th, and pressure there was above 30 ins. from 3rd to 15th, and on several days later in the month, and above 30·5 ins. from 9th to 13th.

The mean temperature was 59°·0, or 1°·7 above the normal, the excess being largely due to high day temperatures, for the days were 2°·6 above the average but the nights only 0°·9 above. Towards the North the excess was trifling, and at Wick there was a slight temperature deficiency. For Scotland as a whole the month was the warmest July since 1901, when the mean was 61°·8. Generally speaking, moderate temperatures early in the month, with lowest readings in many districts on 3rd, were followed by remarkably warm weather during the second week, conditions about the normal during the third week, and thereafter a moderate temperature excess. For two or three days about 12th very high readings occurred, and the shade maximum of 90° at Perth on 12th has been equalled in Scotland only thrice in July since observations were organised more than 50 years ago—in 1908, 1901, and 1876. The lowest reading in shade was 32° at Balmoral on 20th. The extreme range of temperature for the month was thus very large.

The mean rainfall was 2·33 ins., or 25 per cent. below the normal, and, relatively to the average, the country showed a very wide range of conditions. Thus some South-Eastern stations had aggregates of less than 1 inch, and Eastern and Southern districts generally less than half their normal rainfalls. On the other hand, some stations in West and North-West had decidedly high rainfalls—Bendamph (Loch Torridon) more than 8 ins., Loan (Glenquoich) as much as 12 ins., and Stornoway an excess of 75 per cent. Rather wet weather towards the North-West during the first week, with moderate falls elsewhere, was followed by a rainless spell of

about a week. From 16th onwards, though there were many rainless days in East and South, conditions were in general unsettled, with some heavy falls about 17th, 20th, and 27th. Falls exceeding 1 inch occurred at Bendamph on 7th, at Helensburgh on 20th, and at Stornoway and in Mull on 24th. Some Eastern and South-Eastern stations, such as Dundee and Marchmont, had no fall of as much as one-quarter of an inch on any day, whilst at Dumfries and other Southern stations half the month's total was accounted for by a heavy fall on 27th.

Wind force was light as a rule, but gales were reported at outlying lighthouses on 22nd. Thunderstorms occurred at Gordon Castle and elsewhere on 18th; at some Western stations and in Fifeshire on 21st; at Colmonell on 27th; and very widely on 29th or 30th. The sunshine aggregates for the month, especially towards the North-East, were much above the normal, largely due to brilliant weather during the second week. At Aberdeen the month was the sunniest July for at least 30 years. Fog occurred in North and West between 4th and 8th; in North from 13th to 16th; and in East and North on 29th. Auroras were not reported.

The month of *August* was characterised by a high mean pressure; a very high mean temperature, with a rather large mean daily range; a low mean rainfall; and an excess of winds from S. and S.W.

The mean pressure was 29·929 ins., or 0·073 in. above the normal. From about 7th to 18th conditions were of a distinctly high-pressure type, whilst early in the month and more so towards the end there were considerable fluctuations of the barometer, with a rapid fall on 31st. At Leith the sea-level extremes were 30·337 ins. on 14th and 29·577 ins. on 5th, and pressure there was above 30 ins. on 2nd, 8th, from 10th to 17th, and on 30th.

The mean temperature was 59°·4, or 2°·8 above the normal, the days being 3°·3 and the nights 2°·4 above their respective averages. At several stations the excess was fully 4°, but at Wick only 0°·8. Considering Scotland as a whole, a warmer August has been experienced during the last 50 years only in 1899, though in some districts August 1893 was at least as warm. During the first half of the month temperature was extremely high, the mean for the first week at Leith being as much as 6° above the normal. Later, conditions fluctuated somewhat, but over the Southern half of the country readings remained high until near the end of the month, when there was a moderate drop in temperature. Highest readings occurred in East and North very generally on 9th, but elsewhere on 13th or 17th, with light winds from N. and N.E., or on 24th or 30th. The actual extremes were 88° at Colmonell on 13th, and 35° at Balmoral and Logie Coldstone on 24th.

The mean rainfall was 2·44 ins., or 34 per cent. below the normal. Fort-William had an excess of about 20 per cent. and a few Western stations almost or rather more than their normal amounts, but over the greater part of the country there was a very decided shortage. Many Eastern stations had aggregates of less than 1 in.; wide areas less than half their average rainfall for August; and Gordon Castle, Arbroath, and Colinsburgh only about one-fifth of the normal. Considered generally, the month was

much the driest August since 1899. Moderate falls in most districts during the first few days were followed by a practically unbroken drought in many districts from about 7th to 23rd, though here and there during that period considerable falls occurred on some one day. From 24th onwards conditions were quite unsettled, with only unimportant falls in some districts, but more than 1 in. at Lerwick, Lochbuie, and Stronvar on 24th, and at Oban on 28th. The month closed with a heavy rainstorm in West and South on 31st, with falls of 2½ ins. at Glenquoich, Inveraray, and Greenock, and more than 1 in. at many places.

A South-Westerly gale was experienced on 31st. Thunderstorms occurred here and there on 1st or 3rd; along the fringe of the East coast on 9th; at a few places between 10th and 12th; and on 24th or 28th. Sunshine aggregates were decidedly above the normal. Fog occurred along the East coast on 12th and 13th. An aurora was visible in Orkney and Shetland and at Stornoway on 23rd.

The month of *September* was characterised by a high mean pressure; a mean temperature equal to the normal, with a rather large mean daily range; a low mean rainfall; and an excess of winds from a Westerly and also from a Northerly quarter.

The mean pressure was 29·964 ins., or 0·098 in. above the normal. About 19th a large depression crossed our area, but otherwise pressure movements were moderate, and at times, until 18th, conditions were of an anticyclonic type. At Leith the sea-level extremes were 30·384 ins. on 15th, and 29·244 ins. on 20th, and pressure there was above 30 ins. from 2nd to 7th, on 9th and 10th, from 14th to 18th, and on 29th.

The mean temperature was 52°·8, being the normal, and the days were 0°·6 above, but the nights 0°·6 below, their respective averages. The individual means were about the average in the North, and above it in most Eastern districts, whilst towards West and South there was, on the whole, a slight temperature deficiency. Early in the month there was a continuance of the warm weather which had been experienced with inconsiderable interruptions for several weeks, with highest readings, as a rule, on 6th or 7th or on 10th and 11th, though here and there between 2nd and 4th. After 11th conditions were irregular, and with winds from some Northerly point low night readings occurred on 21st and 22nd and extremely cold days at the end of the month. On 30th the maximum reading at many stations was below 50°. On 21st an exposed thermometer at Balmoral fell to 22°, and the actual extremes in shade were 79° at Crathes on 7th, and 24° at West Linton on 22nd.

The mean rainfall was 2·15 ins., or 39 per cent. below the normal. In the extreme North and North-West rainfalls approached their average values, and at Glencarron there was an excess; but in general there was a wide-spread shortage. Many stations had less than half their average amounts and a few Eastern ones aggregates of less than 1 in. At Balmoral the total was only 0·42 in., and probably a large area in the Central Highlands had only about one-quarter of the average. At Dumfries the month was practically rainless until after the 18th, and in many

districts the drought was broken during that period only about 8th or 11th; towards the North-West, however, there was a moderate rainfall, and at Glencarron more than 1 in. on 1st. After 18th conditions were more unsettled, with falls of more than 1 in. at Glencarron on 19th, and at Fort-William and elsewhere on 26th, and rather heavy falls towards the S.E. on 29th. At Edinburgh, where 0·71 in. was registered on 20th, and at several other stations, half the month's total was registered on that day.

During the last week of the month the weather was at times stormy, with hail in places, and falls of snow on the hills in many districts. On 30th a gale from N. and N.W. was experienced over the North Sea. A thunderstorm at Baltasound on 11th, and thunder at some Southern stations on that day. Except in the extreme North, sunshine aggregates were above the normal, Marchmont having 1½ hour more per day than its average amount for September. But little fog occurred. An aurora visible in Orkney on 29th.

The month of *October* was characterised by a high mean pressure; a rather low mean temperature, with a somewhat large mean daily range; a rather low mean rainfall; and a large excess of winds from a North-Easterly quarter.

The mean pressure was 29·918 ins., or 0·104 in. above the normal. Until about 18th pressure was high and steady, but thereafter fluctuations were considerable, and the weather over our area was controlled by a succession of low-pressure systems, of which one arriving off the North of Scotland on 29th was of considerable depth. At Leith the sea-level extremes were 30·583 ins. on 10th and 29·042 ins. on 22nd, and pressure there was above 30 ins. from 1st to 19th.

The mean temperature was 45°·5, or 1°·1 below the normal, the days being 0°·6 and the nights 1°·5 below their respective averages. A considerable number of stations differed but little from the average, but at Nairn, where readings were continuously low, there was a deficiency of as much as 2°·8. Roughly speaking, with frequent winds from the North, temperature was, on the whole, below the average except during the third week, when, with winds from a Southerly point, there was in most districts a well-defined excess. Highest readings occurred on varying dates,—during the second week in Southern and Central districts, but very generally between 15th and 21st. Towards the end of the month considerable fluctuations took place. Early on 29th very low readings occurred, but there was a rapid recovery of temperature, and at Greenock both the highest and the lowest readings of the month were recorded on that day. The actual extremes were 66° at Colmonell on 17th and 15° at Balmoral on 29th.

The mean rainfall was 3·08 ins., or 24 per cent. below the normal. At Edinburgh and towards the South-East of Scotland amounts were fully equal to the average, but in most districts there was a shortage, very decided towards North-West and North. Glencarron had only one-third of the average, and Fort-William, Wick, and Deerness only about one-half. At Dumfries no rain fell until 18th, and in many districts, except for moderate falls on 2nd, the month was practically rainless until that date. There-

after an extremely unsettled type of weather set in with falls exceeding one inch at Colmonell on 21st and at Aberdeen on 23rd, and on 29th very heavy amounts with a South-Westerly gale. Carsphairn and Glenquoich on that day recorded more than 3 ins., and many widely-scattered stations such as Langholm, Dalbeattie, Greenock, Inveraray, Stronvar, and Ballachulish, more than 2 ins. At some Eastern stations, however, only small amounts were recorded on 29th, but somewhat heavy falls on the following day.

Wintry weather occurred on several days towards the close of the month, with snow towards the North and on the Borders. On 29th a violent South-Westerly gale was everywhere experienced, and the heavy rains which accompanied it caused flooding in many districts. A thunderstorm on 30th in some Western and Southern districts, and at West Linton. Sunshine amounts were at many places below the normal, but Fortrose, Nairn, Oban, Helensburgh, Turnberry, and Comlongon had aggregates of 100 hours or more. Fog in East and South-West between 12th and 15th and about 20th; in the North on 21st. Auroras visible at Baltasound on 2nd; and at one or more stations on 10th, 17th, and 25th.

The month of *November* was characterised by an extremely low mean pressure; a slightly low mean temperature, with a slightly low mean daily range; a high mean rainfall; and an excess of winds from a North-Easterly quarter and also from South and South-West.

The mean pressure was 29·589 ins., or 0·245 in. below the normal. Until about 18th conditions remained of a very unsettled South-Westerly type, with pressure on several days below 29 ins. The deepest depressions occurred on 4th and 5th, with a reading of 28·09 ins. at Lerwick on 5th. From 19th onwards winds were, as a rule, from a Northerly or Easterly point and pressure was steadier, though fluctuations were considerable about 27th. At Leith pressure at sea-level reached 30 ins. only from 23rd to 26th and on 29th and 30th, and fell below 29 ins. on 5th, 18th, and 19th; the extremes there were 30·290 ins. on 29th, and 28·630 ins. on 5th.

The mean temperature was 40°·5, or 0°·4 below the normal, the days being 0°·7 and the nights 0°·2 below their respective averages. A considerable number of stations had a slight temperature excess, but at Fort-William and Glencarron there was a deficiency of more than 2° and at Nairn of more than 3°. In general, temperature fluctuations were not of a striking character. Rather high day readings occurred about 5th, and round the middle of the month temperature was above the average except in Northern districts. From 9th to 11th and about 21st there were brief visitations of frost, and during the latter part of the month, with Northerly and Easterly winds, decidedly cold weather was experienced. At Glencarron the week ending 25th had a mean temperature more than 7° below the average. The extreme temperatures experienced were 58° at Helensburgh on 14th and 18° at Leadhills on 21st.

The mean rainfall was 5·65 ins., or 49 per cent. above the normal. At Glencarron the amount was just equal to the average, and in the extreme South-West there was a slight shortage, but most districts experienced a decided excess, and Kingussie, Fort-Augustus, Tillypronie, and Gordon Castle had twice the average.

At Nairn the aggregate was as much as two and a half times the average and much the largest for November on record, though there were in reality many fine days. During the first week rain was almost continuous in some districts, and Stronvar had as many as five days during that period with falls of one inch or more. At Glenquoich 5½ ins. fell between 3rd and 5th. For several days around the middle of the month much rain was again experienced, —fully 1 in. at Poltalloch on 14th and at Gordon Castle and Glencarron on 15th; about 1½ in. at Nairn and Fort-Augustus on 16th; and on 17th, 1·65 in. at Colinsburgh, with fully 1 in. at Balmoral, Arbroath, and Marchmont. At Nairn the aggregate fall for 15th and 16th was about 2½ ins., or more than the normal amount for the whole month of November. From 20th onwards there were many fine days, with moderately heavy falls in North-East and South-East on 21st and here and there about 27th.

From 3rd to 5th very stormy weather was experienced. On 5th considerable damage was done by a strong South-Westerly gale of a peculiarly squally character, and in districts the combination of heavy rainfall and unusually high tides caused destructive flooding. Later, conditions were at times very unsettled, with snowstorms in the North. Thunderstorms occurred from 1st to 5th, except in Eastern districts,—at Fort-William on 2nd, 3rd, and 4th. Sunshine aggregates were above the normal in the West, at Stornoway greatly so, but deficient at Edinburgh and Aberdeen. Auroras visible at Aberdeen and elsewhere on 13th, and at Gordon Castle on 16th.

The month of *December* was characterised by an extremely low mean pressure; a high mean temperature, with a slightly low mean daily range; a high mean rainfall; and a large excess of winds from a Southerly quarter.

The mean pressure was 29·490 ins., or 0·290 in. below the normal. In December 1901 the mean was 29·478 ins., and these are the lowest pressures experienced in December since 1876. With low-pressure systems constantly arriving off our Western coasts from the Atlantic pressure was extremely irregular, with lowest readings on 11th and 24th. At Leith pressure at sea-level fell below 29 ins. on 11th and reached 30 ins. only on 31st, the extremes there being 30·176 ins. and 28·667 ins.

The mean temperature was 40°·9, or 2°·8 above the normal, the days being 2°·5 and the nights 3°·2 above their respective averages. The excess was everywhere well-marked—as much as 4°·1 at Glencarron. Early in the month temperature was, on the whole, below the average, but from about 10th onwards, with winds persistently from some Southerly point, almost continuously above. The third week was unusually mild, with a mean temperature from 4° to 6° above the average, and in several districts the weather at that time was the mildest experienced since the third week of October. Highest readings occurred at most stations on 18th, though here and there on 31st, but they were in no way remarkable. Lowest readings were registered about 4th or 8th, or else about 23rd or 25th. The actual extremes were 58° at Fort-Augustus on 18th and 21° at Balmoral on 8th. At the close of the month a mild South-Westerly type of weather prevailed.

The mean rainfall was 6·26 ins., or 52 per cent. above the normal. Edinburgh had just about its average amount, and in some Northern districts there was a slight shortage. In many districts, however, the month was the wettest December for ten or fifteen years, and at Poltalloch it was the wettest for at least 40 years, rain falling there and at other Western stations on every day of the month. Several stations had aggregates of more than 10 ins.; Ardtornish (on the Sound of Mull), 16½ ins.; and Loan, near Glenquoich, as much as 21½ ins. Poltalloch, Colmonell, and Cargen had twice, and Kingussie two and a half times, the average. At the other extreme, Fortrose had only 1·70 in. In many districts the month was the wettest of the year. Falls of 1 in. or over occurred at Stronvar and Leadhills on 2nd; at Greenock and other Western stations on 6th and 8th; in the South of Scotland on 10th; here and there on 18th; and at Crieff on 23rd. At Crathes on 15th as much as 2·03 ins. was registered. On the other hand, in North and South-East there were many rainless days—at Dunrobin and Fortrose as many as 17, and at Nairn there were only 3 days and at Edinburgh only 2 with as much as one-quarter of an inch.

As already stated, the month was remarkable for its mildness. Snowfalls were unimportant except on one or two days in the North, and the only touch of generally wintry weather occurred about 9th. Whilst wind force in general was high, there were many sheltered districts in which gales did not occur. At outlying places, however, moderate gales were rather frequent, at Wick and at Castlebay (Barra) on 13 days. A thunderstorm on 17th at Crathes, Stronvar, and in the West. Sunshine aggregates, as a rule, differed little from the normal, but were above the average around the Moray Firth and in Orkney. On many parts of the coast no fog occurred, but there was a little in the East now and then and a good deal in the Firth of Forth between 27th and 29th. Auroras visible at one or more stations on 6th, 11th, 13th, 14th, 17th, and 26th.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES C. DUNLOP.

General Registry Office of Births, &c.,
Edinburgh, *January* 16, 1914.

APPENDIX.

The following statement shows the principal alterations introduced into the tabulation of the causes of death by the adoption of the International Classification. The first portion of the statement indicates which of the groupings of the classification previously in use have been affected, and how affected, and the second portion indicates those causes which are now differently classed.

Old Classification.	New Classification.
GENERAL DISEASES.	
Cerebo-spinal Fever.	Diseases of Nervous System.
Pyrexia.	Ill-defined Causes.
Epidemic Diarrhœa.	Diseases of Digestive System.
Diarrhœa.	Do. do.
Puerperal Septicæmia, Sapræmia.	Do. Pregnancy and Childbirth.
Puerperal Pyæmia.	Do. do.
Phlegmasia Alba Dolens.	Do. do.
Puerperal Fever.	Do. do.
Phlegmon, Carbuncle.	Do. Skin and Cellular Tissue.
Phagedæna.	Do. do.
Infective Endocarditis	Do. Circulatory System.
Pneumonia.	Do. Respiratory System.
Parasitic Diseases.	Classified according to part affected.
Starvation.	Violent Causes.
Ptomaine Poisoning.	Do. do.
Premature Birth.	Diseases of Early Infancy.
Congenital Defects.	Do. do.
Injury at Birth.	Do. do.
Atelectasis.	Do. do.
Want of Breast Milk	Do. do.
Teething.	Ill-defined Causes.
DISEASES OF NERVOUS SYSTEM.	
Laryngismus Stridulus.	Diseases of Respiratory System.
DISEASES OF ORGANS OF SPECIAL SENSE.	
Diseases of Ear.	Diseases of Nervous System.
Epistaxis.	Do. Circulatory System.
Diseases of Nose.	Do. Respiratory System.
Do. Eye.	Do. Nervous System.
DISEASES OF HEART AND BLOOD VESSELS.	
Syncope.	Ill defined Causes.
Heart Failure.	Do. do.
Cerebral Hæmorrhage.	Diseases of Nervous System.
Apoplexy.	Do. do.
Hemiplegia.	Do. do.
Senile Gangrene.	Do. Skin and Cellular Tissue.
Embolism, Thrombosis (not Cerebral).	Pulmonary Embolism, Thrombosis classed with Diseases of Respiratory System.
DISEASES OF RESPIRATORY SYSTEM.	
Croup.	General Diseases.
Membranous Laryngitis.	Do. do.
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.	
Diseases of Spleen.	Diseases of Digestive System.
Do. Lymphatic System.	Do. Circulatory System.
Do. Thyroid Body.	Do. Respiratory System.
Do. Supra-renal Capsules.	General Diseases.
ILL-DEFINED CAUSES.	
Atrophy, Debility (under 1 year).	Diseases of Early Infancy.
Tumour.	General Diseases.
Abscess.	Diseases of Skin and Cellular Tissue.
Hæmorrhage.	Do. Circulatory System.

Diseases which are Differently Classified in the Old and in the New List of Causes of Death.

Name of Disease.	Classed in Old Tables with	Classed in New Tables with
Addison's Disease.	Disease of Supra-renal Capsules	†Addison's Disease.
Arterio-sclerosis.	Other Diseases of Blood Vessels.	†Arterio-sclerosis.
Arthritis.	Arthritis, Periostitis.	Diseases of Joints.
Atelectasis.	*Atelectasis.	Other Diseases peculiar to Early Infancy.
Atrophy, Debility, etc.	*Atrophy, Debility.	Under 1 year, Congenital Debility, etc. 1 year and over, Other Ill-defined Diseases.
Breast, Puerperal Diseases of.	Other Accidents of Pregnancy and Childbirth.	†Puerperal Diseases of Breast.
Carbuncle.	Phlegmon, Carbuncle.	Carbuncle, Boil.
Caries, Necrosis.	*Caries, Necrosis.	Diseases of Bones.
Cerebral Embolism, Thrombosis	Cerebral Hæmorrhage, Embolism; Thrombosis.	†Cerebral Embolism, Thrombosis.
Cerebral Hæmorrhage.	Cerebral Hæmorrhage, Embolism, Thrombosis.	Cerebral Hæmorrhage, Apoplexy
Cholera Nostras.	Diarrhœa.	†Cholera Nostras.
Colic.	Intestinal Obstruction.	Diarrhœa, Enteritis.
Cretinism.	Disease of Thyroid Body.	Other Dis. of Nervous System.
Dilatation of Heart.	*Dilatation of Heart.	Other Organic Diseases of Heart.
Dyspepsia (Infantile).	Want of Breast Milk.	Diarrhœa, Enteritis.
Ectopic Gestation.	Other Accidents of Pregnancy and Childbirth.	†Ectopic Gestation.
Eczema.	*Eczema.	Other Diseases of Skin, etc.
Embolism, Pulmonary.	Embolism, Thrombosis.	†Pulmonary Apoplexy.
Emphysema.	Emphysema, Asthma.	†Pulmonary Emphysema.
Empyema.	Other Infective Conditions.	Pleurisy.
Encephalitis.	Other Diseases of Nervous System.	†Encephalitis.
Endocarditis (chronic or unqualified over 60 years).	Valvular Disease, Endocarditis.	Valvular Disease.
Endocarditis, Infective.	*Infective Endocarditis.	Acute Endocarditis.
Enteritis.	*Enteritis	Diarrhœa, Enteritis.
Enteritis, Infective.	Epidemic Diarrhœa, Infective Enteritis.	Diarrhœa, Enteritis.
Epidemic Pneumonia.	*Epidemic Pneumonia.	Pneumonia.
Epistaxis.	Diseases of Nose.	Hæmorrhage, etc.
Exophthalmic Goitre.	Disease of Thyroid Body.	†Exophthalmic Goitre.
Gallstones.	Other Diseases of Liver.	†Gallstones.
Gangrene (not senile).	Phagedæna.	Other Gangrene.
Gangrene of Lung.	Other Diseases of Respiratory System.	†Gangrene of Lung.
Gastric Catarrh.	*Gastric Catarrh.	Other Diseases of Stomach.
Gastro-enteritis.	*Gastro-enteritis.	Diarrhœa, Enteritis.
Hæmorrhoids.	Other Dis. of Digestive System.	Diseases of Veins.
Heart Failure.	Heart Disease, unspecified.	†Heart Failure.
Hemiplegia.	Apoplexy, Hemiplegia.	†Hemiplegia.
Hydatids of Liver.	Other Diseases of Liver.	†Hydatids of Liver.
Hydrocephalus (unqualified).	Other Diseases of Nervous System.	Congenital Malformations.
Hypertrophy of Heart.	*Hypertrophy of Heart.	Other Organic Diseases of Heart.

* Signifies "entered on a separate line."
† Indicates that a separate line has now been assigned for the first time.

CLASSIFICATION OF DISEASES—*continued.*

NAME OF DISEASE.	CLASSED IN OLD TABLES WITH	CLASSED IN NEW TABLES WITH
Idiocy, Imbecility (over 10 years).	Congenital Defects.	Other Diseases of Nervous System.
Injury at Birth.	*Injury at Birth.	Other Diseases peculiar to Early Infancy.
Laryngismus Stridulus.	*Laryngismus Stridulus.	Other Diseases of Larynx.
Liver, Yellow Atrophy of.	Other Diseases of Liver.	†Acute Yellow Atrophy of Liver.
Lobar Pneumonia.	*Lobar Pneumonia.	Pneumonia.
Lupus.	*Lupus.	Tubercle of Other Organs, etc.
Lymphadenoma.	Diseases of Lymphatic System.	†Lymphadenoma.
Lymphatism, Status Lymphaticus.	Diseases of Lymphatic System.	†Lymphatism, Status Lymphaticus.
Mastoid Disease.	Otitis, Mastoid Disease.	†Mastoid Disease.
Menstruation, Disorders of.	*Disorders of Menstruation.	Other Diseases of Uterus.
Morphia Habit.	Opium, Morphia Habit.	Other Chronic Poisonings.
Myocarditis, Acute.	Heart Disease, unspecified.	Acute Endocarditis.
Neuralgia.	Other Diseases of Nervous System.	Neuralgia, Neuritis.
Noma, Cancrum Oris.	Phagedæna.	†Noma, Cancrum Oris.
Opium Habit.	Opium, Morphia Habit.	Other Chronic Poisonings.
Osteomalacia.	Other Dis. of Locomotor System.	Rickets, Osteomalacia.
Otitis	Otitis, Mastoid Disease.	Diseases of Ear.
Ovary, Disease of (not Cystic).	*Other Diseases of Ovary.	Other Diseases of Female Genital Organs.
Paraplegia.	Paraplegia, Diseases of Cord.	Paralysis, cause or nature unspecified.
Parotitis (20 years and over).	Mumps.	Diseases of Mouth, etc.
Pemphigus.	*Pemphigus.	Other Diseases of Skin, etc.
Periostitis.	Arthritis, Periostitis.	Diseases of Bones.
Peritonitis, Puerperal.	Puerperal Fever.	Puerperal Sepsis.
Peritonitis, Tubercular.	*Tubercular Peritonitis.	Abdominal Tuberculosis.
Phagedæna.	*Phagedæna.	Other Gangrene.
Phlebitis.	*Phlebitis.	Diseases of Veins.
Phlebitis, Puerperal.	Puerperal Fever.	Puerperal Phlegmasia Alba Dolens, etc.
Phlegmasia Dolens.	*Puerperal Phlegmasia Dolens.	Puerperal Phlegmasia Alba Dolens, etc.
Phlegmon.	Phlegmon, Carbuncle.	Phlegmon, Acute Abscess.
Phthisis, Acute.	Phthisis.	†Acute Phthisis.
Pneumonia, Epidemic.	*Epidemic Pneumonia.	Pneumonia.
Pneumonia, Lobar.	*Lobar Pneumonia.	Pneumonia.
Prostate, Disease of.	Disease of Bladder and Prostate.	†Diseases of Prostate.
Ptomaine Poisoning.	*Ptomaine Poisoning.	Poisoning by Food.
Puerperal Fever.	*Puerperal Fever.	Puerperal Sepsis.
Pulmonary Congestion.	Pneumonia.	†Pulmonary Congestion.
Pyæmia, Puerperal.	*Puerperal Pyæmia.	Puerperal Sepsis.
Rheumatism, Acute.	Rheumatic Fever, Acute Rheumatism.	Rheumatic Fever.
Rheumatism of Heart.	*Rheumatism of Heart.	Rheumatism, if Acute. Heart Disease, if Chronic.
Scrofula.	*Scrofula.	Tubercle of Other Organs, etc.
Septicæmia, Puerperal.	Puerperal Septicæmia, Sapræmia.	Puerperal Sepsis.
Syncope.	Heart Disease, unspecified.	†Syncope.

CLASSIFICATION OF DISEASES—*continued.*

NAME OF DISEASE.	CLASSED IN OLD TABLES WITH	CLASSED IN NEW TABLES WITH
Tabes Mesenterica.	*Tabes Mesenterica.	Abdominal Tuberculosis.
Tuberculosis, Acute Miliary.	General Tuberculosis.	†Acute Miliary Tuberculosis.
Tuberculosis of Joints.	Tubercle of Other Organs.	†Tuberculosis of Joints.
Tuberculosis of Spine.	Tubercle of Other Organs.	†Tuberculosis of Spine.
Tuberculous Peritonitis.	*Tuberculous Peritonitis.	Abdominal Tuberculosis.
Urethra, Disease of.	Other Diseases of Urinary System.	Disease of Urethra, Urinary Abscess.
Varicose Veins.	*Varicose Veins.	Disease of Veins.
Vomiting of Pregnancy.	Other Accidents of Pregnancy and Childbirth.	†Uncontrollable Vomiting.
Want of Breast Milk.	*Want of Breast Milk.	Congenital Debility, etc.

TABLE 1.—Population of Scotland, and Births, Deaths, and Marriages registered 1855-1911.

Year	Estimated Population.	Births.						Marriages.	Deaths.			Excess of Births over Deaths.	Year.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1855	2,978,065	47804	45545	93349	7357	...	...	19680	30626	31378	62004	31345	1855
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35850	71481	37860	1863
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868
1869	3,305,889	58321	55033	113354	11066	1407	15	22144	37868	38007	75875	37479	1869
1870	3,336,712	58959	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886
1887	3,914,318	63842	60576	124418	10380	1335	18	24876	36805	37741	74546	49872	1887
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52464	1898
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900

* Including one case of quadruplets.

TABLE 1—*continued.*

YEAR	Estimated Population.	BIRTHS.						MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910
1911	4,751,132	62274	59576	121850	9200	1552	11	31811	35823	35909	71732	50118	1911

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1911.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Marriages.	Deaths.							
			Total.	Males.	Fem.					
1855	31·346	6·608	20·820	21·62	20·03	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	9·63	104·4	1·22	122·8	1870

TABLE **2**—*continued.*

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar-riages.	Deaths.							
			Total.	Males.	Fem.					
1871	34·470	7·130	22·177	22·90	21·51	9·54	107·0	1·15	130·3	1871
1872	34·882	7·531	22·261	23·33	21·00	9·20	106·6	1·19	123·9	1872
1873	34·786	7·773	22·361	23·72	21·11	9·13	105·5	1·20	124·9	1873
1874	35·573	7·588	23·211	24·44	22·08	8·88	105·8	1·25	124·9	1874
1875	35·160	7·390	23·264	23·94	22·63	8·73	105·5	1·22	132·1	1875
1876	35·621	7·482	20·869	21·96	19·86	8·72	105·0	1·19	121·2	1876
1877	35·326	7·191	20·595	21·57	19·69	8·33	105·4	1·15	114·9	1877
1878	34·940	6·713	21·165	22·02	20·37	8·39	105·9	1·10	123·0	1878
1879	34·288	6·414	20·002	20·58	19·47	8·53	104·8	1·18	107·9	1879
1880	33·613	6·612	20·454	21·33	19·64	8·50	104·9	1·17	124·6	1880
1881	33·712	6·948	19·325	20·02	18·68	8·31	105·3	1·15	112·5	1881
1882	33·458	7·053	19·357	19·98	18·77	8·36	104·6	1·14	118·0	1882
1883	32·761	7·073	20·240	20·90	19·61	8·13	105·4	1·13	119·0	1883
1884	33·745	6·821	19·639	20·32	18·97	8·08	105·7	1·16	117·9	1884
1885	32·700	6·562	19·347	19·83	18·87	8·47	104·9	1·15	120·5	1885
1886	32·918	6·310	18·954	19·40	18·50	8·21	106·3	1·06	115·7	1886
1887	31·785	6·355	19·044	19·44	18·63	8·34	105·4	1·10	122·2	1887
1888	31·257	6·417	18·048	18·32	17·75	8·09	105·0	1·14	113·1	1888
1889	30·902	6·630	18·433	18·88	17·96	7·96	106·4	1·18	121·3	1889
1890	30·358	6·862	19·736	20·26	19·25	7·60	104·8	1·19	130·6	1890
1891	31·214	6·929	20·706	21·11	20·33	7·66	105·8	1·11	127·9	1891
1892	30·656	7·029	18·521	19·01	18·06	7·40	106·0	1·20	117·5	1892
1893	30·837	6·585	19·328	19·87	18·82	7·45	104·7	1·18	136·0	1893
1894	29·856	6·627	17·071	17·45	16·72	7·29	105·5	1·19	116·7	1894
1895	30·049	6·752	19·444	19·95	18·96	7·28	105·0	1·08	133·4	1895
1896	30·364	7·115	16·614	17·14	16·12	7·27	105·2	1·19	115·5	1896
1897	29·977	7·222	18·409	18·96	17·89	7·04	104·4	1·09	137·9	1897
1898	30·120	7·391	18·045	18·67	17·46	6·78	104·3	1·13	134·2	1898
1899	29·776	7·511	18·128	18·72	17·57	6·49	104·4	1·14	131·0	1899
1900	29·615	7·312	18·548	19·15	17·98	6·49	104·5	1·20	128·5	1900
1901	29·513	7·007	17·885	18·47	17·33	6·32	105·1	1·19	129·4	1901
1902	29·346	7·080	17·292	17·89	16·73	6·28	104·0	1·26	113·4	1902
1903	29·440	7·133	16·757	17·31	16·24	6·21	104·0	1·23	117·5	1903
1904	29·054	7·071	17·086	17·53	16·67	6·79	104·6	1·24	123·1	1904
1905	28·613	6·809	16·229	16·68	15·81	6·91	103·2	1·26	116·2	1905
1906	28·563	7·171	16·366	16·82	15·94	7·05	104·5	1·18	115·0	1906
1907	27·705	7·160	16·621	16·94	16·32	6·82	104·7	1·33	109·7	1907
1908	28·071	6·754	16·633	17·11	16·18	6·94	103·5	1·30	125·0	1908
1909	27·324	6·394	15·849	16·24	15·48	7·28	104·4	1·29	107·7	1909
1910	26·180	6·521	15·251	15·68	14·84	7·29	103·7	1·26	108·3	1910
1911	25·647	6·695	15·098	15·55	14·67	7·55	104·5	1·30	112·5	1911

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland during each Quarter of the Years 1901 to 1911.

	1901.		1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.		Mean for Ten Years.	1911.	
	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.		No.	Per 1000 of Pop.
FIRST QUARTER.																							
Births,	32062	29·1	31801	28·6	32109	28·7	32894	28·9	32004	28·3	32976	29·0	31508	27·5	32503	27·9	32373	27·9	30422	26·1	*28·2*	30710	26·1
Deaths,	21343	19·3	22218	20·0	20931	18·7	22240	19·6	20820	18·4	20488	18·0	22635	19·8	23997	20·6	21469	18·5	20605	17·7	*19·1*	19794	16·9
Marriages,	6940	6·3	7043	6·3	7727	6·9	7619	6·7	6867	6·1	7302	6·4	7268	6·3	7591	6·5	7111	6·1	7317	6·3	*6·4*	6758	5·8
Mean Temp.	37°·4		37°·9		39°·9		37°·9		40°·2		37°·9		39°·0		38°·8		37°·9		38°·7		*38°·6*	39°·4	
SECOND QUARTER.																							
Births,	34646	31·0	34697	30·9	36377	32·2	35082	30·9	35476	31·0	34960	30·4	34511	29·8	35611	30·5	34671	29·6	33812	28·6	*30·5*	32935	27·7
Deaths,	20029	17·9	20771	18·5	19020	16·8	19519	17·2	18763	16·4	19306	16·8	20119	17·4	19499	16·7	18478	15·8	18593	15·8	*16·9*	18029	15·2
Marriages,	8185	7·3	8575	7·6	8515	7·5	8347	7·3	8153	7·1	8699	7·6	8864	7·7	8813	7·6	8171	7·0	7928	6·7	*7·3*	8567	7·2
Mean Temp.	50°·0		47°·4		47°·9		49°·3		49°·2		48°·7		47°·4		48°·9		48°·6		48°·7		*48°·6*	50°·3	
THIRD QUARTER.																							
Births,	33565	29·8	33263	29·3	32928	28·8	32967	28·7	33044	28·6	32109	27·6	31427	26·8	32612	27·7	31186	26·3	30061	25·2	*27·8*	29653	24·7
Deaths,	18758	16·6	16022	14·1	16609	14·5	16882	14·7	16412	14·2	16439	14·1	15721	13·4	16325	13·9	14964	12·6	15331	12·8	*14·1*	16149	13·4
Marriages,	8257	7·3	8021	7·1	8235	7·2	8118	7·1	8178	7·1	8576	7·4	8994	7·7	8044	6·8	7777	6·6	7975	6·7	*7·1*	8434	7·0
Mean Temp.	58°·0		53°·8		54°·2		55°·4		55°·6		56°·0		54°·2		55°·2		54°·5		55°·1		*55°·2*	57°·1	
FOURTH QUARTER.																							
Births,	31905	28·3	32489	28·6	32085	28·1	31627	27·5	30857	26·7	31875	27·4	31343	26·8	30611	26·0	30352	25·6	29705	24·9	*27·0*	28513	23·7
Deaths,	19973	17·7	18935	16·7	19413	17·0	19320	16·8	18531	16·0	19352	16·6	18792	16·0	18018	15·3	19683	16·6	17716	14·8	*16·3*	17760	14·8
Marriages,	7978	7·1	8239	7·3	7843	6·9	8169	7·1	8045	7·0	8546	7·3	8134	6·9	7135	6·1	7033	5·9	7646	6·4	*6·8*	8052	6·7
Mean Temp.	41°·3		43°·3		41°·7		42°·5		41°·9		43°·2		42°·5		45°·3		40°·7		42°·3		*43°·5*	42°·3	
YEAR.																							
Population,	4479065		4507048		4535201		4563530		4592036		4620720		4649586		4678629		4707858		4737268			4749673	
Births,	132178	29·5	132250	29·3	133499	29·4	132570	29·0	131381	28·6	131920	28·5	128789	27·7	131337	28·1	128582	27·3	124000	26·2	*28·4*	121811	25·6
Deaths,	80103	17·9	77946	17·3	75973	16·8	77961	17·1	74526	16·2	75585	16·4	77267	16·6	77839	16·6	74594	15·8	72245	15·3	*16·6*	71732	15·1
Marriages,	31360	7·0	31878	7·1	32320	7·1	32253	7·1	31243	6·8	33123	7·2	33260	7·2	31583	6·8	30092	6·4	30866	6·5	*6·9*	31811	6·7

Figures in this Table are mainly compiled from the Quarterly Returns, and totals do not exactly correspond with those given elsewhere in this Report.

TABLE 4.—Birth- and Death-rates in Scotland, its Groups of Public Health Districts and Larger Burghs, in 1911.

	Estimated Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Deaths.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution		
SCOTLAND . .	**4,751,132**	**25·65**	**15·10**	**15·10**	**15·10**	**7·55**	**112·5**
LARGER BURGHS* .	2,161,941	26·48	16·24	16·27	17·37	7·19	129·9
SMALLER BURGHS*	971,988	24·56	14·47	15·12	14·73	7·68	107·0
COUNTY DISTRICTS	1,617,203	25·19	13·95	13·52	12·65	7·97	91·2
Glasgow . .	781,922	27·6	17·8	17·5	19·2	7·4	137
Edinburgh . .	319,247	20·7	16·0	14·8	15·4	8·2	114
Dundee . . .	164,466	26·1	17·6	17·4	18·0	8·4	157
Aberdeen . .	163,567	24·5	15·0	15·3	15·5	10·4	139
Govan . . .	89,471	30·0	15·1	17·3	19·3	5·5	133
Paisley . . .	84,281	25·7	15·3	15·3	16·9	5·8	112
Leith . . .	80,277	26·1	15·2	16·6	17·3	5·7	133
Greenock . .	75,028	30·7	18·7	18·4	18·7	6·0	113
Partick . . .	66,924	26·2	10·9	14·3	15·7	5·1	125
Coatbridge . .	43.288	32·1	15·2	15·7	17·0	4·5	140
Motherwell . .	40,466	33·3	11·7	13·0	14·7	3·5	109
Kirkcaldy . .	39,597	24·3	12·6	14·0	14·3	7·4	98
Hamilton . .	38,653	34·2	14·3	14·9	16·1	4·9	112
Clydebank . .	37,828	32·7	11·3	14·1	16·3	2·3	113
Perth . . .	35,772	20·8	15·6	15·0	14·7	9·4	129
Kilmarnock . .	34,618	24·5	13·5	13·5	14·7	8·6	97
Falkirk . . .	33,561	31·0	16·2	15·2	16·7	5·5	113
Ayr . . .	32,975	26·2	17·4	15·9	16·1	10·7	134

* The term "Larger Burghs" in this and other Tables means Burghs with censal populations exceeding 30,000, and "Smaller Burghs" means Burghs with censal populations of less than that amount.

TABLE **5.**—Birth- and Death-rates in the Smaller Burghs in 1911.

Burghs.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Deaths.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
Aberchirder	1,042	37·4	15·4	15·4	11·8	33·3	128
Aberfeldy	1,588	17·6	12·6	13·9	12·0	7·1	71
Aberlour (*vide* Charlestown of Aberlour)							
Abernethy	590	8·5	16·9	16·9	12·9	0·0	0·0
Airdrie	24,353	31·3	13·3	14·3	15·8	6·7	122
Alloa	11,859	24·2	13·6	14·8	15·9	6·1	83
Alva	4,309	20·0	15·8	17·2	15·9	9·3	93
Alyth	1,850	17·3	15·7	16·8	13·8	18·8	94
Annan	4,202	22·8	15·2	16·4	15·8	12·5	177
Anstruther-Easter	1,142	14·0	13·1	17·5	16·5	6·3	125
Anstruther-Wester	551	27·2	10·9	12·7	10·7	0·0	67
Arbroath	20,530	21·4	17·3	17·8	16·3	8·9	114
Ardrossan	5,731	26·7	15·5	17·1	18·0	9·8	157
Armadale	4,742	32·3	14·3	16·2	17·6	6·5	196
Auchterarder	2,286	17·5	14·0	14·9	12·4	12·5	100
Auchtermuchty	1,391	12·2	16·5	16·5	11·8	5·9	59
Ballater	1,236	21·8	8·9	10·5	9·3	0·0	37
Banchory	1,631	19·6	14·7	16·6	14·9	12·5	94
Banff	3,809	24·9	23·1	20·7	18·0	7·4	168
Barrhead	11,384	27·9	11·8	13·3	14·9	5·3	82
Bathgate	8,232	36·3	14·6	15·8	17·1	4·3	117
Biggar	1,320	20·5	13·6	14·4	11·6	7·4	148
Blairgowrie	3,234	21·3	15·5	15·2	12·4	13·0	43
Bonnyrigg	2,945	24·4	11·9	12·2	12·0	2·8	69
Borrowstounness	10,862	32·7	12·9	15·0	16·5	5·1	130
Brechin	8,396	19·4	18·9	19·9	17·7	17·2	202
Bridge-of-Allan	3,107	10·6	14·5	14·5	13·0	6·1	152
Broughty-Ferry	11,033	19·0	10·2	10·8	10·5	3·8	52
Buckhaven, Methil, and Innerleithen	15,257	31·3	10·7	10·9	12·1	5·5	105
Buckie	8,900	29·6	10·0	10·2	10·1	8·7	80
Burghead	1,589	28·9	16·4	17·0	15·5	8·7	0·0
Burntisland	4,687	19·6	11·1	13·4	13·3	4·3	54
Callander	1,500	11·3	18·0	20·0	17·7	5·9	59
Campbeltown	7,581	24·4	16·1	16·6	15·3	15·1	97
Carnoustie	5,343	15·2	14·8	15·0	12·8	3·7	49
Castle-Douglas	3,005	22·6	16·6	15·6	14·3	11·8	59
Charlestown of Aberlour	1,269	11·8	14·2	15·0	16·2	6·7	0·0
Cockenzie and Port-Seton	2,409	33·2	12·9	14·5	14·2	3·8	88
Coldstream	1,367	15·4	11·0	11·0	8·9	14·3	48
Coupar-Angus	2,089	22·5	18·7	19·6	15·7	10·6	64
Cove and Kilcreggan	856	9·3	21·0	21·0	17·0	0·0	250
Cowdenbeath	14,121	34·6	9·1	10·8	12·0	4·5	100
Crail	1,056	18·9	17·0	17·0	13·5	10·0	0·0
Crieff	5,560	16·0	13·8	14·4	12·7	9·0	169
Cromarty	1,938	5·2	11·9	11·4	13·3	0·0	100
Cullen	1,986	19·1	17·1	17·1	14·4	7·9	184
Culross	457	28·4	13·1	19·7	13·6	7·7	77
Cumnock and Holmhead	3,413	26·7	11·1	12·9	11·9	6·6	165
Cupar	4,361	19·5	17·2	17·9	14·1	12·9	118
Dalbeattie	3,342	24·2	18·0	18·6	16·9	17·3	111
Dalkeith	6,999	28·4	16·4	16·9	16·2	6·0	136
Darvel	3,590	20·6	13 6	15·3	17·1	8·1	81
Denny and Dunipace	5,143	32·1	14·8	15·4	16·7	3·0	115
Dingwall	2,633	22·4	17·5	15·2	13·6	6·8	102

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Deaths.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
Dollar	1,489	14·1	12·8	15·4	13·5	9·5	0·0
Dornoch	741	20·2	8·1	12·1	11·0	0·0	133
Doune	889	22·5	7·9	9·0	8·3	10·0	50
Dufftown	1,615	22·3	19·8	19·8	14·5	16·7	83
Dumbarton	21,960	31·0	16·5	15·3	16·4	5·9	107
Dumfries	15,966	22·0	19·4	17·1	17·6	9·1	145
Dunbar	3,328	20·1	19·5	19·8	18·7	16·4	209
Dunblane	2,978	17·1	12·1	14·8	13·7	15·7	78
Dunfermline	28,074	23·7	15·9	14·0	14·3	5·3	104
Dunipace (*vide* Denny and Dunipace)							
Dunoon	6,837	14·5	16·2	15·1	12·4	10·1	121
Duns	2,059	13·6	15·1	15·5	12·6	14·3	107
Dysart	4,198	33·1	11·0	12·6	12 3	4·3	101
Earlsferry	321	3·1	15·6	15·6	13·4	0·0	0·0
East Linton	873	17·2	24·1	13·7	10·3	20·0	0·0
Elgin	8,631	24·1	20·9	19·0	16·6	18·3	111
Elie, Liberty, and Williamsburgh	690	14·5	4·3	4·3	3·5	0·0	100
Ellon	1,296	20·8	10·0	10·0	8·2	18·5	74
Eyemouth	2,446	30·7	9·8	11·0	10·8	8·0	67
Falkland	827	14·5	13·3	16·9	12·8	8·3	83
Forfar	10,796	22·0	16·5	16·5	15·4	10·9	118
Forres	4,399	18·9	16·6	17·3	14·4	18·1	96
Fortrose	965	15·5	20·7	18·7	13·3	20·0	133
Fort-William	1,993	27·1	15·1	14·0	12·8	11·1	74
Fraserburgh	10,573	31·2	14·3	15·2	15·8	8·2	115
Galashiels	14,502	19·8	12·8	12·9	13·2	7·7	98
Galston	5,288	30·1	12·1	14·2	15·6	2·5	157
Gatehouse	1,029	15·5	18·5	23·3	16·5	18·8	0·0
Girvan	4,470	21·7	14·3	13·4	11·7	11·3	103
Gourock	7,470	21·2	14·1	15·0	15·3	3·9	114
Grangemouth	10,214	25·7	8·5	10·9	12·2	1·5	53
Grantown-on-Spey	1,443	20·1	14·6	13·9	13·7	13·8	69
Greenholm (*vide* Newmilns and Greenholm)							
Haddington	4,129	17·9	16·7	14·8	13·7	6·8	81
Hawick	16,807	19·5	14·8	15·2	15·3	11·3	110
Helensburgh	8,498	19·1	14·4	15·3	14·1	8·0	117
Holmhead (*vide* Cumnock and Holmhead)							
Huntly	4,216	24·4	14·7	14·9	12·7	25·2	78
Innerleithen	2,547	18·8	7·5	8·6	8·3	6·3	42
Innerleven (*vide* Buckhaven, Methil, and Innerleven)							
Inveraray	527	15·2	19·0	20·9	14·8	12·5	125
Inverbervie	1,168	14·6	17·1	18·8	16·5	17·6	118
Invergordon	1,047	14·3	14·3	19·1	15·7	20·0	133
Inverkeithing	3,312	28·4	11·2	14·5	14·6	5·3	64
Inverness	22,115	21·4	17·5	16·9	15·7	12·4	129
Inverurie	3,969	23·2	16·4	17·6	15·8	17·4	152
Irvine	10,157	28·1	13·7	15·1	15·3	6·7	105
Jedburgh	2,732	16·5	16·8	15·7	15·3	8·9	133
Johnstone	12,024	25·9	15·0	16·1	17·8	5·1	122

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Deaths.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
Keith	4,477	18·5	15·9	17·0	14·4	19·3	120
Kelso	3,967	20·2	18·9	19·9	17·3	10·0	113
Kilcreggan and Cove (*vide* Cove and Kilcreggan)							
Kilrenny	2,548	22·4	11·0	10·6	9·7	3·5	35
Kilsyth	8,097	33·8	14·3	16·3	17·2	4·7	131
Kilwinning	4,936	32·4	15·6	17·6	18·3	5·0	119
Kinghorn	1,544	24·0	17·5	17·5	16·7	10·8	81
Kingussie	1,171	15·4	12·0	12·0	11·9	16·7	0·0
Kinross	2,620	44·3	13·4	14·9	13·1	11·2	26
Kintore	816	19·6	17·2	22·1	18·2	6·3	125
Kirkcudbright	2,193	19·2	13·2	16·0	13·4	16·7	48
Kirkintilloch	11,925	31·9	17·4	17·1	17·6	4·5	139
Kirkwall	3,799	20·0	21·6	19·7	15·9	5·3	197
Kirriemuir	3,755	17·0	16·0	17·3	14·7	10·9	141
Ladybank and Monkston	1,260	23·8	11·1	13·5	11·2	6·7	133
Lanark	5,893	24·4	13·7	13·4	13·1	6·3	111
Langholm	2,915	13·0	16·5	17·2	15·0	13·2	53
Largs	3,721	13·7	13·2	15·0	13·0	7·8	39
Lasswade	877	18·2	17·1	19·4	19·9	12·5	125
Lauder	655	33·6	16·8	18·3	14·6	18·2	45
Laurencekirk	1,431	16·8	18·9	21·0	13·9	16·7	83
Lerwick	4,657	21·5	14·0	13·1	10·7	5·0	70
Leslie	2,136	21·1	17·8	20·1	17·3	2·2	89
Leven	6,561	28·3	12·5	13·7	14·6	6·5	134
Liberty (*vide* Elie, Liberty, and Williamsburgh)							
Linlithgow	3,981	27·1	11·8	13·6	13·4	10·2	111
Loanhead	3,483	32·2	16·4	18·1	19·4	1·8	143
Lochgelly	9,208	35·6	10·5	12·8	13·9	3·4	104
Lochgilphead	908	13·2	18·7	18·7	14·0	0·0	83
Lochmaben	1,052	28·5	21·9	23·8	19·3	13·3	167
Lockerbie	2,449	21·2	11·8	12·7	11·3	15·4	77
Lossiemouth	4,200	27·1	11·4	12·1	11·6	7·9	79
Macduff	3,399	24·1	10·3	13·2	10·6	18·3	110
Markinch	1,638	27·5	7·3	8·5	7·4	6·6	22
Maybole	4,846	24·3	14·7	15·7	15·2	9·3	85
Maxwelltown	6,188	23·8	15·0	16·5	16·8	10·2	102
Melrose	2,157	13·4	20·4	11·1	9·4	6·9	172
Methil (*vide* Buckhaven, Methil, and Innerleven)							
Millport	1,607	10·6	14·9	13·1	10·7	0·0	59
Milngavie	4,535	20·3	10·8	12·1	12·7	3·3	87
Moffat	2,070	16·4	10·1	11·6	9·8	2·9	0·0
Monifieth	3,111	21·5	16·7	18·0	17·0	1·5	60
Monkston (*vide* Ladybank and Monkston)							
Montrose	10,899	19·5	17·1	17·1	14·3	10·3	75
Musselburgh	15,983	28·7	13·2	14·5	15·4	5·0	98
Nairn	4,649	19·6	12·7	13·1	11·9	6·6	77
Newburgh	1,972	21·8	14·2	17·2	13·1	4·7	93
New Galloway	350	17·1	8·6	8·6	7·1	0·0	0·0
Newmilns and Greenholm	4,797	18·6	7·3	7·7	8·2	2·2	56

TABLE **5**—*continued.*

Burghs.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Deaths.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
Newport	3,625	12·7	11·3	13·2	11·3	8·7	65
Newton-Stewart	2,052	21·0	13·6	14·6	12·9	11·6	47
North Berwick	3,243	15·1	13·0	14·2	14·7	6·1	61
Oban	5,540	20·0	19·7	16·1	15·6	10·8	63
Old Meldrum	1,104	25·4	14·5	15·4	11·2	35·7	36
Peebles	5,541	12·5	12·8	13·2	12·9	7·2	145
Penicuik	2,725	24·6	18·0	18·7	18·5	7·5	134
Peterhead	13,610	32·2	15·9	16·8	16·7	9·6	139
Pittenweem	1,882	21·8	10·6	11·7	10·5	2·4	49
Pollokshaws	12,930	30·7	12·3	14·9	15·8	4·3	108
Port-Glasgow	17,708	29·5	13·6	15·2	16·6	3·4	122
Port-Seton (*vide* Cockenzie and Port-Seton)							
Portsoy	1,946	22·6	20·0	21·1	16·9	9·1	114
Prestonpans	1,921	39·6	14·6	18·2	17·6	3·9	66
Prestwick	4,902	15·9	13·3	14·5	13·8	6·4	64
Queensferry	3,538	18·9	7·1	8·8	13·0	4·5	149
Rattray	1,717	23·3	14·0	15·7	13·0	17·5	125
Renfrew	12,602	27·4	10·0	12·5	14·1	4·3	78
Rosehearty	1,306	35·2	13·8	15·3	12·8	21·7	87
Rothes	1,338	29·9	23·2	24·7	19·6	25·0	75
Rothesay	9,263	15·9	18·5	17·2	15·4	7·5	95
Rutherglen	24,375	27·4	13·5	17·1	18·9	3·6	120
St. Andrews	7,829	16·5	11·4	11·8	11·9	4·7	23
Saltcoats	8,566	25·3	13·2	14·0	13·8	7·4	65
Sanquhar	1,506	26·6	20·6	20·6	20·2	12·5	200
Selkirk	5,871	16·0	12·9	14·0	13·6	7·4	85
Stewarton	2,829	23·7	13·8	17·0	16·2	14·9	119
Stirling	21,194	22·9	16·9	15·1	15·3	8·7	105
Stonehaven	4,243	17·9	16·0	13·4	9·8	15·8	79
Stornoway	3,790	16·6	10·8	10·8	10·1	6·3	63
Stranraer	6,431	27·2	18·0	18·2	16·3	16·0	87
Stromness	1,627	17·2	20·3	20·3	16·4	10·7	71
Tain	1,592	17·6	8·8	10·7	8·5	0·0	71
Tayport	3,259	17·2	13·2	14·4	12·5	8·9	71
Thurso.	3,313	24·8	16·6	17·8	14·0	17·1	85
Tillicoultry	3,088	19·4	12·6	13·9	12·5	10·0	50
Tobermory	979	18·4	19·4	18·4	13·7	5·6	56
Tranent	4,393	35·1	12·5	14·6	15·3	4·5	136
Troon	6,651	20·3	9·5	12·9	14·0	4·4	96
Turriff	2,340	28·2	23·5	24·4	18·8	25·8	121
Whitburn	1,880	35·1	11·2	14·4	15·5	3·0	91
Whithorn	1,166	20·6	12·0	12·9	9·6	29·2	125
Wick	9,076	31·3	15·9	16·6	15·2	9·2	134
Wigtown	1,364	22·7	9·5	9·5	8·0	9·7	32
Williamsburgh (*vide* Elie, Liberty, and Williamsburgh)							
Wishaw	25,283	34·0	14·8	15·6	16·9	7·0	136

TABLE 6.—Birth- and Death-rates in the County Public Health Districts in 1911.

County Districts.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Death.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
Aberdeen County—							
Aberdeen	22,823	21·1	20·0	13·0	11·4	12·9	89
Alford	9,441	22·7	10·1	11·0	9·6	14·5	65
Deer	28,303	24·8	13·3	13·7	11·7	16·5	84
Deeside	12,163	21·9	13·3	13·8	11·7	19·5	68
Ellon	13,842	27·5	11·3	11·9	10·4	17·9	55
Garioch	13,912	25·6	11·6	12·8	11·2	22·2	81
Huntly	6,911	24·3	12·3	12·3	10·4	22·6	83
Turiff	11,268	26·1	10·6	11·5	10·9	16·7	34
Argyll County—							
Ardnamurchan	2,802	16·4	12·1	12·8	9·3	8·7	22
Cowal	8,177	14·1	12·7	13·1	11·9	7·0	78
Islay	7,088	21·0	14·0	14·7	11·7	14·8	54
Kintyre	6,624	20·2	12·2	12·8	11·4	11·9	45
Lorn	11,069	17·6	11·5	13·6	12·2	9·7	87
Mid-Argyll	7,088	14·1	14·1	11·4	9·3	8·0	60
Mull	5,361	13·8	15·3	16·4	11·7	6·8	27
Ayr County—							
Ayr	42,156	31·8	12·6	12·2	12·6	9·8	104
Carrick	12,961	22·5	11·3	12·0	11·4	8·9	75
Kilmarnock	23,884	25·6	11·8	12·5	12·8	5·7	97
Northern	47,236	26·4	14·4	14·1	14·2	6·2	107
Banff County—							
Banff	20,361	26·6	12·4	12·0	10·9	12·8	70
Keith	12,377	22·7	11·2	11·6	9·7	18·9	71
Berwick County—							
East	8,975	19·8	12·9	13·1	11·5	11·8	79
Middle	8,328	17·3	13·2	13·6	12·2	11·1	83
West	5,677	19·7	10·7	11·3	10·3	10·7	54
Bute County—							
Arran	4,607	10·2	16·5	16·1	12·6	10·6	213
Bute	2,537	14·2	15·0	14·6	12·6	8·3	56
Cumbrae*	92	—	—	—	—	—	—
Caithness County—							
Caithness	19,460	21·3	14·1	14·0	9·9	14·7	43
Clackmannan County—							
Clackmannan	10,242	25.3	15·3	15·4	15·5	6·2	93
Dumbarton County—							
Eastern	26,355	26·5	14·6	11·3	11·7	5·3	104
Western	28,022	23·3	12·1	13·0	13·7	5·8	98
Dumfries County—							
Annan	10,470	20·4	12·8	13·2	12·1	16·4	93
Dumfries	8,531	22·2	16·9	14·5	12·2	15·3	74
Langholm	3,225	23·6	13·3	13·0	11·0	14·5	26
Lockerbie	8,506	19·5	12·9	13·4	12·2	9·0	96
Thornhill	11,679	24·3	15·5	16·1	14·6	12·3	88
Edinburgh County—							
Calder	18,989	28·4	12·3	14·0	14·6	4·3	107
Gala-Water	6,887	24·4	11·6	13·5	12·9	10·1	42
Lasswade	24.068	29·8	12·6	13·0	13·1	4·5	113
Suburban	23,847	22·0	17·4	12·0	11·9	8·0	95

* The population of this District is too small for the calculation of significant rates.

TABLE **6**—*continued.*

County Districts.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Death.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
ELGIN COUNTY—							
Elgin	21,638	22·6	13·5	14·0	12·0	16·0	96
FIFE COUNTY—							
Cupar	15,481	19·0	18·0	15·8	12·8	8·8	82
Dunfermline	31,459	28·7	11·7	13·0	13·5	4·4	105
Kirkcaldy	42,219	31·5	13·6	13·4	13·9	5·3	110
St. Andrews	15,340	19·2	12·5	13·2	12·4	5·1	51
FORFAR COUNTY—							
Arbroath	8,392	25·7	12·5	13·0	11·5	10·2	69
Brechin	12,762	21·6	15·1	11·5	10·1	9·1	54
Dundee	9,769	21·6	13·9	9·0	8·3	8·5	71
Forfar	11,095	21·4	13·5	14·4	11·8	9·7	55
HADDINGTON COUNTY—							
Eastern	6,160	17·9	10·2	12·3	12·0	11·8	100
Western	16,758	27·2	11·3	12·7	13·1	8·1	101
INVERNESS COUNTY—							
Inverness	9,106	20·9	16·4	13·6	12·0	8·4	84
Aird	8,724	18·7	12·6	13·1	10·2	12·3	37
Badenoch	6,473	15·8	11·4	11·9	9·5	11·8	49
Lochaber	7,004	14·8	12·6	14·0	11·3	1·9	87
Skye	13,239	19·3	16·6	17·4	12·2	5·1	59
Harris	5,433	26·1	8·7	8·7	6·8	7·0	56
North Uist	3,659	19·7	15·3	15·6	11·4	9·7	69
South Uist	7,973	21·6	13·8	14·3	11·4	10·5	76
KINCARDINE COUNTY—							
Laurencekirk	4,645	25·2	12·5	14·0	11·9	12·0	68
Lower Deeside	3,913	20·4	12·5	12·3	11·6	10·0	63
St. Cyrus	4,737	27·0	14·1	14·6	12·6	8·6	94
Stonehaven	4,534	21·4	12·1	12·8	11·2	14·4	93
Upper Deeside	3,123	21·8	11·5	11·5	10·0	17·6	59
KINROSS COUNTY—							
Kinross	4,894	11·0	14·1	14·1	12·1	1·9	241
KIRKCUDBRIGHT C'NTY.							
Eastern	7,514	22·0	13·0	13·6	11·9	7·3	79
Northern	2,801	22·5	13·9	15·7	13·4	14·3	48
Southern	8,226	19·7	10·9	10·8	10·0	10·5	62
Western	3,557	19·7	11·0	11·5	10·9	12·9	57
LANARK COUNTY—							
Upper Ward	42,896	27·6	12·1	12·8	13·0	8·1	80
Middle Ward	202,540	34·2	14·5	14·9	15·9	5·3	113
Lower Ward	57,215	28·4	21·5	13·5	14·3	3·8	124
LINLITHGOW COUNTY—							
Bathgate	31,775	32·9	13·5	14·9	15·8	4·7	118
Linlithgow	15,219	30·2	17·4	12·7	13·0	5·7	109
NAIRN COUNTY—							
Nairn	4,638	2·22	15·7	14·4	12·5	17·5	78
ORKNEY COUNTY—							
Mainland	9,251	17·6	14·9	16·4	12·1	4·3	43
North Isles	7,051	19·9	15·3	15·9	11·2	8·6	50
South Ronaldshay	2,378	20·2	15·6	16·0	10·7	12·5	42
Walls	1,629	20·9	15·3	15·3	10·4	14·7	88

TABLE 6—*continued.*

County Districts.	Population.	Rates per 1000 of Population.				Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Death.				
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
PEEBLES COUNTY—							
Peebles . . .	7,121	20·6	13·3	14·3	13·7	7·5	75
PERTH COUNTY—							
Blairgowrie . .	9,792	20·0	10·1	12·1	10·6	11.7	46
Central . . .	10,363	21·1	14·6	15·6	13·4	7·3	91
Highland . . .	12,842	18·0	17·9	16·0	13·3	10·8	74
Perth . . .	20,782	21·9	11·4	12·5	10·9	9·2	59
Western . . .	10,093	17·3	10·2	11·4	10·9	6·9	57
RENFREW COUNTY—							
Upper Ward . .	57,402	23·2	15·2	11·8	12·7	5·0	80
Lower Ward . .	23,701	21·3	12·6	13·2	13·9	4·9	81
ROSS & CROMARTY C'NTY.							
Black Isle . .	8,955	14·3	9·0	9·3	10·3	6·3	63
Easter Ross . .	10,328	17·6	18·9	19 3	14·7	11·5	104
Lews . . .	25,723	23·8	14·4	14·8	12·5	2·6	69
Mid-Ross . . .	11,818	16·9	15·8	16·6	12·0	8·5	60
South-Western . .	3,597	16·1	18·3	18·9	12·4	6·9	0·0
Western . . .	4,725	12·3	14·2	15·2	9·6	10·3	155
ROXBURGH COUNTY—							
Hawick . . .	3,246	19·4	8·0	8·9	8·7	7·9	48
Jedburgh . . .	4,828	22·6	14·3	14·1	13·8	11·0	37
Kelso . . .	6,291	16·1	11·9	12·6	12·3	10·9	99
Liddesdale . .	1,929	25·4	11·4	11·9	9·6	10·2	102
Melrose . . .	5,027	18·1	10·1	10·1	8·8	8·8	44
SELKIRK COUNTY—							
Selkirk . . .	4,171	16·5	8·4	8 6	8·6	11·6	72
SHETLAND COUNTY—							
Mainland . . .	18,463	17·4	13·3	13·7	9·4	5·0	47
North Isles . .	4,686	17·5	14·5	15·4	11·4	2·4	61
STIRLING COUNTY—							
Central . . .	26,284	32·8	12·6	13·3	13·5	4·5	108
Eastern . . .	41,653	29·2	13·7	12·5	13·3	6·3	102
Western . . .	11,631	19·2	15·8	17·5	16·1	5·4	94
SUTHERLAND COUNTY—							
Sutherland . .	19,334	16·8	15·9	15·9	1·04	9·3	46
WIGTOWN COUNTY—							
Machars . . .	8,813	23·5	14·6	15·1	13·2	18·8	116
Rhins . . .	12,041	24·7	12·4	12·5	11·4	14·1	64

TABLE 7.—Births, Deaths, and Marriages in the Counties* in 1911.

COUNTIES.	Estimated Population	Births.		Marriages.	Deaths.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Total.	Illegitimate.			Birth.	Marriage.	Death.				
								Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.		
SCOTLAND	**4,751,132**	**121,850**	**9,200**	**31,811**	**71,732**	**25·65**	**6·70**	**15·10**	**15·10**	**15·10**	**7·55**	**112·5**
Aberdeen	311,257	7,682	1,048	2,017	4,561	24·68	6·48	14·72	14·65	13·75	13·64	113·3
Argyll	70,581	1,246	134	249	1,015	17·65	3·53	14·38	14·38	12·18	10·75	71·4
Ayr	267,727	6,977	558	1,713	3,689	26·06	6·40	13·58	13·78	14·04	8·00	105·6
Banff	61,181	1,517	210	294	820	24·80	4·81	13·29	13·40	11·83	13·84	88·3
Berwick	29,507	580	66	184	381	19·66	6·24	12·47	12·91	11·44	11·38	72·4
Bute	18,106	251	19	76	292	13·86	4·20	17·12	16·13	13·76	7·57	75·7
Caithness	31,850	780	101	158	483	24·49	4·96	14·85	15·17	11·58	12·95	80·8
Clackmannan	30,987	714	49	211	473	23·04	6·81	14·33	15·26	15·25	6·86	82·6
Dumbarton	139,979	3,912	177	816	1,938	27·95	5·83	13·66	13·84	14·73	4·52	110·4
Dumfries	72,571	1,570	192	477	1,109	21·63	6·57	15·67	15·28	14·15	12·23	104·5
Edinburgh (Midlothian)	506,327	11,581	823	3.951	7,540	22·87	7·80	15·53	14·89	15·38	7·11	115·1
Elgin	43,238	1,008	158	250	673	23·31	5·78	15·52	15·57	13·54	15·67	91·3
Fife	268,003	6,975	390	1,666	3,609	26·03	6·22	12·93	13·47	13·36	5·59	95·2
Forfar	280,347	6,705	589	1,864	4,590	23·92	6·65	16·64	16·38	15·87	8·78	132·0
Haddington	43,214	1,079	85	226	608	24·97	5·23	13·05	14·07	13·99	7·88	104·7
Inverness	86,890	1,747	165	395	1,277	20·11	4·55	14·78	14·70	12·01	9·44	81·3
Kincardine	40,864	1,012	105	183	522	24·77	4·48	12·50	12·77	11·55	10·38	83·0
Kinross	7,514	170	14	36	108	22·62	4·79	13·84	14·37	12·45	8·24	94·1
Kirkcudbright	38,205	820	94	199	549	21·46	5·21	13.61	14·37	13·04	11·46	73·2
Lanark	1,444,562	42,255	2,684	11,412	23,528	29·25	7·90	16·25	16·29	17·73	6·35	128·3
Linlithgow	80,229	2,549	132	458	1,148	31·77	5·71	13·90	14·31	15·35	5·18	122·0
Nairn	9,287	194	24	48	128	20·89	5·17	14·21	13·78	12·23	12·37	77·3
Orkney	25,735	489	37	149	435	19·00	5·79	16·44	16·90	12·33	7·57	73·6
Peebles	15,209	264	19	64	197	17·36	4·21	12·16	12·95	12·51	7·20	87·1
Perth	123,925	2,458	242	693	1,773	19·83	5·59	13·95	14·31	12·86	9·85	89·5
Renfrew	314,567	8,364	443	2,019	4,741	26·59	6·42	15·28	15·07	16·12	5·30	103·4
Ross and Cromarty	77,111	1,429	86	261	1,157	18·53	3·38	14·60	15·00	12·20	6·02	74·9
Roxburgh	46,984	895	92	284	651	19·05	6·04	13·96	13·86	13·13	10·28	91·6
Selkirk	24,544	450	37	148	305	18·33	6·03	12·06	12·43	12·52	8·22	91·1
Shetland	27,806	502	23	110	386	18·05	3·96	13·67	13·88	9·94	4·58	53·7
Stirling	160,883	4,558	250	962	2,272	28·33	5·98	14·36	14·12	14·74	5·48	105·3
Sutherland	20,075	339	30	49	316	16·89	2·44	15·59	15·74	11·27	8·85	50·1
Wigtown	31.867	778	124	189	458	24·41	5·93	14·12	14·37	12·72	15·94	82·3

* Burghs included.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1911.

	Estimated Number of Married Women aged 15-45.	Number of Legitimate Children born.	Legitimate Births per 1000 Married Women aged 15-45.	Estimated Number of Unmarried Women and of Widows aged 15-45.	Number of Illegitimate Children born.	Illegitimate Births per 1000 Unmarried Women and Widows aged 15-45.
SCOTLAND	**487,036**	**112,650**	**231·3**	**656,357**	**9,200**	**14·0**
NORTHERN DIVISION	7,780	1,919	246·7	14,624	191	13·1
NORTH-WESTERN Do.	11,368	2,925	257·3	23,035	261	10·9
NORTH-EASTERN Do.	43,777	9,868	225·4	63,708	1,545	24·3
EAST-MIDLAND Do.	72,177	15,738	218·0	102,540	1,284	12·5
WEST-MIDLAND Do.	39,062	9,387	240·3	49,461	580	11·7
SOUTH-WESTERN Do.	223,303	53,911	241·4	267,737	3,685	13·8
SOUTH-EASTERN Do.	72,750	15,341	210·9	106,046	1,162	11·0
SOUTHERN Do.	16,819	3,561	211·7	29,206	502	17·2
Counties.						
Aberdeen	29,921	6,634	221·7	43,538	1,048	24·1
Argyll	5,056	1,112	219·9	10,097	134	13·3
Ayr	27,176	6,419	236·2	36,135	558	15·4
Banff	5,440	1,307	240·3	7,602	210	27·6
Berwick	2,714	514	189·4	4,457	66	14·8
Bute	1,517	232	152·9	3,072	19	6·2
Caithness	2,437	679	278·6	4,277	101	23·6
Clackmannan	3,023	665	220·0	4,850	49	10·1
Dumbarton	15,205	3,735	245·6	18,231	177	9·7
Dumfries	6,437	1,378	214·1	10,622	192	18·1
Edinburgh	52,989	10,758	203·0	81,677	823	10·1
Elgin	3,643	850	233·3	6,055	158	26·1
Fife	29,426	6,585	223·8	32,635	390	12·0
Forfar	28,049	6,116	218·0	44,671	589	13·2
Haddington	4,366	994	227·7	5,672	85	15·0
Inverness	6,194	1,582	255·4	12,468	165	13·2
Kincardine	4,033	907	224·9	5,009	105	21·0
Kinross	703	156	221·9	1,003	14	14·0
Kirkcudbright	3,323	726	218·5	5,755	94	16·3
Lanark	162,349	39,571	243·7	185,738	2,684	14·5
Linlithgow	8,980	2,417	269·2	7,131	132	18·5
Nairn	740	170	229·7	1,504	24	16·0
Orkney	2,005	452	225·4	3,529	37	10·5
Peebles	1,419	245	172·7	2,683	19	7·1
Perth	10,976	2,216	201·9	19,381	242	12·5
Renfrew	33,778	7,921	234·5	45,864	443	9·7
Ross and Cromarty	5,174	1,343	259·6	10,567	86	8·1
Roxburgh	4,266	803	188·2	8,224	92	11·2
Selkirk	2,282	413	181·0	4,426	37	8·4
Shetland	2,046	479	234·1	4,156	23	5·5
Stirling	17,284	4,308	249·2	18,061	250	13·8
Sutherland	1,292	309	239·2	2,662	30	11·3
Wigtown	2,793	654	234·2	4,605	124	26·9
Larger Burghs.						
Glasgow	86,724	19,966	230·2	113,508	1,603	14·1
Edinburgh	32,384	6,067	187·3	57,858	543	9·4
Dundee	17,600	3,923	222·9	27,000	367	13·6
Aberdeen	17,337	3,591	207·1	24,466	418	17·1
Govan	10,460	2,533	242·2	10,397	147	14·1
Paisley	8,746	2,041	233·4	13,518	126	9·3
Leith	9,362	1,977	211·2	10,371	120	11·6
Greenock	8,239	2,168	263·1	9,474	138	14·6
Partick	7,790	1,667	214·0	9,511	89	9·4
Coatbridge	4,862	1,328	273·1	4,002	62	15·5
Motherwell	4,990	1,300	260·5	3,492	47	13·5
Kirkcaldy	4,446	893	200·9	5,460	71	13·0
Hamilton	4,596	1,257	273·5	3,627	65	17·9
Clydebank	4,821	1,208	250·6	3,557	29	8·2
Perth	3,583	673	187·8	6,049	71	11·7
Kilmarnock	3,706	775	209·1	4,859	73	15·0
Falkirk	3,855	983	255·0	3,311	57	17·2
Ayr	3,411	771	226·0	5,171	92	17·8

TABLE **18**.—Ages at Death in 1911.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both sexes.
0– – – –	13,707	7,690	6,017	7,436	2,554	3,717
1– – – –	7,333	3,796	3,537	4,336	1,208	1,789
5– – – –	1,934	964	970	1,048	366	520
10– – – –	1,209	577	632	585	241	383
15– – – –	3,506	1,773	1,733	1,633	722	1,151
25– – – –	4,152	1,944	2,208	2,139	790	1,223
35– – – –	4,946	2,443	2,503	2,656	982	1,308
45– – – –	6,191	3,307	2,884	3,339	1,252	1,600
55– – – –	8,091	4,243	3,848	4,065	1,713	2,313
65– – – –	10,673	5,096	5,577	4,679	2,462	3,532
75– – – –	9,987	3,987	6,000	3,250	2,407	4,330
Not stated – –	3	3	—	1	—	2
ALL AGES –	71,732	35,823	35,909	35,167	14,697	21,868

TABLE **19**.—Death-rate per 1000 in each Age-group in 1911.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0– – – –	126·7	140·9	112·2	148·6	121·3	100·1
1– – – –	17·3	17·8	16·8	22·7	14.4	12·1
5– – – –	3·8	3·7	3·8	4·6	3·5	2·8
10– – – –	2·5	2·3	2·6	2·7	2·4	2·2
15– – – –	4·0	4·1	3·9	3·9	4·2	4·0
25– – – –	5·6	5·5	5·7	6·1	5·1	5·3
35– – – –	8·3	8·4	8·1	9·4	8·1	6·7
45– – – –	13·9	15·5	12·4	16·4	13·6	10·7
55– – – –	27·4	30·6	24·6	31·8	26·9	22·4
65– – – –	57·8	65·2	52·4	66·1	58·6	49·1
75– – – –	138·1	148·6	132·0	149·1	138·2	130·2
Not stated – –	—	—	—	—	—	—
ALL AGES –	15·10	15·55	14·67	16·27	15·12	13·52

TABLE **20**.—Percentage of Deaths in each Age-group in 1911.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0– – – –	19·11	21·47	16·75	21·15	17·38	17·00
1– – – –	10·22	10·60	9·85	12·33	8·22	8·18
5– – – –	2·70	2·69	2·70	2·98	2·49	2·38
10– – – –	1·69	1·61	1·76	1·66	1·64	1·75
15– – – –	4·89	4·95	4·83	4·64	4 91	5·26
25– – – –	5·79	5 43	6·15	6·08	5·38	5·59
35– – – –	6·89	6·82	6·97	7·55	6·68	5·98
45– – – –	8·63	9·23	8·03	9·50	8·52	7·32
55– – – –	11·28	11·84	10·72	11·56	11·65	10·58
65– – – –	14·88	14·22	15·53	13·31	16·75	16·15
75– – – –	13·92	11·13	16·71	9·24	16·38	19·80
Not stated – –	—	·01	—	—	—	·01
ALL AGES –	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **21**.—Deaths, Male and Female, at each year of Age,

MALES.

Ages.	Total.	Single.	Married.	Widowed.	Not Stated.	Ages.	Total.	Single.	Married.	Widowed.	Not Stated.
0	7690	7690	–	–	–	52	381	72	261	47	1
1	2136	2136	–	–	–	53	374	61	266	46	1
2	854	854	–	–	–	54	381	66	267	46	2
3	478	478	–	–	–						
4	328	328	–	–	–	55	360	67	223	66	4
						56	365	56	243	65	1
5	284	284	–	–	–	57	411	58	272	79	2
6	213	213	–	–	–	58	442	76	277	86	3
7	150	150	–	–	–	59	394	58	266	68	2
8	156	156	–	–	–						
9	161	161	–	–	–	60	472	64	312	87	9
						61	440	71	266	102	1
10	116	116	–	–	–	62	479	63	302	110	4
11	112	112	–	–	–	63	421	52	264	104	1
12	116	116	–	–	–	64	459	61	268	129	1
13	101	101	–	–	–						
14	132	132	–	–	–	65	471	72	266	129	4
						66	449	55	274	120	–
15	135	135	–	–	–	67	452	51	256	142	3
16	165	165	–	–	–	68	485	58	276	149	2
17	161	161	–	–	–	69	479	61	261	154	3
18	210	210	–	–	–						
19	204	204	–	–	–	70	572	68	304	198	2
						71	526	57	258	210	1
20	172	170	2	–	–	72	595	62	294	238	1
21	194	185	9	–	–	73	574	64	270	238	2
22	172	156	15	–	1	74	493	62	233	197	1
23	166	146	20	–	–						
24	194	163	29	1	1	75	456	49	209	196	2
						76	428	50	172	206	–
25	181	148	30	2	1	77	370	33	176	161	–
26	217	181	31	1	4	78	363	34	153	175	1
27	191	135	53	3	–	79	300	36	115	149	–
28	219	143	73	3	–						
29	175	92	80	3	–	80	328	34	115	176	3
						81	236	18	90	128	–
30	188	102	80	3	3	82	258	27	92	138	1
31	175	92	79	4	–	83	215	23	72	120	–
32	204	94	98	11	1	84	240	29	75	135	1
33	178	92	78	4	4						
34	216	93	116	7	–	85	182	24	56	102	–
						86	124	12	46	66	–
35	269	110	146	9	4	87	124	18	28	78	–
36	221	78	132	10	1	88	82	9	22	51	–
37	223	81	132	8	2	89	72	6	21	45	–
38	247	96	141	9	1						
39	207	70	123	14	–	90	56	3	15	38	–
						91	44	2	11	31	–
40	282	103	153	15	11	92	35	2	7	26	–
41	210	61	136	12	1	93	23	3	5	15	–
42	262	84	161	15	2	94	17	2	4	10	1
43	279	74	192	11	2						
44	243	73	150	19	1	95	11	–	3	8	–
						96	9	1	1	7	–
45	310	82	195	22	11	97	4	1	1	2	–
46	294	63	203	27	1	98	7	1	2	4	–
47	286	72	187	27	–	99	–	–	–	–	–
48	290	58	204	27	1						
49	313	64	204	44	1	100 and over	3	–	1	2	–
						Not Stated	3	–	–	–	3
50	342	73	207	50	12						
51	336	67	237	31	1	Total ...	35,823	19,055	11,367	5,271	130

and by Condition as to Marriage in Scotland, in 1911.

FEMALES.

Ages.	Total.	Single.	Married.	Widowed.	Not Stated.	Ages.	Total.	Single.	Married.	Widowed.	Not Stated.
0	6017	6017	–	–	–	52	346	63	219	64	–
1	1978	1978	–	–	–	53	309	58	186	65	–
2	776	776	–	–	–	54	334	65	177	92	–
3	436	436	–	–	–						
4	347	347	–	–	–	55	333	58	193	82	–
						56	343	72	184	87	–
5	271	271	–	–	–	57	359	66	190	103	–
6	224	224	–	–	–	58	391	53	205	132	1
7	149	149	–	–	–	59	386	69	187	130	–
8	177	177	–	–	–						
9	149	149	–	–	–	60	394	73	184	137	–
						61	349	51	166	132	–
10	108	108	–	–	–	62	451	72	211	168	–
11	134	134	–	–	–	63	407	65	172	170	–
12	119	119	–	–	–	64	435	75	165	195	–
13	122	122	–	–	–						
14	149	149	–	–	–	65	428	66	172	190	–
						66	424	76	166	182	–
15	147	147	–	–	–	67	436	74	159	203	–
16	179	178	1	–	–	68	476	96	170	209	1
17	201	199	2	–	–	69	443	89	129	225	–
18	153	150	3	–	–						
19	178	167	11	–	–	70	673	115	199	359	–
						71	615	114	161	340	–
20	146	125	21	–	–	72	772	137	161	474	–
21	164	124	39	1	–	73	657	110	111	436	–
22	183	137	46	–	–	74	653	123	123	407	–
23	203	150	51	2	–						
24	179	110	69	–	–	75	594	114	101	379	–
						76	563	104	101	358	–
25	184	91	92	1	–	77	491	95	57	339	–
26	204	98	105	1	–	78	517	113	58	345	1
27	191	92	99	–	–	79	449	86	73	290	–
28	193	75	116	1	1						
29	222	73	147	2	–	80	446	98	52	296	–
						81	331	71	34	225	1
30	253	86	162	4	1	82	359	66	24	269	–
31	224	64	156	4	–	83	341	82	27	232	–
32	235	75	157	3	–	84	336	75	20	241	–
33	250	58	186	6	–						
34	252	74	168	10	–	85	325	73	23	229	–
						86	244	55	18	171	–
35	249	65	174	8	2	87	216	59	7	150	–
36	246	48	185	13	–	88	197	41	7	149	–
37	238	56	173	9	–	89	132	32	4	96	–
38	282	61	208	13	–						
39	249	56	180	13	–	90	110	27	4	79	–
						91	78	21	1	56	–
40	250	63	172	14	1	92	85	23	–	62	–
41	238	47	171	20	–	93	46	11	–	35	–
42	276	61	189	26	–	94	36	5	–	31	–
43	236	48	166	22	–						
44	239	44	172	23	–	95	34	8	–	26	–
						96	21	2	1	18	–
45	246	54	160	29	3	97	23	3	–	20	–
46	236	49	161	26	–	98	16	6	–	10	–
47	242	42	161	39	–	99	2	–	–	2	–
48	286	57	181	48	–						
49	276	58	178	40	–	100 and over	8	3	–	5	–
						Not stated	–	–	–	–	–
50	323	61	215	46	1						
51	286	52	169	65	–	Total ...	35,909	17,464	9248	9184	13

TABLE **22**.—Deaths in each Age-group in the Larger Burghs in 1911.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	2964	754	672	556	356	243	278	260	219	194	147	94	148	140	96	82	117	116
1—	1900	387	272	282	276	157	152	168	127	86	70	65	101	91	58	25	67	52
5—	424	94	93	78	47	36	34	38	35	30	22	15	28	22	20	14	9	9
10—	242	45	49	40	27	20	24	26	20	8	19	6	11	11	6	13	10	8
15—	634	185	147	123	71	84	49	76	48	28	27	23	18	23	25	22	23	22
25—	821	294	184	117	94	70	85	85	55	56	39	29	36	54	28	21	36	35
35—	1119	363	182	148	105	105	110	86	78	49	26	41	36	50	35	46	30	47
45—	1348	499	260	202	133	111	140	114	90	60	48	55	41	43	45	54	59	37
55—	1580	622	333	271	186	146	159	168	94	74	43	69	48	39	63	60	53	57
65—	1679	818	390	333	173	198	168	228	103	70	52	81	60	41	74	77	59	75
75 and over	945	672	287	345	79	121	131	135	90	24	32	77	47	18	86	52	42	67
Not stated	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
All Ages	13656	4733	2869	2495	1547	1291	1331	1384	959	679	525	555	574	532	536	466	510	525

TABLE **23**.—Death-rate per 1000 of Population in each Age-group in the Larger Burghs in 1911.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	161·2	130·3	181·7	152·2	153·1	130·7	140·3	126·9	138·0	157·2	124·2	104·9	126·0	124·2	134·5	112·0	143·6	148·1
1—	27·3	16·7	20·0	19·1	31·7	21·4	20·4	24·0	20·9	18·8	15·4	18·3	23·5	21·2	21·6	8·2	20·0	17·4
5—	5·2	3·3	5·6	4·3	4·6	4·0	3·8	4·8	4·9	5·7	4·4	3·5	5·6	4·8	6·1	3·7	2·3	2·5
10—	3·2	1·6	3·0	2·2	2·8	2·3	2·9	3·5	3·1	1·7	4·2	1·5	2·6	2·7	1·8	3·4	2·7	2·4
15—	4·2	3·0	4·7	3·9	4·3	4·9	3·4	5·4	3·9	3·6	3·6	3·1	2·5	3·3	3·7	3·2	4·7	3·4
25—	6·1	5·4	7·2	4·9	6·3	5·1	6·6	6·7	4·6	7·9	5·7	4·6	5·7	8·1	4·8	4·0	6·6	6·9
35—	10·8	8·2	8·5	7·4	8·9	10·2	10·6	9·1	8·4	9·0	5·2	8·1	7·6	10·0	7·2	10·7	7·0	11·6
45—	18·3	15·0	15·6	13·5	16·7	14·0	18·5	17·1	14·9	16·2	15·1	14·8	14·2	14·8	12·2	16·5	19·4	12·5
55—	35·2	28·1	30·8	26·8	40·5	29·9	33·1	38·4	25·8	35·8	26·2	27·2	27·9	28·4	24·9	28·7	29·6	28·0
65—	72·2	63·9	61·4	53·0	73·4	74·0	60·2	84·8	55·1	62·7	65·0	55·0	64·7	63·2	47·6	69·5	63·5	61·2
75 and over	151·1	145·8	146·8	141·4	151·9	168·3	164·2	170·0	153·3	85·1	161 6	147·8	176·7	123·3	138·5	141·3	158·5	146·3
All Ages	17·46	14·83	17·44	15·25	17·29	15·32	16·58	18·45	14·33	15·69	12·97	14·02	14·85	14·06	14·98	13·46	15·20	15·92

TABLE **24**.—Deaths in each Age-group from various Diseases in Scotland in 1911. (Both Sexes.)

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever	272	-	13	14	16	81	71	39	21	12	4	1
Typhus Fever	8	-	-	-	-	2	2	4	-	-	-	-
Small-pox	5	-	-	-	-	2	1	1	1	-	-	-
Measles	923	231	625	51	-	7	4	3	1	1	-	-
Scarlet Fever	451	18	213	129	44	22	7	13	3	2	-	-
Whooping-cough	2347	1034	1221	85	4	1	1	-	-	-	-	1
Diphtheria and Croup	931	75	534	250	43	15	3	5	1	1	1	3
Influenza	226	17	6	4	4	4	7	6	12	25	57	84
Erysipelas	167	28	4	3	2	7	8	21	25	25	27	17
Phthisis, Pulmonary Tuberculosis	5451	37	123	107	199	1328	1366	1057	689	381	140	24
Tuberculous Meningitis	1048	279	479	150	59	45	19	12	5	-	-	-
Abdominal Tuberculosis	839	177	297	107	62	76	45	29	22	15	6	3
Other Tuberculous Diseases	1049	99	186	121	98	177	147	95	65	36	19	6
Cancer, Malignant Disease	4948	5	7	9	8	35	108	382	911	1381	1396	706
Rheumatic Fever	234	5	7	30	33	61	34	21	24	9	8	2
Meningitis	978	356	332	88	39	51	30	29	26	18	7	2
Organic Heart Disease	6196	23	16	51	89	227	254	470	734	1265	1768	1299
Bronchitis	4546	958	343	37	17	35	46	139	307	617	1068	979
Pneumonia (all forms)	5905	1380	1223	137	76	213	296	404	535	573	648	420
Other Diseases of Respiratory Organs	1119	170	153	31	12	42	52	83	101	138	153	184
Diarrhœa and Enteritis (under 2 years)	2306	1881	425	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	410	1	15	59	73	89	45	52	35	24	13	4
All Liver Diseases (not Malignant)	520	12	11	1	3	14	18	61	91	130	133	46
Other Diseases of Digestive System (under 2 years)	446	370	76	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2143	24	59	43	28	83	153	232	414	485	425	197
Puerperal Sepsis	173	-	-	-	-	31	88	53	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	526	-	-	-	1	78	255	187	5	-	-	-
Congenital Debility and Malformation, including Premature Birth	4727	4647	53	10	5	6	4	2	-	-	-	-
Violent Deaths, excluding Suicide	*2635	211	287	151	94	292	294	359	289	266	220	170
Suicide	253	-	-	-	-	18	50	44	71	38	25	7
Other Defined Diseases	18287	1443	536	247	192	434	701	1042	1636	2357	4172	5525
Diseases Ill-defined or Unknown	†1663	226	87	19	8	30	43	101	166	292	383	307
Total	71732	13707	7333	1934	1209	3506	4152	4946	6191	8091	10673	9987

* 2 Age not stated. † 1 Age not stated.

TABLE **25**.—Death-rate per 1000 of Population in each Age-group from various Causes in Scotland in 1911.

Causes of Death.	All Ages	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
Enteric Fever	·06	–	·03	·03	·03	·09	·10	·07	·05	·04	·02	·01
Typhus Fever	–	–	–	–	–	–	–	·01	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	·19	2·14	1·48	·10	–	·01	·01	·01	–	–	–	–
Scarlet Fever	·09	·18	·50	·25	·09	·02	·01	·02	·01	·01	–	–
Whooping-cough	·49	9·56	2·88	·17	·01	–	–	–	–	–	–	·01
Diphtheria and Croup	·20	·69	1·26	·49	·09	·02	–	·01	–	–	·01	·04
Influenza	·05	·16	·01	·01	·01	–	·01	·01	·03	·08	·31	1·16
Erysipelas	·04	·26	·01	·01	–	·01	·01	·04	·06	·08	·15	·24
Phthisis, Pulmonary Tuberculosis	1·15	·34	·29	·21	·41	1·51	1·85	1·76	1·55	1·29	·76	·33
Tuberculous Meningitis	·22	2·58	1·13	·29	·12	·05	·03	·02	·01	–	–	–
Abdominal Tuberculosis	·18	1·64	·70	·21	.13	·09	·06	·05	·05	·05	·03	·04
Other Tuberculous Diseases	·22	·92	·44	·24	·20	·20	·20	·16	·15	·12	·10	·08
Cancer, Malignant Disease	1·04	·05	·02	·02	·02	·04	·15	·64	2·04	4·68	7·56	9·77
Rheumatic Fever	·05	·05	·02	·06	·07	·07	·05	·04	·05	·03	·04	·03
Meningitis	·21	3·29	·78	·17	·08	·06	·04	·05	·06	·06	·04	·03
Organic Heart Disease	1·30	·21	·04	·10	·18	·26	·34	·78	1·65	4·28	9·58	17·97
Bronchitis	·96	8·86	·81	·07	·03	·04	·06	·23	·69	2·09	5·78	13·54
Pneumonia (all forms)	1·24	12·76	2·89	·27	·16	·24	·40	·67	1·20	1·94	3·51	5·81
Other Diseases of Respiratory Organs	·24	1·57	·36	·06	·02	·05	·07	·14	·23	·47	·83	2·55
Diarrhœa and Enteritis (under 2 years)	·49	17·39	1·00	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	·09	·01	·04	·12	·15	·10	·06	·09	·08	·08	·07	·06
All Liver Diseases (not Malignant)	·11	·11	·03	–	·01	·02	·02	·10	·20	·44	·72	·64
Other Diseases of Digestive System (under 2 years)	·09	3·42	·18	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	·45	·22	·14	·08	·06	·09	·21	·39	·93	1·64	2·30	2·72
Puerperal Sepsis	·04	–	–	–	–	·04	·12	·09	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	·11	–	–	–	–	·09	·34	·31	·01	–	–	–
Congenital Debility and Malformation, including Premature Birth	·99	42·96	·13	·02	·01	·01	·01	–	–	–	–	–
Violent Deaths, excluding Suicide	·55	1·95	·68	·29	·19	·33	·40	·60	·65	·90	1·19	2·35
Suicide	·05	–	–	–	–	·02	·07	·07	·16	·13	·14	·10
Other Defined Diseases	3·85	13·34	1·27	·48	·39	·49	·95	1·74	3·67	7·98	22·60	76·42
Diseases Ill-defined or Unknown	·35	2·09	·21	·04	·02	·03	·06	·17	·37	·99	2·07	4·25
Total	15·10	126·72	17·31	3·77	2·47	3·98	5·61	8·25	13·89	27·40	57·81	138·14

TABLE 26.—Percentage of Deaths from various Causes in Age-groups in 1911.

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever	·38	–	·18	·72	1·32	2·31	1·71	·79	·34	·15	·04	0·1
Typhus Fever	·01	–				·06	·05	·08	–	–	–	–
Small-pox	·01	–				·06	·02	·02	·02	–	–	–
Measles	1·29	1·68	8·52	2·64		·20	·10	·06	·02	·01	–	–
Scarlet Fever	·63	·13	2·90	6·67	3·64	·63	·17	·26	·05	·02	–	–
Whooping-cough	3·27	7·54	16·65	4·40	·33	·03	·02	–	–	–	–	·01
Diphtheria and Croup	1·30	·55	7·28	12·93	3·56	·43	·07	·10	·02	·01	·01	·03
Influenza	·32	·12	·08	·21	·33	·11	·17	·12	·19	·31	·53	·84
Erysipelas	·23	·20	·05	·16	·17	·20	·19	·43	·40	·31	·25	·17
Phthisis, Pulmonary Tuberculosis	7·60	·27	1·68	5·53	16·46	37·88	32·90	21·37	11·13	4·71	1·31	·24
Tuberculous Meningitis	1·46	2·03	6·53	7·75	4·88	1·28	·46	·24	·08	–	–	–
Abdominal Tuberculosis	1·17	1·29	4·05	5·53	5·13	2·17	1·08	·59	·35	·19	·06	·03
Other Tuberculous Diseases	1·46	·72	2·54	6·26	8·11	5·05	3·54	1·92	1·05	·44	·18	·06
Cancer, Malignant Disease	6·90	·04	·10	·47	·66	1·00	2·60	7·72	14·71	17·07	13·08	7·07
Rheumatic Fever	·33	·04	·10	1·55	2·73	1·74	·82	·43	·39	·11	·07	·02
Meningitis	1·36	2·60	4·53	4·55	3·23	1·45	·72	·59	·42	·22	·07	·02
Organic Heart Disease	8·64	·17	·22	2·64	7·36	6·47	6·12	9·50	11·86	15·63	16·57	13·01
Bronchitis	6·34	6·99	4·68	1·91	1·41	1·00	1·11	2·81	4·96	7·63	10·01	9·81
Pneumonia (all forms)	8·23	10·07	16·68	7·08	6·29	6·07	7·13	8·17	8·64	7·08	6·07	4·21
Other Diseases of Respiratory Organs	1·56	1·24	2·09	1·60	·99	1·20	1·25	1·68	1·63	1·71	1·43	1·84
Diarrhœa and Enteritis (under 2 years)	3·21	13·72	5·80	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	·57	·01	·20	3·05	6·04	2·54	1·08	1·05	·56	·30	·12	·04
All Liver Diseases (not Malignant)	·73	·09	·15	·05	·25	·40	·43	1·23	1·47	1·61	1·25	·46
Other Diseases of Digestive System (under 2 years)	·62	2·70	1·04	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2·99	·18	·80	2·22	2·32	2·37	3·69	4·69	6·69	5·99	3·98	1·97
Puerperal Sepsis	·24	–	–	–	–	·88	2·12	1·07	·02	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	·73	–	–	–	·08	2·22	6·14	3·78	·08	–	–	–
Congenital Debility and Malformation, including Premature Birth	6·59	33·90	·72	·52	·41	·17	·10	·04	–	–	–	–
Violent Deaths, excluding Suicide	3·67	1·54	3·91	7·81	7·78	8·33	7·08	7·26	4·67	3·29	2·06	1·70
Suicide	·35	–	–	–	–	·51	1·21	·89	1·15	·47	·23	·07
Other Defined Diseases	25·49	10·53	7·34	12·77	15·88	12·38	16·88	21·07	26·42	29·13	39·09	55·32
Diseases Ill-defined or Unknown	2·32	1·65	1·19	·98	·66	·86	1·04	2·04	2·68	3·61	3·59	3·07
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **27**.—Deaths from various Causes in Scotland and Groups of Public Health Districts, 1911.

Causes of Death.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever	272	143	129	111	59	102
Typhus Fever	8	4	4	4	1	3
Small-pox	5	1	4	5	–	–
Measles	923	467	456	655	124	144
Scarlet Fever	451	241	210	252	72	127
Whooping-cough	2,347	1,086	1,261	1,426	357	564
Diphtheria and Croup	931	461	470	485	168	278
Influenza	226	98	128	61	60	105
Erysipelas	167	86	81	91	27	49
Phthisis, Pulmonary Tuberculosis	5,451	2,678	2,773	2,894	1,071	1,486
Tuberculous Meningitis	1,048	584	464	593	199	256
Abdominal Tuberculosis	839	421	418	432	181	226
Other Tuberculous Diseases	1,049	581	468	578	182	289
Cancer, Malignant Disease	4,948	2,046	2,902	2,239	1,106	1,603
Rheumatic Fever	234	106	128	103	44	87
Meningitis	978	517	461	446	227	305
Organic Heart Disease	6,196	2,902	3,294	2,708	1,395	2,093
Bronchitis	4,546	2,217	2,329	2,393	938	1,215
Pneumonia (all forms)	5,905	3,308	2,597	3,336	981	1,588
Other Diseases of Respiratory Organs	1,119	553	566	526	233	360
Diarrhœa and Enteritis (under 2 years)	2,306	1,272	1,034	1,309	377	620
Appendicitis and Typhlitis	410	227	183	209	83	118
All Liver Diseases (not Malignant)	520	241	279	206	141	173
Other Diseases of Digestive System (under 2 years)	446	262	184	213	81	152
Nephritis and Bright's Disease	2,143	1,146	997	1,097	465	581
Puerperal Sepsis	173	–	173	102	33	38
Other Diseases and Accidents of Pregnancy and Parturition	526	–	526	253	106	167
Congenital Debility and Malformation, including Premature Birth	4,727	2,652	2,075	2,344	981	1,402
Violent Deaths, excluding Suicide	2,635	1,891	744	1,260	477	898
Suicide	253	182	71	117	59	77
Other Defined Diseases	18,287	8,585	9,702	8,066	4,106	6,115
Diseases Ill-defined or Unknown	1,663	865	798	653	363	647
Total	71,732	35,823	35,909	35,167	14,697	21,868

TABLE **28**.—Death-rate from various Causes per 1000 of the Population in Scotland and its Groups of Public Health Districts, 1911.

Causes of Death.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever	·06	·06	·05	·05	·06	·06
Typhus Fever	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–
Measles	·19	·20	·19	·30	·13	·09
Scarlet Fever	·09	·10	·09	·12	·07	·08
Whooping-cough	·49	·47	·52	·66	·37	·35
Diphtheria and Croup	·20	·20	·19	·22	·17	·17
Influenza	·05	·04	·05	·03	·06	·06
Erysipelas	·04	·04	·03	·04	·03	·03
Phthisis, Pulmonary Tuberculosis	1·15	1·16	1·13	1·34	1·10	·92
Tuberculous Meningitis	·22	·25	·19	·27	·20	·16
Abdominal Tuberculosis	·18	·18	·17	·20	·19	·14
Other Tuberculous Diseases	·22	·25	·19	·27	·19	·18
Cancer, Malignant Disease	1·04	·89	1·19	1·04	1·14	·99
Rheumatic Fever	·05	·05	·05	·05	·05	·05
Meningitis	·21	·22	·19	·21	·23	·19
Organic Heart Disease	1·30	1·26	1·35	1·25	1·44	1·29
Bronchitis	·96	·96	·95	1·11	·97	·75
Pneumonia (all forms)	1·24	1·44	1·06	1·54	1·01	·98
Other Diseases of Respiratory Organs	·24	·24	·23	·24	·24	·22
Diarrhœa and Enteritis (under 2 years)	·49	·55	·42	·61	·39	·38
Appendicitis and Typhlitis	·09	·10	·07	·10	·09	·07
All Liver Diseases (not Malignant)	·11	·10	·11	·10	·15	·11
Other Diseases of Digestive System (under 2 years)	·09	·11	·08	·10	·08	·09
Nephritis and Bright's Disease	·45	·50	·41	·51	·48	·36
Puerperal Sepsis	·04	–	·07	·05	·03	·02
Other Diseases and Accidents of Pregnancy and Parturition	·11	–	·21	·12	·11	·10
Congenital Debility and Malformation, including Premature Birth	·99	1·15	·85	1·08	1·01	·87
Violent Deaths, excluding Suicide	·55	·82	·30	·58	·49	·56
Suicide	·05	·08	·03	·05	·06	·05
Other Defined Diseases	3·85	3·73	3·96	3·73	4·22	3·78
Diseases Ill-defined or Unknown	·35	·38	·33	·30	·37	·40
Total	15·10	15·55	14·67	16·27	15·12	13·52

TABLE 29.—Deaths from various Causes in the Larger Burghs, 1911.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	59	2	2	3	6	3	3	3	6	5	1	3	3	4	3	1	2	2
Typhus Fever	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	297	64	2	120	55	3	19	14	4	5	3	4	14	28	6	–	10	7
Scarlet Fever	91	28	13	26	15	14	4	14	11	2	9	6	5	6	3	2	3	–
Whooping-cough	645	115	93	77	102	81	73	33	57	5	38	14	13	17	18	4	28	13
Diphtheria and Croup	179	53	38	24	20	10	35	7	15	10	18	8	15	13	23	3	6	8
Influenza	23	10	1	6	2	9	2	1	2	3	1	–	–	1	–	–	–	–
Erysipelas	43	11	7	3	5	2	5	5	2	–	–	–	2	2	2	1	1	–
Phthisis, Pulmonary Tuberculosis	1,154	396	280	199	101	96	113	113	68	47	38	43	31	48	42	43	42	40
Tuberculous Meningitis	239	67	40	38	27	14	19	31	19	7	17	12	13	18	12	5	12	3
Abdominal Tuberculosis	169	38	39	15	19	12	15	23	12	14	13	6	20	13	8	7	6	3
Other Tuberculous Diseases	219	87	62	31	27	21	19	18	11	14	5	17	9	10	6	6	10	6
Cancer, Malignant Disease	809	429	178	176	81	70	84	85	52	30	30	43	22	24	32	33	25	36
Rheumatic Fever	29	17	10	10	2	2	6	3	6	1	1	1	3	2	1	3	4	2
Meningitis	163	45	22	20	28	32	8	18	20	22	9	7	13	14	6	4	5	10
Organic Heart Disease	892	481	251	249	79	104	117	123	74	42	29	69	26	22	53	28	33	36
Bronchitis	954	259	218	159	107	128	88	103	58	65	43	30	46	17	36	26	27	29
Pneumonia (all forms)	1,425	421	264	207	163	104	132	141	89	77	29	31	45	56	27	28	55	42
Other Diseases of Respiratory Organs	207	72	37	25	40	14	20	14	16	6	3	10	13	8	8	13	10	10
Diarrhœa and Enteritis (under 2 years)	543	95	151	57	57	53	32	57	46	38	28	14	33	13	27	22	11	32
Appendicitis and Typhlitis	83	30	17	21	7	7	9	6	9	1	1	5	2	–	3	4	2	2
All Liver Diseases (not Malignant)	82	29	19	13	4	6	11	6	4	5	1	3	6	6	2	3	1	5
Other Diseases of Digestive System (under 2 years)	90	22	16	16	11	5	10	4	8	4	6	4	5	4	3	1	3	1
Nephritis and Bright's Disease	492	166	69	66	50	26	32	27	27	21	21	17	13	11	11	19	9	20
Puerperal Sepsis	54	7	5	7	6	2	1	1	3	2	1	1	3	2	–	1	3	3
Other Diseases and Accidents of Pregnancy and Parturition	79	38	15	15	4	13	15	16	7	10	8	3	3	11	5	4	4	3
Congenital Debility and Malformation, including Premature Birth	872	255	224	178	106	81	82	96	62	71	43	37	47	43	30	28	49	40
Violent Deaths, excluding Suicide	523	139	96	80	59	33	61	48	34	26	19	14	22	30	16	18	23	19
Suicide	34	16	15	12	6	6	3	9	3	2	1	2	–	1	4	1	1	1
Other Defined Diseases	2,939	1,299	639	602	319	314	295	326	219	130	100	134	130	88	142	145	114	131
Diseases Ill-defined or Unknown	265	42	42	40	39	25	18	38	15	14	9	17	17	20	7	13	11	21
Total	13,656	4,733	2,869	2,495	1,547	1,291	1,331	1,384	959	679	525	555	574	532	536	466	510	525

TABLE 30.—Death-rate from various Causes in the Larger Burghs in 1911.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	0·08	0·01	0·01	0·02	0·07	0·04	0·04	0·04	0·09	0·12	0·02	0·08	0·08	0·11	0·08	0·03	0·06	0·06
Typhus Fever	–	–	–	–	–	–	–	0·01	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	0·02	–	–	0·01	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·38	0·20	0·01	0·73	0·61	0·04	0·24	0·19	0·06	0·12	0·07	0·10	0·36	0·74	0·17	–	0·30	0·21
Scarlet Fever	0·12	0·09	0·08	0·16	0·17	0·17	0·05	0·19	0·16	0·05	0·22	0·15	0·13	0·16	0·08	0·06	0·09	–
Whooping-cough	0·82	0·36	0·57	0·47	1·14	0·96	0·91	0·44	0·85	0·12	0·94	0·35	0·34	0·45	0·50	0·12	0·83	0·39
Diphtheria and Croup	0·23	0·17	0·23	0·15	0·22	0·12	0·44	0·09	0·22	0·23	0·44	0·20	0·39	0·34	0·64	0·09	0·18	0·24
Influenza	0·03	0·03	0·01	0·04	0·02	0·11	0·02	0·01	0·03	0·07	0·02	–	–	0·03	–	–	–	–
Erysipelas	0·05	0·03	0·04	0·02	0·06	0·02	0·06	0·07	0·03	–	–	–	0·05	0·05	0·06	0·03	0·03	–
Phthisis, Pulmonary Tuberculosis	1·48	1·24	1·70	1·22	1·13	1·14	1·41	1·51	1·02	1·09	0·94	1·09	0·80	1·27	1·17	1·24	1·25	1·21
Tuberculous Meningitis	0·31	0·21	0·24	0·23	0·30	0·17	0·24	0·41	0·28	0·16	0·42	0·30	0·34	0·48	0·34	0·14	0·36	0·09
Abdominal Tuberculosis	0·22	0·12	0·24	0·09	0·21	0·14	0·19	0·31	0·18	0·32	0·32	0·15	0·52	0·34	0·22	0·20	0·18	0·09
Other Tuberculous Diseases	0·28	0·27	0·38	0·19	0·30	0·25	0·24	0·24	0·16	0·32	0·12	0·43	0·23	0·26	0·17	0·17	0·30	0·18
Cancer, Malignant Disease	1·03	1·34	1·08	1·08	0·91	0·83	1·05	1·13	0·78	0·69	0·74	1·09	0·57	0·63	0·89	0·95	0·74	1·09
Rheumatic Fever	0·04	0·05	0·06	0·06	0·02	0·02	0·07	0·04	0·09	0·02	0·02	0·03	0·08	0·05	0·03	0·09	0·12	0·06
Meningitis	0·21	0·14	0·13	0·12	0·31	0·38	0·10	0·24	0·30	0·51	0·22	0·18	0·34	0·37	0·17	0·12	0·15	0·30
Organic Heart Disease	1·14	1·51	1·53	1·52	0·88	1·23	1·46	1·64	1·11	0·97	0·72	1·74	0·67	0·58	1·48	0·81	0·98	1·09
Bronchitis	1·22	0·81	1·33	0·97	1·20	1·52	1·10	1·37	0·87	1·50	1·06	0·76	1·19	0·45	1·01	0·75	0·80	0·88
Pneumonia (all forms)	1·82	1·32	1·61	1·27	1·82	1·23	1·64	1·88	1·33	1·78	0·72	0·78	1·16	1·48	0·75	0·81	1·64	1·27
Other Diseases of Respiratory Organs	0·26	0·23	0·22	0·15	0·45	0·17	0·25	0·19	0·24	0·14	0·07	0·25	0·34	0·21	0·22	0·38	0·30	0·30
Diarrhœa and Enteritis (under 2 years)	0·69	0·30	0·92	0·35	0·64	0·63	0·40	0·76	0·69	0·88	0·69	0·35	0·85	0·34	0·75	0·64	0·33	0·97
Appendicitis and Typhlitis	0·11	0·09	0·10	0·13	0·08	0·08	0·11	0·08	0·13	0·02	0·02	0·13	0·05	–	0·08	0·12	0·06	0·06
All Liver Diseases (not Malignant)	0·10	0·09	0·12	0·08	0·04	0·07	0·14	0·08	0·06	0·12	0·02	0·08	0·16	0·16	0·06	0·09	0·03	0·15
Other Diseases of Digestive System (under 2 years)	0·12	0·07	0·10	0·10	0·12	0·06	0·12	0·05	0·12	0·09	0·15	0·10	0·13	0·11	0·08	0·03	0·09	0·03
Nephritis and Bright's Disease	0·63	0·52	0·42	0·40	0·56	0·31	0·40	0·36	0·40	0·49	0·52	0·43	0·34	0·29	0·31	0·55	0·27	0·61
Puerperal Sepsis	0·07	0·02	0·03	0·04	0·07	0·02	0·01	0·01	0·04	0·05	0·02	0·03	0·08	0·05	–	0·03	0·09	0·09
Other Diseases and Accidents of Pregnancy and Parturition	0·10	0·12	0·09	0·09	0·04	0·15	0·19	0·21	0·10	0·23	0·20	0·08	0·08	0·29	0·14	0·12	0·12	0·09
Congenital Debility and Malformation, including Premature Birth	1·12	0·80	1·36	1·09	1·18	0·96	1·02	1·28	0·93	1·64	1·06	0·93	1·22	1·14	0·84	0·81	1·46	1·21
Violent Deaths, excluding Suicide	0·67	0·44	0·58	0·49	0·66	0·39	0·76	0·64	0·51	0·60	0·47	0·35	0·57	0·79	0·45	0·52	0·69	0·58
Suicide	0·04	0·05	0·09	0·07	0·07	0·07	0·04	0·12	0·04	0·05	0·02	0·05	–	0·03	0·11	0·03	0·03	0·03
Other Defined Diseases	3·76	4·07	3·89	3·68	3·57	3·73	3·67	4·35	3·27	3·00	2·47	3·38	3·36	2·33	3·97	4·19	3·40	3·97
Diseases Ill-defined or Unknown	0·34	0·13	0·26	0·24	0·44	0·30	0·22	0·51	0·22	0·32	0·22	0·43	0·44	0·53	0·20	0·38	0·33	0·64
Total	17·46	14·83	17·44	15·25	17·29	15·32	16·58	18·45	14·33	15·69	12·97	14·02	14·85	14·06	14·98	13·46	15·20	15·92

TABLE **31**.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1911.

Year.	Number of Deaths from														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis	Pneumonia.	Bronchitis.	Violence.
1855	1309	1180	2138	873	1903	3017	2419		79	871	10,007	7129	2094	3036	1913
1856	1306	1033	3011	1020	2331	2425	2363		81	908	9,077	6247	1970	2762	2003
1857	845	1028	2235	1148	1539	4132	3087		90	960	10,326	7184	1890	2867	2068
1858	332	1538	2671	1494	1963	3169	2790		86	963	10,265	7264	2355	3935	1980
1859	682	972	3614	1336	2660	2736	2436		90	1004	9,951	7172	1900	3228	2054
1860	1495	1587	2927	1485	1812	2379	2344		96	1014	11,212	8165	2416	5400	2186
1861	766	971	1764	1571	2204	2416	2579		122	1165	10,582	7571	1974	5017	2089
1862	426	1404	1281	2393	2799	2350	3021		126	1152	11,429	8211	1932	5764	2057
1863	1646	2212	3413	3615	1649	2493	3441		139	1162	10,981	7614	2212	5484	2260
1864	1741	1102	3411	3156	1993	2581	4804		125	1300	11,445	8083	2268	6383	2291
1865	383	1195	2244	2010	2318	3180	3272	1048	158	1257	11,417	8089	1969	6194	2382
1866	200	1038	2706	1588	1860	3954	2172	1404	156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811	1745	1378	156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267	1561	1404	185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059	1335	215	1426	12,079	8525	2630	8030	2313
1870	114	834	4356	1487	1783	3150	1460	1207	186	1373	13,027	9148	2415	7777	2363
1871	1442	2057	2586	1850	1504	2839	1129	1234	227	1432	13,011	9102	2655	8663	2361
1872	2448	925	2101	2190	2850	2732	795	1223	193	1559	12,596	8715	2570	7897	2571
1873	1126	1450	2227	2335	1598	3491	628	1495	180	1537	11,952	8286	3012	8308	2839
1874	1246	1103	6321	2234	1690	3343	726	1455	193	1646	11,303	7873	3440	8667	3103
1875	76	1022	4720	1842	2431	3604	615	1625	212	1672	12,450	8699	3685	9864	2908
1876	39	1241	2364	1672	2250	3321	471	1448	210	1695	12,219	8491	3296	8194	2990
1877	38	1019	1374	1871	1571	2665	265	1427	222	1732	12,193	8342	3144	9182	2906
1878	4	1372	1870	1892	2788	3576	263	1477	207	1829	12,567	8445	2964	8689	2595
1879	8	769	1592	1590	2483	2374	210	1013	225	1830	12,098	8336	3067	9185	2400
1880	10	1427	2165	1639	2641	3367	170	1338	228	1873	11,989	8074	3203	8562	2537
1881	19	1012	1573	1615	1620	2552	229	1004	225	1914	11,275	7739	3237	8765	2955
1882	3	1289	1583	1867	2108	3119	180	1204	244	2056	11,608	8012	3342	7715	2566
1883	11	1629	1336	1699	2968	2528	152	998	240	2037	11,092	8401	4824	7983	2882
1884	14	1440	1266	1775	2511	3147	138	1050	276	2110	10,795	7915	4539	7220	2743
1885	39	1426	944	1445	2157	2485	111	889	243	2173	10,724	7922	4432	7899	2477
1886	24	681	1058	1251	1882	2846	80	755	248	2313	10,942	7959	4040	7908	2444
1887	17	1598	1179	1605	3212	2863	126	835	244	2373	10,275	7418	4220	7409	2587
1888	3	1406	732	1614	1722	2190	102	665	229	2450	9,725	7044	4171	7140	2455
1889	8	1948	701	1882	2268	3028	69	795	226	2643	9,722	7098	3994	7033	2794
1890	–	2509	739	1762	3039	2743	77	777	196	2428	10,294	7660	4923	8057	2859
1891	–	1775	736	1450	2437	2989	107	799	214	2703	10,141	7361	5642	9309	2940
1892	11	2280	871	1347	1792	2504	59	644	204	2715	9,318	6765	4901	7260	2776
1893	68	3639	832	1679	2026	4312	51	932	181	2816	9,801	6921	5446	7119	2756
1894	129	791	834	1828	2552	2272	36	702	164	2928	9,729	7108	4551	6111	2775
1895	47	2063	782	1260	1948	4000	34	730	208	2993	10,688	7688	5606	8202	2963
1896	2	1515	669	1126	1970	2854	38	662	217	3013	9,685	6893	4745	5579	2811
1897	10	2056	716	812	2877	3849	29	655	200	3212	10,085	7200	5942	6768	3019
1898	2	2290	909	850	2476	4351	63	814	229	3453	10,140	7090	5613	5789	3186
1899	1	1599	831	856	1894	4771	29	803	202	3572	10,497	7275	5712	6140	3204
1900	53	1825	654	961	1812	3301	35	644	215	3503	10,336	7299	6270	6914	3422

TABLE **31**—*continued.*

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhœal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	–	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	–	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888

TABLE **32**.—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1911.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	54	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855–1860	*35*	*43*	*98*	*44*	*72*	*106*	*91*		*3*	*34*	*360*	*255*	*75*	*126*	*72*
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	–	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861–1870	*18*	*42*	*96*	*68*	*70*	*95*	*†65*	*†42*	*5*	*42*	*379*	*268*	*71*	*210*	*73*

† Mean 1865–1870.

TABLE **32**—*continued.*

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	–	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	–	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	–	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871–1880	*19*	*36*	*79*	*55*	*63*	*90*	*15*	*40*	*6*	*49*	*354*	*244*	*90*	*252*	*76*
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	–	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	–	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	–	38	33	47	66	83	4	28	7	56	285	209	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	–	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	–	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	–	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	–	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881–1890	–	*39*	*29*	*43*	*61*	*72*	*3*	*23*	*6*	*59*	*278*	*202*	*109*	*201*	*70*
1891	–	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	–	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	–	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	–	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	–	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	–	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891–1900	*1*	*47*	*19*	*29*	*52*	*84*	*1*	*18*	*5*	*74*	*239*	*171*	*130*	*165*	*71*
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	–	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	–	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	–	9	4	87	224	151	154	126	65
1905	–	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	–	31	5	19	30	73	–	9	5	98	218	141	139	103	67
1907	–	25	5	16	54	47	–	8	5	99	218	139	150	112	68
1908	–	54	8	16	46	66	–	6	5	99	204	131	149	111	66
1909	–	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	–	48	13	20	21	58	–	6	4	103	181	115	134	100	58
Mean 1901–1910	*1*	*34*	*9*	*18*	*44*	*64*	–	*9*	*5*	*93*	*211*	*139*	*145*	*116*	*66*
1911	–	19	9	20	49	61	–	6	4	104	177	115	124	96	61

TABLE 33.—Deaths and Death-rate from Puerperal Conditions, 1911.

	Births.	Deaths from Puerperal Conditions.	Death-rate per 1000 Births.
SCOTLAND . . .	**121,850**	**699**	**5·7**
LARGER BURGHS .	57,239	355	6·2
SMALLER BURGHS .	23,868	139	5·8
COUNTY DISTRICTS .	40,743	205	5·0
Glasgow . . .	21,569	133	6·2
Edinburgh . .	6,610	45	6·8
Dundee . . .	4,290	20	4·7
Aberdeen . . .	4,009	22	5·5
Govan . . .	2,680	10	3·7
Paisley . . .	2,167	15	6·9
Leith	2,097	16	7·6
Greenock . . .	2,306	17	7·4
Partick . . .	1,756	10	5·7
Coatbridge . .	1,390	12	8·6
Motherwell . .	1,347	9	6·7
Kirkcaldy . . .	964	4	4·1
Hamilton . . .	1,322	6	4·5
Clydebank . .	1,237	13	10·5
Perth . . .	744	5	6·7
Kilmarnock . .	848	5	5·9
Falkirk . . .	1,040	7	6·7
Ayr	863	6	7·0

TABLE **34**.—Deaths from Malignant Disease in 1911.

Part of the Body Affected.	Males.								Females.							
	All Ages.	Ages.							All Ages.	Ages.						
		Under 25	25-	35-	45-	55-	65-	75 and over.		Under 25	25-	35-	45-	55-	65-	75 and over.
Lip	39	-	-	-	2	12	11	14	5	-	-	1	1	-	3	-
Mouth	25	1	-	1	2	8	8	5	5	-	-	-	1	3	1	-
Tongue	92	-	1	4	19	30	28	10	12	-	-	1	3	3	2	3
Jaw	59	1	-	6	9	21	17	5	23	-	1	1	4	5	10	2
Pharynx, Throat	45	2	1	2	9	12	15	4	8	-	-	1	-	2	1	4
Œsophagus	69	-	3	-	16	24	21	5	42	-	-	7	9	8	14	4
Stomach	570	2	6	32	117	178	177	58	569	3	9	28	98	157	186	88
Intestine	295	1	4	16	55	78	87	54	390	4	5	29	68	88	127	69
Rectum	147	4	5	14	21	36	53	14	139	-	6	9	23	37	38	26
Salivary Glands	3	1	-		1	-	1		-	-	-	-	-	-	-	-
Liver	207	2	1	15	34	63	60	32	331	-	2	21	37	99	102	70
Pancreas	39	-	2	3	6	12	13	3	29	-	4	2	5	7	6	5
Peritoneum, Mesentery	21	-	2	4	2	5	4	4	37	1	-	1	5	12	9	9
Abdomen	50	3	2	5	12	15	8	5	83	-	3	6	15	19	21	19
Larynx	30	1	-	4	4	12	8	1	13	-	-	4	2	6	1	-
Lung	30	3	3	5	6	7	2	4	25	-	1	4	5	10	3	2
Pleura	2	-	-	-	-	1	1	-	4	-	-	1	-	2	1	-
Heart	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Mediastinum	19	1	-	4	5	1	7	1	18	1	-	-	4	8	5	-
Thorax	7	-	1	-	-	2	3	1	8	-	-	1	1	3	1	2
Kidney	16	3	-	-	5	5	2	1	27	3	-	5	1	10	7	1
Bladder, Urethra	50	1	-	1	7	18	21	2	22	-	-	1	2	5	9	5
Testis and Penis	22	1	1	5	1	4	7	3	-	-	-	-	-	-	-	-
Prostate	29	-	-	-	2	11	11	5	-	-	-	-	-	-	-	-
Breast	3	-	1	-	1	-	-	1	407	-	11	31	86	120	97	62
Ovary	-	-	-	-	-	-	-	-	39	1	1	6	10	9	9	3
Uterus	-	-	-	-	-	-	-	-	444	2	16	78	128	126	71	23
Vagina, Vulva	-	-	-	-	-	-	-	-	33	-	1	-	6	8	10	8
Pelvis	9	-	-	1	3	2	1	2	21	-	3	1	4	8	4	1
Brain	3	1	-	-	1	-	1	-	4	-	2	1	-	-	1	-
Spinal Cord	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-
Eye, Orbit	5	1	-	-	1	1	2	-	12	2	-	1	2	2	2	3
Ear	7	-	-	-	-	2	2	3	4	-	-	-	1	1	1	1
Nose	7	-	-	1	3	1	1	1	4	-	-	-	-	1	-	3
Skull, Spinal Column	10	2	1	1	2	2	1	1	10	1	-	-	3	2	4	-
Spleen	4	1	-	1	-	-	1	1	5	-	-	1	1	1	2	-
Thyroid	4	-	-	-	-	-	2	2	10	-	-	-	3	1	4	2
Lymphatic Glands	47	1	2	1	13	14	14	2	33	3	2	2	5	10	7	4
Ribs, Sternum	3	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-
Arm, Leg	32	3	2	5	4	7	6	5	28	3	-	1	3	5	11	5
Scalp, Face	35	1	-	1	2	5	14	12	27	-	1	1	-	5	3	17
Skin	1	-	-	-	-	-	1	-	6	-	-	-	2	1	1	2
Other Locations	-	-	-	-	-	-	-	-	*1	-	-	-	-	1	-	-
Location not stated	10	1	1	1	2	-	4	1	19	2	1	2	3	4	6	1
TOTAL	2046	38	39	134	367	591	615	262	2902	26	69	248	544	790	781	444

* Supra-renal.

TABLE 35.

SHOWING DEATHS FROM SUICIDE. AND THE METHOD BY WHICH IT WAS ACCOMPLISHED, IN SCOTLAND, ITS COUNTIES AND LARGER BURGHS, IN 1911.

TABLE **35**.—Deaths from

	Total.		Cut; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND	**182**	**71**	**49**	**14**	**22**	**18**
COUNTIES.						
Aberdeen	15	9	6	2	3	3
Argyll	–	1	–	–	–	–
Ayr	5	5	1	1	1	–
Banff	3	1	1	1	–	–
Berwick	2	–	1	–	–	–
Bute	–	–	–	–	–	–
Caithness	1	–	–	–	–	–
Clackmannan	1	2	1	1	–	–
Dumbarton	1	–	–	–	–	–
Dumfries	4	–	1	–	–	–
Edinburgh (Midlothian)	19	4	3	–	1	2
Elgin	–	1	–	–	–	–
Fife	10	7	1	–	2	5
Forfar	22	9	2	1	3	3
Haddington	1	–	–	–	–	–
Inverness	4	1	–	1	–	–
Kincardine	5	1	–	1	–	–
Kinross	1	–	1	–	–	–
Kirkcudbright	1	–	–	–	–	–
Lanark	45	15	16	4	3	2
Linlithgow	4	1	1	–	–	–
Nairn	–	–	–	–	–	–
Orkney	–	1	–	–	–	–
Peebles	–	–	–	–	–	–
Perth	7	3	5	–	1	1
Renfrew	15	8	4	1	3	2
Ross and Cromarty	3	1	1	–	1	–
Roxburgh	3	–	2	–	–	–
Selkirk	1	–	1	–	–	–
Shetland	3	–	–	–	2	–
Stirling	4	1	1	1	1	–
Sutherland	–	–	–	–	–	–
Wigtown	2	–	–	–	1	–
LARGER BURGHS.						
Glasgow	25	9	11	2	–	–
Edinburgh	12	4	1	–	1	2
Dundee	12	3	–	–	–	1
Aberdeen	10	2	4	–	2	1
Govan	5	1	3	–	–	–
Paisley	2	4	–	–	–	1
Leith	3	–	1	–	–	–
Greenock	6	3	1	1	3	1
Partick	3	–	1	–	–	–
Coatbridge	2	–	–	–	2	–
Motherwell	1	–	–	–	–	–
Kirkcaldy	1	1	–	–	–	1
Hamilton	–	–	–	–	–	–
Clydebank	1	–	–	–	–	–
Perth	3	1	3	–	–	–
Kilmarnock	–	1	–	–	–	–
Falkirk	1	–	1	–	–	–
Ayr	1	–	–	–	1	–

SUICIDE in 1911.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
12	–	52	26	25	9	12	1	7	3	3	–
1	–	2	1	1	2	–	–	2	1	–	–
–	–	–	1	–	–	–	–	–	–	–	–
1	–	2	4	–	–	–	–	–	–	–	–
–	–	2	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	1	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
1	–	2	–	–	–	–	–	–	–	–	–
2	–	5	2	1	–	6	–	1	–	–	–
–	–	–	–	–	–	–	–	–	1	–	–
1	–	1	1	3	–	1	–	–	1	1	–
2	–	9	3	6	2	–	–	–	–	–	–
–	–	–	–	–	–	–	–	1	–	–	–
1	–	3	–	–	–	–	–	–	–	–	–
1	–	2	–	1	–	–	–	1	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–
1	–	13	7	8	2	4	–	–	–	–	–
1	–	2	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	2	–	–	–	–	–	–	–	–
–	–	2	1	3	3	1	1	1	–	1	–
–	–	1	1	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	1	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	9	6	4	1	1	–	–	–	–	–
1	–	2	2	1	–	5	–	1	–	–	–
1	–	7	–	4	2	–	–	–	–	–	–
–	–	1	–	1	1	–	–	2	–	–	–
–	–	1	1	1	–	–	–	–	–	–	–
–	–	–	–	1	2	–	1	–	–	1	–
–	–	1	–	–	–	1	–	–	–	–	–
–	–	1	–	–	1	–	–	1	–	–	–
–	–	–	–	1	–	1	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	1	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–

f

TABLE 36.—Deaths from Poison in Scotland in 1911.

ACCIDENTAL POISONING.

	Males.	Females.	TOTAL.
Opium and its derivatives,	10	5	15
Coal Gas,	7	6	13
Carbolic Acid,	4	3	7
Carbonic Oxide,	4	1	5
Arsenic,	4	–	4
Hydrochloric Acid,	3	–	3
Irritant Poison (not defined),	1	1	2
Chloral	2	–	2
Chloroform,	–	2	2
Cyanide of Potassium,	2	–	2
Ammonia,	1	–	1
Alcohol,	–	1	1
A.B.C. Liniment, Belladonna and Aconite,	1	1	2
Carbon Bisulphide,	1	–	1
Creolin,	1	–	1
Chloride of Zinc,	–	1	1
Caustic Soda,	–	1	1
Fumes from Burning Ironstone,	1	–	1
Furnace Gases,	1	–	1
Iodine,	–	1	1
Jeyes' Fluid,	–	1	1
Narcotic (unspecified),	1	–	1
Nitric Acid,	1	–	1
Oxalic Acid,	–	1	1
Potassium Oxalate,	1	–	1
Sewer Gas,	1	–	1
Strychnine,	1	–	1
Not stated,	3	–	3
Total,	51	25	76

SUICIDAL POISONING.

Carbolic Acid,	3	3	6
Coal Gas,	4	2	6
Opium,	3	3	6
Cyanide of Potassium,	5	–	5
Strychnine,	1	1	2
Ammonia,	1	–	1
A.B.C. Liniment,	1	–	1
Arsenic,	1	–	1
Cannabis Indica,	1	–	1
Prussic Acid,	1	–	1
Salts of Antimony,	1	–	1
Not stated,	3	–	3
Total,	25	9	34

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform,	22	16	38
Chloroform and Ether,	–	2	2
Ether,	–	1	1
Not stated,	1	–	1
Total,	23	19	42

TABLE **37**.—Age in Completed Months of Children aged under One Year Dying from Selected Causes in Scotland in 1911.

	Total under One Year	Age in Completed Months.											
		0	1	2	3	4	5	6	7	8	9	10	11
Measles	231	5	2	1	4	4	7	16	21	37	42	42	50
Whooping-cough	1034	39	105	74	100	70	68	70	102	87	107	105	107
Diphtheria and Croup	75	7	1	–	2	4	4	5	8	5	13	13	13
Tuberculous Meningitis	279	4	8	18	26	26	32	35	33	23	29	23	22
Abdominal Tuberculosis	177	4	6	13	14	17	18	19	15	11	22	19	19
Other Tuberculous Diseases	136	4	7	7	12	13	5	7	12	12	14	12	21
Syphilis	169	46	40	37	17	7	4	3	3	6	–	4	2
Cerebro-spinal Meningitis	19	–	–	1	1	–	5	3	–	1	2	3	3
Meningitis, Basal, nature unspecified	356	19	26	20	33	33	44	32	30	35	27	34	23
Convulsions	556	175	75	44	47	46	32	27	20	26	25	21	18
Bronchitis	958	172	131	119	80	78	62	72	61	46	57	42	38
Broncho-pneumonia	948	67	59	76	87	67	76	82	82	100	86	83	83
Pneumonia	432	30	46	39	21	26	37	30	45	45	32	42	39
Pulmonary Congestion	101	16	13	8	5	7	6	5	8	10	7	10	6
Other Diseases of Stomach, Gastritis	233	39	45	32	36	19	7	13	11	11	11	6	3
Diarrhœa, Enteritis	1881	192	215	220	253	189	148	146	119	111	125	84	79
Congenital Malformations	576	407	48	33	22	13	9	11	16	6	5	2	4
Premature Birth	2365	2217	102	27	8	6	2	2	1	–	–	–	–
Congenital Debility, Icterus Sclerema	1706	968	242	141	111	82	51	21	28	14	15	13	20
Other Diseases peculiar to Early Infancy	431	406	11	3	4	2	3	1	–	1	–	–	–
Overlaying	98	26	26	23	12	3	2	2	2	1	–	–	1
Suffocation (otherwise)	60	27	12	8	2	3	2	2	3	–	–	–	1
All Other Causes	886	255	112	86	55	73	56	45	38	50	55	34	27
Total	13707	5125	1332	1030	952	788	690	649	658	638	674	592	579

TABLE **38**.—Month of Registration of Deaths of Children aged under One Year from Selected Causes in Scotland in 1911.

	Total under One Year	Month of Registration of Death.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles	231	10	19	14	14	21	15	10	20	8	25	27	48
Whooping-cough	1034	87	140	109	147	164	102	67	54	46	29	29	60
Diphtheria and Croup	75	8	4	6	6	–	3	7	4	7	11	9	10
Tuberculous Meningitis	279	21	20	27	28	17	14	23	39	31	23	17	19
Abdominal Tuberculosis	177	15	8	15	15	13	11	10	21	27	16	14	12
Other Tuberculous Diseases	136	13	8	16	8	4	8	13	10	16	10	14	6
Syphilis	169	15	12	16	14	15	7	14	12	16	22	10	16
Cerebro-spinal Meningitis	19	2	1	3	–	–	1	3	3	–	–	4	2
Meningitis, Basal, nature unspecified	356	28	21	30	32	22	27	32	45	50	23	23	23
Convulsions	556	50	60	50	52	57	39	32	35	30	40	44	67
Bronchitis	958	103	102	101	71	60	30	27	21	40	81	152	170
Broncho-pneumonia	948	87	103	80	81	64	31	39	34	41	81	122	185
Pneumonia	432	42	41	39	35	28	20	21	15	16	47	65	63
Pulmonary Congestion	101	13	12	8	10	7	5	7	4	4	5	10	16
Other Diseases of Stomach, Gastritis	233	19	22	17	16	17	13	19	29	34	20	10	17
Diarrhœa, Enteritis	1881	88	59	72	71	78	85	147	488	465	173	84	71
Congenital Malformations	576	51	42	51	43	62	43	48	44	54	46	43	49
Premature Birth	2365	227	223	207	205	238	182	201	177	157	190	169	189
Congenital Debility, Icterus, Sclerema	1706	172	151	138	128	140	123	126	146	148	119	143	172
Other Diseases peculiar to Early Infancy	431	33	31	44	40	41	29	35	28	39	35	37	39
Overlaying	98	9	5	12	12	7	2	9	9	9	10	7	7
Suffocation (otherwise)	60	5	9	10	6	3	4	5	4	1	3	5	5
All Other Causes	886	79	88	76	76	86	61	74	80	67	63	77	59
Total	13707	1177	1181	1141	1110	1154	855	969	1322	1306	1072	1115	1305

TABLE **39**.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1911.

	Total Deaths (Uncorrected).	Deaths from Certified Causes.	Deaths from Uncertified Causes.	Percentage of Uncertified to Total Deaths. 1911.	1910.	Mean of Five Years 1906–1910.
SCOTLAND,	71,732	70,597	1,135	1·6	1·9	*2·1*
NORTHERN DIVISION,	1,589	1,400	189	11·9	14·2	*14·8*
NORTH-WESTERN Do.	2,410	1,980	430	17·8	18·9	*20·6*
NORTH-EASTERN Do.	6,710	6,675	35	0·5	0·7	*0·9*
EAST-MIDLAND Do.	10,406	10,366	40	0·4	0·5	*0·7*
WEST-MIDLAND Do.	5,546	5,475	71	1·3	2·1	*2·2*
SOUTH-WESTERN Do.	31,915	31,696	219	0·7	0·8	*1·0*
SOUTH-EASTERN Do.	10,392	10,245	147	1·4	2·0	*2·2*
SOUTHERN Do.	2,763	2,759	4	0·1	0·5	*0·8*
Counties.						
Aberdeen,	4,583	4,562	21	0·5	0·6	*0·5*
Argyll,	1,015	959	56	5·5	8·2	*8·2*
Ayr,	3,636	3,629	7	0·2	0·3	*0·4*
Banff,	813	811	2	0·2	1·1	*2·4*
Berwick,	368	367	1	0·3	0·5	*0·6*
Bute,	310	306	4	1·3	2·2	*2·4*
Caithness,	473	453	20	4·2	4·9	*6·1*
Clackmannan,	444	443	1	0·2	0·5	*0·7*
Dumbarton,	1,912	1,904	8	0·4	0·7	*0·7*
Dumfries,	1,137	1,137	0	0·0	0·8	*1·2*
Edinburgh (Midlothian).	7,864	7,722	142	1·8	2·5	*2·6*
Elgin,	671	668	3	0·4	0·8	*1·2*
Fife,	3,465	3,449	16	0·5	0·4	*0·8*
Forfar,	4,664	4,656	8	0·2	0·5	*0·5*
Haddington,	564	562	2	0·4	1·0	*1·8*
Inverness,	1,284	1,098	186	14·5	15·8	*17·7*
Kincardine,	511	508	3	0·6	0·0	*0·5*
Kinross,	104	104	0	0·0	0·0	*2·7*
Kirkcudbright,	520	518	2	0·4	0·0	*0·6*
Lanark,	23,471	23,324	147	0·6	0·8	*0·9*
Linlithgow,	1,115	1,113	2	0·2	0·1	*0·5*
Nairn,	132	126	6	4·5	1·5	*3·2*
Orkney,	423	371	52	12·3	7·3	*10·8*
Peebles,	185	185	0	0·0	0·0	*0·2*
Perth,	1,729	1,714	15	0·9	0·8	*1·0*
Renfrew,	4,808	4,743	65	1·4	1·1	*1·8*
Ross and Cromarty,	1,126	882	244	21·7	22·4	*24·1*
Roxburgh,	656	656	0	0·0	0·0	*0·3*
Selkirk,	296	296	0	0·0	0·0	*0·0*
Shetland,	380	324	56	14·7	24·2	*21·9*
Stirling,	2,310	2,307	3	0·1	0·4	*0·4*
Sutherland,	313	252	61	19·5	26·0	*24·5*
Wigtown,	450	448	2	0·4	0·9	*0·7*
Larger Burghs.						
Glasgow,	13,896	13,777	119	0·9	1·1	*1·1*
Edinburgh,	5,121	4,993	128	2·5	3·0	*3·4*
Dundee,	2,898	2,894	4	0·1	0·4	*0·5*
Aberdeen,	2,455	2,450	5	0·2	0·4	*0·2*
Govan,	1,348	1,333	15	1·1	1·8	*1·1*
Paisley,	1,286	1,241	45	3·5	1·9	*3·5*
Leith,	1,223	1,215	8	0·7	1·7	*1·1*
Greenock,	1,405	1,399	6	0·4	0·7	*1·4*
Partick,	730	730	0	0·0	0·5	*0·9*
Coatbridge,	655	655	0	0·0	0·0	*0·1*
Motherwell,	474	474	0	0·0	0·0	*0·1*
Kirkcaldy,	499	494	5	1·0	0·0	*0·2*
Hamilton,	553	550	3	0·5	0·3	*0·6*
Clydebank,	428	424	4	0·9	—	—
Perth,	558	558	0	0·0	0·3	*0·2*
Kilmarnock,	468	467	1	0·2	0·0	*0·2*
Falkirk,	544	543	1	0·2	—	—
Ayr,	575	575	0	0·0	—	—

TABLE **40**.—Meterology of Scotland for 1911; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1911.

1911.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	30·167	29·927	29·973	29·919	29·966	29·931	30·077	29·929	29·964	29·918	29·589	29·490	29·904
Mean of Max. Temp.	44°·1	44°·7	45°·0	50°·4	60°·6	63°·5	67°·3	67°·1	60°·4	52°·0	45°·4	45°·3	53°·8
,, ,, Min. ,,	35°·0	33°·3	34°·4	37°·4	43°·6	46°·3	50°·7	51°·7	45°·2	39°·0	35°·5	36°·5	40°·7
Mean Temperature.	**39°·6**	**39°·0**	**39°·7**	**43°·9**	**52°·1**	**54°·9**	**59°·0**	**59°·4**	**52°·8**	**45°·5**	**40°·5**	**40°·9**	**47°·3**
Absolute Maximum.	56°·0	59°·0	58°·0	67°·0	83°·0	85°·0	90°·0	88°·0	79°·0	66°·0	58°·0	58°·0	90°·0
Absolute Minimum .	16°·0	11·0	16°·0	12°·0	27°·0	28°·0	32°·0	35°·0	24°·0	15°·0	18°·0	21°·0	11°·0
Number of Rainy Days	16	17	16	17	11	11	16	15	14	15	21	26	195
Amount of Rain (inch)	**2·63**	**4·67**	**1·90**	**2·91**	**2·26**	**2·60**	**2·33**	**2·44**	**2·15**	**3·08**	**5·65**	**6·26**	**38·88**
Births	10370	9285	11055	10352	11775	10808	10431	9748	9474	9831	9241	9441	121811
Deaths	6337	6682	6775	6503	6283	5243	5258	5410	5481	5707	5746	6307	71732
Marriages	3282	1748	1728	2620	1271	4676	4033	2029	2372	2230	1897	3925	31811
Daily Births . . .	335	332	357	345	380	360	336	314	316	317	308	305	334
Daily Deaths . . .	204	239	219	217	203	175	170	175	183	184	192	203	197

Figures in this Table referring to Births are compiled from the Quarterly Returns for 1911, and the total does not exactly correspond with that given elsewhere.

TABLE **41**.—Deaths, Temperature, and Fall of Rain in Eight of the Principal Towns of Scotland during each Week of the Year 1911.

No. of Week.	Week ending	DEATHS.	Death-rate per 1000 of Population.	TEMPERATURE. Highest	Lowest	Mean.	RAIN, in inches	No. of Week.	Week ending	DEATHS.	Death-rate per 1000 of Population	TEMPERATURE. Highest	Lowest	Mean.	RAIN, in inches
				°	°	°						°	°	°	
1	January 7	526	16·0	49·9	23·1	36·8	0·52	27	July 8	477	14·6	80·6	36·5	58·5	0·26
2	14	611	18·6	50·7	27·3	38·7	0·86	28	15	488	14·0	90·0	39·0	63·1	0·06
3	21	544	16·6	51·7	29·0	41·9	0·08	29	22	457	13·9	79·0	39·5	59·1	0·60
4	28	576	17·6	53·0	28·5	43·3	0·67	30	29	488	14·9	76·0	45·0	60·3	0·86
5	February 4	670	20·4	48·0	16·5	34·6	0·01	31	August 5	452	13·8	79·9	46·5	63·5	0·74
6	11	728	22·2	47·2	21·0	36·8	0·09	32	12	471	14·4	83·1	44·0	62·7	0·14
7	18	698	21·3	59·3	23·0	43·9	2·00	33	19	465	14·2	80·0	41·5	60·9	0·13
8	25	641	19·6	59·0	27·0	42·0	1·54	34	26	509	15·5	74·0	42·5	58·7	0·42
9	March 4	621	18·9	56·4	28·0	43·6	0·82	35	September 2	564	17·2	72·9	42·5	59·0	0·89
10	11	583	17·8	53·0	28·0	40·9	0·29	36	9	536	16·4	76·3	33·0	57·5	0·17
11	18	617	18·8	49·5	30·7	38·9	0·45	37	16	516	15·7	73·1	32·5	53·1	0·08
12	25	633	19·3	52·1	28·0	38·6	0·05	38	23	547	16·7	70·3	28·5	53·3	0·39
13	April 1	573	17·5	50·2	32·1	40·8	0·14	39	30	499	15·2	66·0	35·0	50·1	0·73
14	8	635	19·4	57·9	21·5	39·7	0·06	40	October 7	490	14·9	59·7	31·0	46·7	0·16
15	15	625	19·1	64·8	27·0	46·9	0·20	41	14	538	16·4	60·0	25·0	45·4	0·02
16	22	612	18·7	64·6	28·7	47·0	0·91	42	21	513	15·7	60·0	35·2	50·7	0·70
17	29	625	19·1	61·7	32·0	48·0	0·81	43	28	548	16·7	56·1	23·5	42·4	0·81
18	May 6	567	17·3	62·3	32·5	46·9	0·94	44	November 4	538	16·4	58·8	19·5	44·4	2·71
19	13	558	17·0	71·9	39·0	53·0	0·47	45	11	533	16·3	53·5	25·5	40·5	1·19
20	20	517	15·8	68·9	35·5	52·2	0·33	46	18	611	18·6	57·1	30·5	43·9	1·55
21	27	581	17·7	75·0	34·0	56·7	0·15	47	25	548	16·7	47·3	28·9	38·5	0·31
22	June 3	554	16·9	80·1	37·5	59·0	0·03	48	December 2	589	18·0	52·8	29·5	41·8	0·72
23	10	489	14·9	81·0	39·5	59·3	0·01	49	9	550	16·8	51·3	26·0	38·3	1·18
24	17	466	14·2	71·0	32·5	52·0	0·60	50	16	587	17·9	52·0	32·3	41·8	1·43
25	24	435	13·3	70·0	43·5	56·6	1·53	51	23	609	18·6	55·0	27·5	43·3	1·18
26	July 1	467	14·2	67·0	42·1	54·4	0·16	52	30	568	17·3	52·0	28·5	40·5	1·03

This Table is compiled from Weekly Returns for 1911. Deaths and Death-rates have not been corrected by allocation to place of usual residence.

Events Registered in each Registration District in 1911.
(Not Corrected for Transfers.)

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
	1. SHETLAND.						
1	Bressay,	686	641	14	1	10	–
2	Delting,	1389	1338	32	1	13	5
3	Dunrossness, etc.—						
	(1) Dunrossness,	1375	1381	26	–	16	1
	(2) Sandwick and Cunningsburgh,	2116	2241	37	2	22	8
	(3) Fair Isle,	147	139	5	–	1	–
4	Fetlar,	347	279	4	–	4	–
5	Lerwick—(1) Lerwick,	5661	6402	136	8	106	75
	(2) Burra Isles,	858	894	25	2	11	1
6	Yell—(1) Mid and South Yell,	1792	1690	31	–	22	1
	(2) North Yell,	691	658	17	–	10	–
7	Nesting, etc.—(1) Nesting,	726	605	7	–	8	3
	(2) Lunnasting,	655	559	5	–	8	2
	(3) Whalsay,	975	1042	21	2	11	2
	(4) Whalsay Skerries,	124	144	–	–	1	–
8	Northmavine,	2014	1866	24	2	21	1
9	Sandsting and Aithsting,	2396	2100	33	1	32	1
10	Tingwall, etc.—(1) Tingwall,	1502	1406	22	1	14	5
	(2) Whiteness and Weisdale,	771	704	9	1	9	2
11	Unst,	1946	2077	32	2	32	1
12	Walls, etc.—(1) Walls,	990	852	7	–	14	–
	(2) Sandness,	503	497	10	–	6	2
	(3) Papa-Stour,	272	212	3	–	6	–
	(4) Foula,	230	184	2	–	3	–
	Total,	28166	27911	502	23	380	110
	2. ORKNEY.						
13	Birsay,	1329	1164	14	–	24	4
14	Deerness,	742	642	11	1	10	5
15	Eday and Pharay,	643	559	11	–	7	5
16	Evie and Rendall,	1084	955	16	–	10	6
17	Firth and Stennes—(1) Firth,	700	693	5	–	12	1
	(2) Stennes,	570	517	8	–	11	2
18	Harray,	675	608	9	–	9	5
19	Holm and Paplay,	818	763	20	1	11	5
20	Hoy and Græmsay,	485	393	7	–	3	2
21	Kirkwall and St. Ola,	4522	4595	107	4	87	39
22	North Ronaldshay,	442	436	7	2	9	2
23	Orphir,	877	798	13	1	10	2
24	Rousay and Egilshay,	829	710	12	2	10	7
25	St. Andrews,	737	698	6	–	10	2
26	Sanday,	1727	1529	30	2	22	8
27	Sandwick,	1071	986	10	–	19	4
28	Shapinshay,	769	718	14	3	15	6
29	South Ronaldshay and Burray,	2707	2395	45	6	37	17
30	Stromness,	3180	2348	51	5	40	8
31	Stronsay,	1184	1217	19	2	13	7
32	Walls, etc.—(1) Walls,	926	843	16	2	17	2
	(2) Flotta,	431	404	8	2	5	2
33	Westray, etc.—(1) Westray,	1956	1668	39	1	27	5
	(2) Papa-Westray,	295	258	5	–	5	3
	Total,	28699	25897	483	34	423	149

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
	3. CAITHNESS.						
34	Bower,	1453	1393	31	6	18	5
35	Canisbay,	2006	1866	24	3	22	14
36	Dunnet,	1232	1147	40	5	10	9
37*a*	Halkirk,	2355	2160	45	7	32	9
37*b*	Keiss,	1110	1001	17	2	20	2
38	Latheron,	5223	4514	87	10	73	18
39	Olrig,	1555	1450	32	4	19	6
40	Reay,	974	920	19	2	13	3
41	Thurso,	5406	4709	114	19	68	19
42	Watten,	1230	1079	29	6	12	4
43	Wick,	11326	11771	339	29	186	69
	Total,	33870	32010	777	93	473	158
	4. SUTHERLAND.						
44	Assynt—(1) Kirkton,	338	306	2	–	2	1
	(2) Stoer,	2048	1805	32	1	32	2
45	Clyne,	1724	1749	26	3	31	4
46	Creich—(1) Bonar,	1355	1282	21	5	17	1
	(2) Rosehall,	481	431	5	–	12	–
47	Dornoch,	2794	2670	63	5	35	8
48	Durness,	870	830	15	–	6	1
49	Eddrachillis—(1) Scourie,	541	441	7	–	4	1
	(2) Kinlochbervie,	877	809	16	1	10	5
50	Farr—(1) Kirkton,	1025	1062	24	2	17	3
	(2) Strathy,	1532	1406	20	–	26	6
51	Golspie,	1665	1685	25	3	21	1
52	Kildonan,	1772	1786	29	3	26	8
53	Lairg,	1081	995	13	1	14	2
54	Loth,	449	367	5	1	8	1
55	Rogart,	1105	946	10	2	29	2
56	Tongue,	1783	1609	20	–	23	3
	Total,	21440	20179	333	27	313	49
	5. ROSS AND CROMARTY. *Mainland.*						
57	Alness,	956	898	20	1	19	5
58	Applecross—(1) Applecross,	813	703	8	–	13	2
	(2) Shieldaig,	864	801	12	2	14	–
59*a*	Avoch,	1852	1782	42	2	25	7
59*b*	Carnoch,	235	224	4	–	1	1
60	Contin—(1) Contin,	516	445	12	1	13	–
	(2) Kinlochluichart,	589	512	13	1	8	–
61	Cromarty,	1848	5637	30	1	33	3
62	Dingwall,	2758	2898	60	3	50	30
63	Edderton,	577	545	6	–	6	2
64	Fearn,	1761	1785	36	5	28	2
65	Fodderty,	1787	1692	25	3	34	5
66	Gairloch—(1) Northern,	1118	944	18	1	9	2
	(2) Southern,	2617	2310	19	2	31	5
67	Glenshiel,	343	339	4	–	5	2
68	Killearnan,	933	782	18	–	11	2
69	Kilmuir-Easter,	985	887	12	1	21	2
70	Kiltearn,	1258	1138	27	1	12	5
71	Kincardine—(1) Kincardine,	1005	971	11	–	18	2
	(2) Strathoykel,	260	227	2	–	3	–
72	Kintail,	491	414	13	2	8	–
73	Knockbain,	1504	1356	21	2	20	2
74	Lochalsh,	1830	1761	27	2	26	9

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
75	Lochbroom—(1) Lochbroom,	2322	2042	27	1	33	2
	(2) Coigach,	885	752	11	–	8	2
76	Lochcarron,	1442	1108	14	–	27	1
77	Logie-Easter,	819	700	9	1	7	1
78	Nigg,	892	827	11	–	14	6
79	Resolis,	1036	954	16	–	12	2
80	Rosemarkie,	1465	1309	22	4	23	9
81	Rosskeen,	3460	3362	68	9	58	8
82	Tain,	2756	2507	46	2	46	23
83	Tarbat,	1358	1224	21	3	23	5
84	Urquhart and Logie-Wester,	2102	2006	21	5	31	4
85	Urray,	2064	1919	34	1	24	7
	Insular.						
86*a*	Barvas,	5915	6040	134	3	80	21
86*b*	Carloway,	3076	3022	70	2	47	11
87	Lochs,	4768	4774	134	5	68	14
88	Stornoway,	12983	13438	290	8	179	56
89	Uig,	2207	2229	47	1	38	1
	Total,	76450	77364	1415	75	1126	261
	6. INVERNESS.						
	Mainland.						
90*a*	Abernethy and Kincardine,	1279	1228	19	3	16	–
90*b*	Alvie,	533	590	10	3	2	3
91*a*	Ardersier,	1594	1913	50	2	10	5
91*b*	Arisaig,	1079	1009	14	–	11	4
91*c*	Ballachulish and Onich,	466	481	9	–	9	–
92*a*	Boleskine, etc.—						
	(1) Boleskine,	838	1013	30	2	6	–
	(2) Fort-Augustus or Abertarff,	1005	883	12	1	15	3
92*b*	Cannich,	484	442	7	1	3	3
	(93 *Cromdale and Inverallan. Now* 128 *infra.*)						
94	Croy and Dalcross—*Inverness portion,*	579	542	6	–	8	–
95	Daviot and Dunlichty,	999	907	16	–	17	–
96*a*	Dores,	835	781	14	1	16	–
96*b*	Duthil, etc.—(1) Duthil,	1788	1700	27	–	26	5
	(2) Rothiemurchus,	207	243	5	–	5	1
97	Glenelg—(1) Glenelg,	543	481	3	–	7	1
	(2) Knoydart,	309	308	4	–	5	–
	(3) North Morar,	651	881	15	–	7	4
98*a*	Inverness,	27046	25952	543	71	462	228
98*b*	Kilmallie—*Inverness portion,*	3331	3223	73	6	43	8
99	Kilmonivaig—(1) Glengarry,	617	466	4	1	6	1
	(2) Lochaber,	1435	1234	16	1	15	1
100	Kilmorack,	1814	1881	40	3	21	4
101	Kiltarlity,	1628	1627	28	5	32	4
102	Kingussie and Insh,	2194	2464	37	3	25	7
103	Kirkhill,	1296	1237	23	1	14	4
104	Laggan,	738	754	9	1	8	1
105	Moy and Dalarossie,	761	688	8	–	6	2
106	Petty,	1291	1263	39	7	22	3
107	Urquhart, etc.—(1) Urquhart,	1499	1382	12	–	14	3
	(2) Glenmoriston,	329	293	6	1	5	–
	Aharacle—*Inverness portion,*	599	562	9	–	8	4
	Insular.						
108	Barra,	2545	2620	62	2	32	7
109	Bracadale—(1) Bracadale,	384	346	8	–	10	–
	(2) Minginish,	488	459	16	–	7	–
110	Duirinish—(1) Duirinish,	2610	2385	56	2	51	6
	(2) Waternish,	757	708	9	–	12	2

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
111	Harris—(1) North Harris,	3191	3223	82	7	28	14
	(2) South Harris,	1476	1641	44	2	17	7
	(3) Bernera,	527	505	15	1	2	2
	(4) St. Kilda,	77	80	2	–	–	–
112	Kilmuir—(1) Kilmuir,	948	887	21	1	14	3
	(2) Stenscholl,	1185	1077	25	1	13	5
113	North Uist,	3891	3677	71	6	56	8
114	Portree—(1) Portree,	2152	1923	30	–	36	6
	(2) Raasay,	629	508	15	–	7	1
115	Sleat,	1665	1373	14	3	26	2
116	Small Isles,	495	396	4	–	7	1
117	Snizort—(1) North,	614	634	11	1	7	1
	(2) South,	1035	1060	16	1	18	2
118	South Uist—(1) Benbecula,	1497	1384	24	6	18	6
	(2) Howmore,	1726	1639	26	4	22	11
	(3) Boisdale,	2293	2360	61	5	38	8
119	Strath,	2152	1959	35	2	19	4
	Total,	90104	87272	1735	157	1284	395
	7. NAIRN.						
120	Ardclach,	772	759	19	4	9	3
121	Auldearn,	1292	1248	37	6	16	1
122	Cawdor,	925	847	15	2	10	2
123	Nairn,	5732	5906	114	11	92	40
94	Croy and Dalcross—*Nairn portion*,	570	559	10	1	5	2
	Total,	9291	9319	195	24	132	48
	8. ELGIN (or MORAY). (124 *Abernethy and Kincardine.—Now* 90*a supra.*)						
125	Alves,	1025	1109	39	4	14	4
126	Bellie,	1801	1749	32	7	23	3
127	Birnie,	356	363	7	1	3	3
128	Cromdale, etc.—						
	(1) Cromdale & Advie,	1048	898	11	2	18	1
	(2) Inverallan,	2181	1989	33	2	28	8
129	Dallas,	738	656	14	1	8	2
130	Drainie,	4380	4700	128	12	52	30
131	Duffus—(1) Burghead,	2125	2056	53	3	32	10
	(2) Duffus,	1940	1949	65	7	20	9
	(132 *Duthil, etc.—Now* 96*b supra.*)						
133	Dyke,	1049	1020	25	1	9	1
134	Edinkillie,	869	832	19	–	12	3
135	Elgin,	11560	11692	278	49	215	106
136	New Spynie,	661	612	20	10	25	3
137	Forres,	5241	4932	95	19	86	31
138	Kinloss,	929	851	22	2	9	1
139	Knockando,	1756	1488	28	6	20	7
140	Rafford,	934	895	19	2	14	3
141	Rothes,	2361	2016	49	8	37	8
142	St. Andrews-Lhanbryde,	1209	1155	18	1	11	2
143	Speymouth,	619	595	13	3	8	4
144	Urquhart—(1) Urquhart,	977	899	15	2	9	8
	(2) Garmouth,	740	690	8	1	13	2
152	Enzie—*Elgin portion*,	301	281	7	–	5	1
	Total,	44800	43427	998	143	671	250

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
	9. BANFF.						
145	Aberlour,	2538	2569	48	4	32	9
146	Alvah,	1281	1200	30	2	16	5
147*a*	Banff,	4546	4570	109	11	93	39
147*b*	Boharm,	1128	990	22	8	8	2
148	Botriphnie,	754	732	13	–	8	–
149*a*	Boyndie,	2005	2178	61	8	43	4
149*b*	Cabrach,	581	534	10	1	5	–
150	Cullen,	1936	1992	37	2	34	10
151	Deskford,	714	695	12	1	7	–
152	Enzie—*Banff portion*,	1976	2154	58	6	35	11
153	Fordyce—(1) Fordyce,	1850	1808	42	5	24	5
	(2) Portsoy,	2091	2172	49	3	40	11
154	Forglen,	653	620	11	–	7	1
155*a*	Gamrie—(1) Gamrie,	2557	2462	65	7	26	14
	(2) Macduff,	3852	3798	96	16	42	11
155*b*	Glenrinnes,	337	280	2	–	5	–
156	Grange,	1673	1461	43	8	14	7
157	Inveravon—(1) Inveravon,	760	754	22	3	3	2
	(2) Glenlivat,	1441	1263	24	6	17	4
158	Inverkeithny,	769	725	26	6	8	1
159	Keith,	6828	6359	141	28	90	39
160	Kirkmichael, etc.—						
	(1) Kirkmichael,	353	312	6	2	5	–
	(2) Tomintoul,	682	637	10	1	7	2
161	Marnoch,	2851	2532	83	26	25	10
162	Mortlach,	3170	2816	58	7	40	14
163	Ordiquhill,	642	644	13	–	10	2
164	Rathven,	10133	11767	347	31	114	78
165	Rothiemay,	1252	1143	26	7	26	1
	(166 *St. Fergus.—Now* 237*c* *infra.*)						
167	Seafield,	2135	2235	54	5	29	12
	Total,	61488	61402	1518	204	813	294
	10. ABERDEEN.						
168	Aberdeen—(1) St. Nicholas,	52053	50424	1568	241	1118	727
	(2) St. Machar,	80911	90129	1830	142	1102	508
	(3) Woodside,	8115	8714	195	30	88	40
	(4) Old Aberdeen,	2949	3070	64	10	37	23
169	Aberdour,	1496	1431	52	10	33	7
170	Aboyne,	1477	1525	25	3	16	7
171*a*	Alford,	1486	1464	34	6	12	5
171*b*	Ardallie,	1080	896	21	2	13	3
172	Auchindoir,	1216	1058	24	8	12	–
173	Auchterless,	1623	1469	45	5	14	7
174	Belhelvie,	1614	1491	37	6	12	2
175	Birse,	1085	1047	25	5	16	1
176	Bourtie,	408	413	7	–	4	–
	(177 *Cabrach.—Now* 149*b* *supra.*)						
178	Cairney,	1283	1212	23	4	11	–
179	Chapel of Garioch,	1559	1492	39	6	14	2
180	Clatt,	425	434	8	1	4	–
181	Cluny,	1207	1132	25	3	16	2
182	Coull,	684	606	21	6	13	2
183	Crathie, etc.—(1) Braemar,	846	780	11	2	12	2
	(2) Crathie,	606	621	8	1	5	3
184	Crimond,	719	671	11	–	10	–
185	Cruden,	3060	2860	76	11	33	11
186	Culsamond,	683	607	15	–	6	1

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
187	Daviot,	568	581	7	2	8	–
188	Drumblade,	948	883	13	2	3	–
189	Drumoak,	865	843	13	2	7	5
190	Dyce,	1482	1319	31	3	12	7
191	Echt,	1249	1222	26	5	18	5
192	Ellon,	3395	3088	80	10	29	43
193	Fintray,	866	872	20	1	9	1
194	Forgue,	1107	1079	33	8	11	3
195	Foveran,	1793	1649	35	3	18	4
196	Fraserburgh,	9715	11151	347	29	153	76
197	Fyvie,	2774	2786	64	11	29	12
198	Gartly,	862	758	14	3	8	1
199	Glass,	809	703	16	4	6	2
200	Glenbuchat,	403	340	6	1	2	1
201	Glenmuick, Tullich, and Glengairn,	2347	2210	43	2	21	12
202	Huntly,	4899	4937	127	36	66	49
203	Insch,	1408	1340	48	10	22	8
204	Inverurie,	3491	4425	98	14	67	36
205	Keig,	626	574	14	2	9	4
206	Keith-hall,	803	760	16	6	10	2
207	Kemnay,	2084	1886	48	10	26	13
208	Kildrummy,	574	455	13	–	3	1
209	Kincardine O'Neil,	2005	1910	36	8	29	9
210*a*	King Edward—(1) King Edward	897	897	22	2	7	2
	(2) New Byth,	1537	1357	40	8	14	4
210*b*	Kininmonth,	934	785	26	–	9	3
211	Kinnellar,	551	501	8	3	3	1
212	Kinnethmont,	920	915	19	1	7	1
213	Kintore,	2553	2429	67	17	37	11
214	Leochel-Cushnie,	1018	1028	29	3	7	2
215	Leslie,	443	377	7	1	1	1
216	Logie-Buchan,	651	597	18	5	4	2
217	Logie-Coldstone and Cromar,	974	983	24	5	15	–
218	Longside,	2697	2595	57	14	35	14
219	Lonmay,	1622	1565	23	2	13	12
220	Lumphanan,	966	1022	33	3	14	4
221	Methlic,	1692	1658	39	8	20	7
222*a*	Midmar,	1000	881	14	2	7	8
222*b*	Millbrex,	1207	966	24	4	13	3
223	Monquhitter,	2170	1927	51	12	17	8
224	Monymusk,	1106	1093	23	2	10	1
225	New Deer,	3706	3508	71	15	41	15
226	Newhills,	5753	6419	158	39	245	24
227*a*	New Machar,	1393	1882	41	5	56	2
227*b*	New Pitsligo,	2332	2226	69	22	51	12
228*a*	Old Deer,	3144	2730	52	13	32	8
228*b*	Old Machar,	1457	1274	33	3	11	2
229	Old Meldrum,	1855	1767	43	13	25	6
230	Oyne,	770	804	20	5	6	1
231	Peterculter—						
	(1) East Peterculter	2214	2652	53	4	38	7
	(2) West Peterculter,	2815	3090	66	12	35	9
232	Peterhead—(1) Peterhead	13705	15677	471	40	224	72
	(2) Boddam,	1441	1271	33	2	16	3
233	Pitsligo,	2307	2440	86	11	29	12
234	Premnay,	926	836	16	4	8	9
235	Rathen—(1) Rathen,	1012	946	31	5	18	3
	(2) Inverallochy,	1565	1814	64	5	30	14
236	Rayne,	1097	1058	32	7	13	3
237*a*	Rhynie,	1005	862	25	5	25	6
237*b*	Savoch,	1736	1565	34	8	21	–
237*c*	St. Fergus,	1194	970	21	6	8	7

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
238	Skene,	1546	1437	40	9	14	5
239	Slains,	936	846	21	6	11	3
240	Strathdon,	1096	1014	23	1	18	3
241	Strichen,	2033	2085	51	5	33	10
242	Tarland,	733	741	19	3	9	6
243	Tarves,	2101	1946	60	11	20	5
244	Tough,	675	613	9	3	7	2
245	Towie,	938	728	17	4	5	3
246	Tullynessle and Forbes,	903	872	21	3	9	2
247	Turriff	4139	4128	106	21	79	23
248	Tyrie,	747	719	16	4	5	1
249*a*	Udny,	1564	1469	49	10	22	3
249*b*	Ythan Wells,	1005	895	23	2	19	5
	Total,	304439	312177	7710	1072	4583	2017
	11. KINCARDINE.						
250	Arbuthnot,	698	674	21	2	9	3
251	Banchory-Devenick—						
	(1) Banchory-Devenick,	508	504	12	1	5	–
	(2) Portlethen,	1218	996	17	1	12	–
252	Banchory-Ternan,	3449	3377	67	9	47	16
253	Benholm,	1426	1276	25	3	9	10
254	Bervie,	2523	2391	59	6	49	28
255	Dunnottar,	2533	2255	57	8	26	7
256	Durris,	884	872	19	1	6	1
257	Fettercairn,	1390	1301	35	3	17	3
258	Fetteresso—(1) Fetteresso,	3930	3683	59	9	68	20
	(2) Cookney,	1479	1278	16	1	11	3
259	Fordoun,	1809	1717	39	3	24	7
260	Garvock,	368	371	12	3	1	1
261	Glenbervie,	870	779	16	3	10	–
262	Kinneff and Catterline,	899	835	26	4	8	6
263	Laurencekirk,	2011	1921	38	6	29	13
264	Maryculter,	951	861	18	1	4	2
265	Marykirk,	1209	1167	29	4	15	5
266	Nigg,	10914	13001	398	22	135	51
267	St. Cyrus,	1228	1222	31	2	19	7
268	Strachan,	626	527	9	2	7	–
	Total,	40923	41008	1003	94	511	183
	12. FORFAR.						
269	Aberlemno,	804	728	26	1	9	5
270	Airlie,	698	723	14	2	8	2
271	Arbirlot,	800	840	15	1	13	3
272	Arbroath, etc.—(1) Arbroath,	22569	20821	141	39	364	158
	(2) St. Vigeans,	2108	1909	47	6	23	6
273	Auchterhouse,	547	629	17	4	2	–
274	Barry,	4652	4933	84	3	71	31
275	Brechin,	10444	9836	193	28	179	70
276	Carmylie,	1063	847	27	4	4	4
277	Careston,	221	213	6	1	–	1
278	Cortachy and Clova,	569	479	7	–	4	1
	(279 *Coupar-Angus.—Now* 341*b* *infra.*)						
280	Craig,	2019	1883	41	3	25	8
281	Dun,	526	498	16	3	3	2
282	Dundee—(1) St. Peter,	29343	29977	720	57	436	160
	(2) St. Mary,	29222	29115	997	154	785	362
	(3) St. Clement,	28077	27199	693	46	373	216
	(4) St. Andrew,	60403	61638	1497	116	987	316
	(5) Lochee,	14790	14846	385	21	277	116

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
283	Dunnichen,	1132	1098	25	5	20	4
284	Eassie and Nevay,	474	486	16	1	4	3
285	Edzell,	822	878	14	–	5	5
286	Farnell,	536	506	14	–	4	2
287	Fern,	322	308	5	1	2	1
288*a*	Forfar,	12879	12254	270	27	204	93
288*b*	Fowlis-Easter,	254	249	9	–	3	1
289	Glamis,	1351	1159	22	5	23	9
290	Glenisla,	409	344	4	–	1	–
291	Guthrie,	264	257	2	1	3	1
292	Inverarity,	823	861	17	–	5	5
293	Inverkeillor,	1397	1377	41	4	16	7
294*a*	Kettins,	704	689	8	–	7	1
294*b*	Kilry,	324	278	7	1	4	2
295	Kingoldrum,	355	349	9	2	2	1
296	Kinnell,	574	589	24	1	2	–
297	Kinnettles,	323	310	9	–	3	2
298	Kirkden,	1491	1337	27	2	17	14
299	Kirriemuir,	5902	5391	97	8	87	29
300	Lethnott and Navar,	238	205	8	2	5	1
301	Liff, Benvie, and Invergowrie,	1834	1923	27	2	63	8
302	Lintrathen,	495	507	11	3	3	1
303	Lochlee,	326	295	3	–	5	1
304	Logie-Pert,	982	1002	22	2	11	5
305	Lunan,	302	312	6	–	–	1
306	Lundie,	268	256	4	–	1	4
307	Mains and Strathmartine,	5443	6631	126	4	88	36
308	Marytown,	278	262	7	–	3	–
309	Menmuir,	704	627	13	3	7	3
310	Monifieth,	11672	13145	264	9	156	58
311	Monikie,	1299	1184	25	3	9	4
312	Montrose,	14027	12669	224	19	258	74
313	Murroes,	1041	898	19	1	6	3
314	Newtyle,	818	840	14	1	10	3
315	Oathlaw,	365	324	10	–	4	–
316	Panbride,	1885	1806	31	1	28	9
317	Rescobie,	594	526	13	1	6	1
318	Ruthven,	169	172	6	–	4	–
	(319 *St. Vigeans—Now* 272 (2) *supra.*)						
320	Stracathro,	430	398	4	–	5	1
321	Tannadice,	1106	1013	16	2	11	6
322	Tealing,	615	588	20	–	6	4
	Total,	284082	281417	6729	600	4664	1864
	13. PERTH.						
323	Aberdalgie,	278	278	2	–	4	–
324	Aberfeldy,	2198	2248	42	3	28	10
325	Aberfoyle,	1052	1147	23	–	7	6
326	Abernethy,	1276	1267	23	1	22	8
327	Abernyte,	241	209	4	2	1	–
328*a*	Alyth,	2943	2858	57	11	37	13
328*b*	Ardoch,	916	863	13	–	7	–
328*c*	Arngask,	593	652	11	–	5	–
329	Auchterarder,	3159	3175	60	9	50	10
330	Auchtergaven,	1288	1299	24	3	19	10
331	Balquhidder,	709	734	8	–	13	2
332	Bendochy,	473	542	14	1	2	4
333	Blackford,	1539	1374	35	1	15	1
334	Blair-Athol,	1501	1342	23	3	10	4
335	Blairgowrie,	4282	4122	85	11	58	23

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
336	Callander,	2171	2215	26	3	32	4
337	Caputh,	1005	986	18	1	8	5
338	Cargill,	1411	1411	30	5	18	9
339	Clunie,	561	508	10	1	7	2
340	Collace,	440	366	11	–	7	5
341*a*	Comrie,	1964	1675	31	–	30	8
341*b*	Coupar-Angus,	2468	2523	57	6	46	14
342	Crieff,	5706	6089	101	10	80	21
	(343 *Culross—Now* 418*b infra.*)						
344	Dowally,	304	283	5	1	6	–
345	Dron,	232	256	7	–	2	3
346	Dull,	355	287	5	2	9	–
347	Dunbarney,	909	862	14	1	12	8
348	Dunblane and Lecropt,	3812	4591	71	7	49	17
349	Dunkeld,	897	798	17	1	8	2
350	Dunning,	1141	1145	26	2	18	11
351	Errol,	2070	2083	62	4	28	13
352	Findo-Gask,	323	357	8	1	2	3
353	Forgandenny,	527	540	10	1	5	2
354	Forteviot,	562	549	10	2	7	3
355*a*	Fortingall—						
	(1) Innerwick in Glenlyon,	312	272	8	–	2	–
	(2) Fortingall,	465	465	7	1	8	–
	(3) Kinloch-Rannoch,	807	787	13	–	11	4
355*b*	Foss,	197	161	1	–	5	–
	(356 *Fowlis-Easter.—Now* 288*b supra.*)						
357	Fowlis-Wester,	1000	1007	14	2	6	4
358	Glendevon,	147	148	3	–	3	1
359	Inchture,	552	545	11	–	6	3
360	Kenmore,	971	826	15	2	10	4
361	Killin,	1269	1192	16	2	19	5
362	Kilmadock,	2705	2428	48	3	20	13
363	Kilspindie,	568	498	12	4	3	4
364	Kincardine,	1309	1150	25	3	9	8
365	Kinclaven,	562	468	11	1	5	2
366	Kinfauns,	611	571	10	–	5	6
	(367 *Kinloch-Rannoch.—Now* 355*a* (3) *supra.*)						
368	Kinnaird,	217	172	5	–	3	1
369	Kinnoull,	320	258	8	–	2	–
370	Kirkmichael—(1) Kirkmichael,	508	421	6	–	7	1
	(2) Glenshee,	163	159	–	–	–	1
	(371 *Lecropt.—Merged in* 348.)						
372	Lethendy and Kinloch,	351	340	7	1	2	1
373	Little Dunkeld,	2072	2079	35	3	66	5
	(374 *Logie.—Now* 485*b infra.*)						
375	Logiealmond,	619	530	10	1	4	–
376	Logierait,	1374	1312	22	4	30	7
377	Longforgan,	1886	1997	39	5	20	15
378	Madderty,	443	438	15	1	9	2
379	Meigle,	959	1036	17	2	8	5
380	Methven,	1638	1789	39	3	31	7
381	Moneydie,	251	237	6	–	2	–
	(382 *Monzie.—Merged in* 342, 380, *and* 383.)						
383	Monzievaird and Strowan,	588	508	7	–	5	1
384	Moulin—(1) Moulin,	2192	2299	46	5	42	11
	(2) Strathloch,	158	205	–	–	3	–
385	Muckart,	475	535	8	1	11	5
386*a*	Muthill,	1401	1269	32	2	20	2
386*b*	Persie,	513	512	11	1	5	3
387	Perth,	34176	36009	743	69	561	304

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
388	Port of Menteith,	1088	1035	13	1	15	1
389	Rattray,	2462	2160	46	7	27	10
390	Redgorton,	1077	1086	15	–	6	7
391	Rhynd,	183	205	6	1	3	2
392	St. Madoes,	336	359	3	–	–	–
393*a*	St. Martins,	850	820	14	–	9	4
393*b*	Stanley,	1220	1388	43	3	20	9
394*a*	Scone,	2362	2341	46	1	25	5
394*b*	Strathfillan,	443	490	10	–	7	3
394*c*	Tenandry,	355	385	8	–	4	–
395	Tibbermore,	1035	1017	20	1	9	3
396	Trinity-Gask,	381	360	2	–	4	2
	(397 *Tulliallan.—Now* 458*b infra.*)						
398	Weem,	406	439	5	1	5	1
	Total,	123283	124342	2424	224	1729	693
	14. FIFE.						
	(399 *Abbotshall.—Merged in* 442.)						
400	Abdie,	664	647	13	–	8	2
401	Aberdour,	1997	2147	53	4	25	7
402	Anstruther-Easter,	1190	1147	17	1	16	5
403	Anstruther-Wester,	558	613	15	–	6	5
	(404 *Arngask.—Now* 328*c supra.*)						
405	Auchterderran—						
	(1) Auchterderran,	3068	7351	277	12	89	27
	(2) Lochgelly,	5558	10196	369	11	101	60
406	Auchtermuchty,	1884	1893	24	1	35	7
407	Auchtertool,	742	781	19	1	11	5
408	Ballingry—(1) Lochore,	1218	5106	224	12	52	41
	(2) Lumphinnans,	2938	4108	161	11	50	18
409	Balmerino,	576	568	11	1	7	2
410	Beath—(1) Cowdenbeath,	9904	15509	544	19	142	136
	(2) Kelty,	5908	8842	325	10	98	33
411	Burntisland,	5599	5305	99	4	59	28
412	Cameron,	738	785	18	–	9	2
413	Carnbee,	910	843	22	1	21	3
414	Carnock,	1349	1315	29	2	18	5
415	Ceres,	1545	1467	32	1	30	11
416	Collessie,	2161	2215	57	3	35	13
417	Crail,	1534	1547	34	2	26	12
418*a*	Creich,	297	309	7	–	4	2
418*b*	Culross,	1120	1499	38	1	28	8
419	Cults,	628	617	12	2	7	4
420	Cupar,	6768	6736	110	11	155	36
421	Dairsie,	464	503	8	–	7	3
422	Dalgetty,	1133	1206	36	1	6	13
423	Dunbog,	323	335	5	–	1	1
424	Dunfermline,	31697	35731	836	43	544	264
425	Dunino,	359	353	10	–	3	1
426	Dysart,	15709	19591	602	31	247	104
427	Elie,	1142	1147	11	–	11	4
428	Falkland,	2231	2356	37	1	36	19
429	Ferry-Port-on-Craig,	3445	3400	59	4	44	20
430	Flisk,	195	198	6	–	1	–
431	Forgan,	4720	4771	52	2	48	16
432	Inverkeithing,	3468	6274	161	7	67	46
433	Kemback,	412	532	9	1	8	3
434	Kennoway,	1505	1721	21	1	26	12

No. of District.	Registration Districts	Population at Census. 1901	1911	Births. Total.	Illegitimate.	Deaths	Marriages.
435	Kettle,	1759	1715	27	1	23	7
436	Kilconquhar,	1517	1491	33	5	28	6
437	Kilmany,	502	476	13	4	8	4
438	Kilrenny,	2784	2823	60	2	33	8
439	Kinghorn,	2311	2295	61	8	62	16
440	Kinglassie,	1478	1944	58	4	36	9
441	Kingsbarns,	652	638	16	1	9	6
442	Kirkcaldy, etc.,	22997	25444	521	41	314	201
443	Largo,	2046	2274	40	–	30	16
444	Leslie,	3960	3869	77	3	58	35
445	Leuchars,	2499	2605	46	3	27	13
446	Logie,	285	341	8	2	5	3
447	Markinch—(1) Markinch,	3580	3975	100	4	40	17
	(2) Windygates,	1815	2262	86	3	36	9
448	Monimail,	720	694	14	–	7	7
449	Moonzie,	138	146	6	–	–	3
450	Newburgh,	1780	1898	41	3	28	6
451	Newburn,	296	283	9	–	2	1
452	Pittenweem,	1911	1922	41	–	20	10
453	St. Andrews and St. Leonards,	9410	9701	160	7	106	59
454	St. Monance (or Abercrombie),	2007	2020	38	2	21	17
455	Saline,	1012	1171	45	2	12	7
456	Scoonie,	6342	7474	203	12	93	63
457*a*	Strathmiglo,	1618	1726	39	5	24	12
457*b*	Thornton,	1741	2196	59	12	56	12
458*a*	Torryburn,	1130	1497	40	1	11	12
458*b*	Tulliallan,	1862	2091	36	3	32	8
459	Wemyss—(1) Wemyss,	4587	6213	166	6	70	25
	(2) Buckhaven,	10444	16891	524	23	193	96
	Total,	218840	267739	6930	358	3465	1666
	15. KINROSS.						
460	Cleish,	631	546	10	–	6	–
461	Fossoway and Tulliebole,	1046	1059	27	2	17	9
462	Kinross,	2655	3094	69	2	40	15
463	Orwell,	1822	1983	48	5	34	8
464	Portmoak,	827	845	17	4	7	4
	Total,	6981	7527	171	13	104	36
	16. CLACKMANNAN.						
465*a*	Alloa	16858	17130	424	22	246	119
465*b*	Alva,	5641	5265	109	9	81	42
466	Clackmannan,	2501	2203	62	6	37	11
467	Dollar,	2042	1874	24	3	23	3
468	Tillicoultry,	4987	4649	95	6	57	36
	Total,	32029	31121	714	46	444	211
	17. STIRLING.						
469	Airth,	1360	1515	54	1	21	5
	(470 *Alva.—Now* 465*b supra.*)						
471	Baldernock,	582	747	18	2	8	3
472	Balfron,	1092	1155	23	3	20	6
473	Bonnybridge,	4264	5611	140	5	56	37
474	Buchanan—(1) Buchanan,	365	371	5	–	3	1
	(2) Inversnaid,	122	424	4	–	3	–
475	Campsie,	5424	5304	122	5	99	33
476	Denny—(1) Denny,	4710	4591	142	2	70	30
	(2) Haggs,	2147	2882	105	5	25	23

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
477	Drymen,	1390	1269	20	2	22	3
478	Dunipace,	2010	1870	55	3	16	10
479	Falkirk,	33815	38571	1158	58	593	237
480	Fintry,	314	280	4	–	6	1
481*a*	Gargunnock,	633	573	9	–	9	2
481*b*	Grangemouth—(1) Bothkennar,	1964	1869	60	1	23	18
	(2) Grangemouth,	8486	9998	263	4	85	51
	(3) Polmont,	7013	7603	232	13	91	60
482	Killearn,	929	1085	16	–	13	8
483	Kilsyth,	9840	11052	381	19	154	70
484	Kippen,	1456	1365	29	3	21	5
485*a*	Larbert,	11684	12984	295	10	250	74
485*b*	Logie,	4432	4373	65	4	54	18
486	Muiravonside,	5332	5706	217	17	62	24
	(487 *Polmont.—Now* 481*b* (3) *supra.*)						
488	St. Ninians—(1) St. Ninians,	6611	12275	454	16	176	63
	(2) Cambusbarron,	1541	1593	38	3	20	5
489	Slamannan,	5286	3440	112	11	41	19
490	Stirling,	18609	21461	502	46	359	152
491	Strathblane,	880	1024	10	1	10	4
	Total,	142291	160991	4533	234	2310	962
	18. DUMBARTON.						
492	Arrochar,	605	537	7	1	7	3
493	Bonhill,	14581	15969	396	19	192	113
494	Cardross—(1) Cardross,	1372	1520	31	1	14	8
	(2) Renton,	5114	4977	144	8	78	43
495	Cumbernauld,	4905	5120	179	9	59	23
496	Dumbarton,	20205	22175	681	37	365	123
497	Kilmaronock,	874	847	19	3	11	–
498	Kirkintilloch,	14401	16530	489	17	366	90
499	Luss,	572	553	6	–	7	5
500	New or East Kilpatrick,	10815	13798	281	12	123	59
501	Old or West Kilpatrick,	27311	44911	1439	37	521	290
502	Roseneath—(1) Roseneath,	778	724	10	1	6	3
	(2) Kilcreggan and Cove,	1145	1059	9	–	17	2
503	Row,	11187	11111	193	14	146	54
	Total,	113865	139831	3884	159	1912	816
	19. ARGYLL. *Mainland.*						
504*a*	Ardchattan,	841	704	14	1	6	1
504*b*	Ardgour and Kingairloch,	298	314	4	–	3	2
505	Ardnamurchan—(1) Aharacle, *Argyll portion.*	787	572	9	1	5	1
	(2) *Arisaig* (now 91*b sup.*)						
	(3) Sunart (or Strontian)	519	423	6	–	3	–
	(4) Western Ardnamurchan,	648	547	10	1	9	–
	(506 *Ballachulish and Corran of Ardgour.—Now Ballachulish and Onich,* 91*c supra.*)						
507	Campbeltown,	10236	9497	233	32	148	48
508	Craignish,	327	322	3	–	5	1
509	Cumlodden and Minard,	875	844	14	–	9	4
510	Dunoon & Kilmun—(1) Dunoon	8924	8836	131	11	136	32
	(2) Kilmun	1544	1391	21	–	18	6

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
511	Glassary,	729	641	14	2	9	2
512	Glenorchy and Inishail,	827	760	16	2	14	1
513	Inveraray,	1118	919	12	1	17	1
514	Inverchaolain,	334	371	3	–	4	1
515	Kilbrandon and Kilchattan,	1631	1431	29	2	28	2
516	Kilcalmonell,	495	437	4	–	4	3
517	Kilchrenan, etc.—						
	(1) Kilchrenan,	416	338	3	–	7	1
	(2) Dalavich,	138	144	1	–	–	–
518	Kilfinan,	1915	2709	34	4	35	5
519	Killean and Kilchenzie,	1078	1019	25	3	5	4
	(520 *Kilmallie.—Now supra.*)						98*b*
521	Kilmartin,	663	582	9	–	3	–
522	Kilmodan,	387	264	4	–	2	–
523	Kilmore and Kilbride,	6301	7298	126	17	118	56
524	Kilninver, etc.—(1) Kilninver,	172	170	3	–	1	–
	(2) Kilmelford,	185	225	6	2	4	–
525	Lismore, etc.—(1) Lismore,	504	407	7	2	4	–
	(2) Appin,	940	607	10	–	8	3
	(3) Glencoe and Ballachulish,	1718	2535	48	4	22	10
	(4) Duror,	545	337	5	1	2	1
526	Lochgilphead,	3770	3156	39	5	60	12
527	Lochgoilhead, etc.—						
	(1) Lochgoilhead,	430	540	4	–	10	1
	(2) Kilmorich,	241	242	5	–	2	–
528	Morvern,	730	694	15	1	11	3
529	Muckairn,	1492	1749	38	3	24	5
530	North Knapdale,	768	656	9	–	10	–
531	Saddell, etc.—(1) Saddell,	764	692	13	3	13	2
	(2) Skipness,	321	272	3	–	6	–
532	Southend,	732	767	15	1	2	4
533	South Knapdale—						
	(1) South Knapdale,	390	375	2	–	2	–
	(2) Kilberry,	343	378	7	–	3	–
534	Stralachlan, etc.—						
	(1) Stralachlan,	238	217	7	–	2	1
	(2) Strachur,	496	483	5	1	5	2
535	Tarbert,	2128	1983	31	3	33	10
98*b*	Kilmallie—*Argyll portion, Insular.*	249	272	2	–	3	–
536	Bowmore (or Kilarrow),	1813	1765	31	4	19	3
537	Gigha,	374	326	6	–	1	2
	(538 *Iona—Merged in* 542.)						
539	Jura, etc.—(1) Jura,	562	509	9	2	10	–
	(2) Colonsay,	313	273	3	–	4	–
540	Kilchoman,	1632	1459	30	4	29	3
541	Kildalton and Oa,	1872	1648	38	6	18	2
542	Kilfinichen and Kilvickeon,	1529	1403	24	3	15	2
543	Kilmeny,	822	787	15	2	7	2
544	Kilninian and Kilmore—						
	(1) Ulva,	242	193	4	–	2	–
	(2) Kilninian and Kilmore,	624	539	8	–	6	–
545	Kinlochspelvie,	259	258	2	–	4	–
	(546 *Oa—Merged in* 541.)						
547	Portnahaven,	728	628	13	–	11	1
548	Salen,	441	419	6	1	8	1
549	Tobermory,	1301	1079	18	1	20	3
550	Torosay,	316	282	4	–	4	1
551	Tyree, etc.—(1) Tyree,	2195	1825	21	–	37	3
	(2) Coll,	432	389	6	1	5	1
	Total,	73642	70902	1237	127	1015	249

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
	20. BUTE.						
552	Cumbrae,	1769	1707	20	1	25	4
553	Kilbride—(1) Brodick,	1048	992	11	–	11	2
	(2) Kilbride,	1335	1323	15	2	32	7
554	Kilmory—(1) Kilmory,	978	954	5	–	11	3
	(2) Shiskine,	831	764	9	2	11	3
555	Kingarth,	1056	967	12	–	14	3
556	Lochranza,	645	595	4	–	11	–
557	North Bute,	1747	1585	23	2	24	5
558	Rothesay,	9378	9299	151	10	171	49
	Total,	18787	18186	250	17	310	76
	21. RENFREW. (559*a* *Abbey—Merged in* 572 (2) *and* 573, *infra.*)						
559*b*	Bridge of Weir,	2316	2716	65	1	34	6
560	Cathcart—*Renfrew portion,*	7375	15205	338	6	121	64
561	Eaglesham,	1075	1138	31	2	27	4
562	Eastwood—*Renfrew portion,*	15366	18505	492	17	245	100
563	Erskine,	1519	1712	37	1	16	5
564	Greenock—(1) East,	34599	38027	1242	61	551	196
	(2) West,	33618	36267	1037	60	686	390
565	Houston and Killellan,	1402	1345	41	–	9	14
566	Inchinnan,	573	592	11	1	5	1
567	Inverkip—(1) Inverkip,	1151	1168	18	–	15	3
	(2) Gourock,	6112	8458	181	21	274	34
568	Kilbarchan—(1) Kilbarchan,	3450	3462	62	7	44	20
	(2) Linwood,	2099	2055	67	3	47	4
569	Kilmalcolm,	4869	6242	102	4	80	22
570	Lochwinnoch,	4402	4254	94	6	48	26
571	Mearns—(1) Busby,	1297	1058	33	1	15	8
	(2) Newton-Mearns,	2112	2143	38	1	18	10
572	Neilston—(1) Neilston,	4459	4616	126	8	65	31
	(2) Barrhead and Levern,	12051	14210	395	23	261	80
573	Paisley—(1) Paisley,	83492	91038	2271	130	1439	651
	(2) Johnstone & Elderslie,	13613	15132	383	21	224	108
574	Port-Glasgow,	16888	17775	520	17	240	131
575	Renfrew—(1) Renfrew,	9616	12902	348	15	135	58
	(2) Scotstoun and Yoker,	5526	14532	388	15	209	53
	Total,	268980	314552	8320	421	4808	2019
	22. AYR.						
576	Ardrossan—(1) Old Ardrossan,	5834	6124	119	7	85	42
	(2) New Ardrossan,	6054	5627	156	13	88	37
577	Auchinleck—(1) Auchinleck,	2828	3616	132	12	58	20
	(2) Lugar,	3777	3808	135	14	35	19
578	Ayr—(1) Ayr,	28697	32986	860	87	575	258
	(2) St. Quivox,	1219	1438	43	6	22	8
	(3) Alloway,	2011	2221	31	3	76	5
579	Ballantrae,	1124	1080	19	–	10	4
580	Barr,	581	521	8	3	6	3
581	Beith,	7523	6699	149	4	82	35
582	Colmonell—(1) Colmonell,	993	996	18	2	14	5
	(2) Barrhill,	961	936	9	–	12	3
583	Coylton—(1) Coylton,	1875	2112	59	2	22	15
	(2) Rankinston,	667	931	38	3	13	4
584*a*	Craigie,	509	538	6	–	–	2
584*b*	Crosshill,	1108	1040	21	–	7	5
585	Dailly,	1673	1940	57	4	19	18

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
586	Dalmellington—						
	(1) Dalmellington,	2585	3161	109	14	33	19
	(2) Waterside,	2533	2853	103	8	26	15
587	Dalry,	8212	7418	188	7	113	45
588	Dalrymple,	931	1031	18	1	6	7
589	Dreghorn,	4332	4373	151	12	72	27
590	Dundonald—(1) Dundonald,	1260	1481	34	1	19	11
	(2) Troon,	5181	7172	142	5	64	38
591	Dunlop,	1542	1353	28	2	8	7
592	Fenwick,	1063	1062	24	–	12	4
593	Galston,	6939	7171	182	4	84	52
594	Girvan,	4872	5331	129	15	75	35
595	Irvine,	11267	12030	347	34	248	80
596	Kilbirnie,	7207	7618	204	12	99	72
597	Kilmarnock,	33142	33817	783	65	456	251
598	Kilmaurs,	4549	4349	140	13	54	25
599	Kilwinning,	8125	8411	257	16	115	44
600	Kirkmichael,	839	807	11	1	11	6
601	Kirkoswald,	1452	1562	32	4	28	5
602	Largs—(1) Largs,	4405	4770	74	5	57	20
	(2) Skelmorlie,	1096	1259	22	–	12	5
603	Loudoun—(1) Newmilns,	4920	5213	122	5	46	30
	(2) Darvel,	3325	3796	75	7	50	27
604	Mauchline,	2572	2441	46	2	34	17
605	Maybole,	7462	6455	164	16	86	32
606	Monkton and Prestwick,	3854	5645	97	7	76	16
607	Muirkirk,	5670	4982	147	10	68	28
608	New Cumnock,	5367	5661	174	13	59	31
609	Ochiltree,	1932	2024	65	6	22	16
610*a*	Old Cumnock,	5144	5465	162	13	60	41
610*b*	Patna,	906	1062	33	5	12	9
611	Riccarton—(1) Riccarton,	4028	3765	125	7	53	27
	(2) Hurlford,	4052	3825	128	2	52	21
	(612 *St. Quivox.—Now* 578 (2) *supra.*)						
613	Sorn—(1) Sorn,	1267	1421	32	2	15	5
	(2) Catrine,	2340	2337	64	9	21	21
614	Stair,	1175	959	33	2	10	6
615	Stevenston,	9497	10733	346	18	120	66
616	Stewarton,	3958	3889	84	10	49	25
617	Straiton,	545	657	18	1	2	4
618	Symington,	592	639	6	–	2	3
619	Tarbolton,	3961	4593	159	15	46	25
620	West Kilbride,	2935	3133	53	6	37	12
	Total,	254468	268337	6971	535	3636	1713
	23. LANARK.						
621	Avondale,	5773	5033	108	4	56	20
622	Barony—						
	(1) *Maryhill.—(Now* 644 (14) *infra.*)						
	(2) Shettleston,	21955	32046	962	32	409	173
623	Biggar,	1897	1931	45	4	27	8
624	Blantyre,	14145	16821	670	37	269	110
625	Bothwell—(1) Bothwell,	16260	18956	579	30	259	116
	(2) Holytown,	14660	17297	662	25	247	85
	(3) Bellshill,	14985	18638	785	28	298	124
626*a*	Cadder—(1) Western,	4743	5585	169	7	68	18
	(2) Eastern,	5825	9143	247	3	207	17
626*b*	Calderhead,	6641	8671	326	17	96	53
627	Cambuslang,	20211	24864	775	24	336	156
628	Cambusnethan,	25878	30921	980	58	398	190
629	Carluke,	8966	9619	269	18	120	61

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
630	Carmichael,	1198	1471	40	1	11	11
631	Carmunnock,	682	747	12	–	13	3
632	Carnwath—(1) Carnwath,	3052	3741	132	11	43	20
	(2) Forth,	1790	2031	64	2	18	15
	(3) Haywood,	995	674	24	2	8	7
633	Carstairs,	1893	1878	46	2	20	16
634	Covington and Thankerton,	314	385	4	–	4	2
635	Crawford—(1) Crawford,	719	681	13	3	6	8
	(2) Leadhills,	895	839	12	1	14	4
636	Crawfordjohn,	707	617	14	2	10	5
637	Culter,	392	372	3	–	7	2
638	Dalserf—(1) Larkhall,	12034	14202	475	23	183	98
	(2) Dalserf,	4088	4427	144	13	41	19
639	Dalziel,	37257	47503	1652	76	678	260
640	Dolphinton,	250	245	3	–	5	–
641	Douglas,	2397	2509	71	7	36	15
642	Dunsyre,	200	175	2	–	1	1
643	East Kilbride,	3948	3977	81	3	59	17
644	Glasgow—(1) Bridgeton,	49900	52062	1688	72	1087	242
	(2) Camlachie,	51508	56500	1807	84	753	340
	(3) Calton,	67861	60372	1622	118	777	656
	(4) Dennistoun,	31903	38209	991	84	1551	332
	(5) Garngadhill,	28126	34583	1164	62	653	140
	(6) Springburn,	25988	30438	909	86	1082	165
	(7) Possilpark,	17801	21421	631	19	561	74
	(8) St. Rollox,	42285	36571	887	45	445	479
	(9) Milton,	52058	43957	1050	109	811	467
	(10) Blythswood,	30789	24120	1396	527	526	1821
	(11) Anderston,	58030	53441	1286	80	653	480
	(12) Hillhead,	31853	35003	353	8	1034	212
	(13) Kelvin,	52688	48278	1258	114	724	430
	(14) Maryhill,	25878	31755	976	42	330	212
	(15) Hutchesontown,	52257	48556	1693	92	717	293
	(16) Govanhill,	33612	39449	1145	36	407	181
	(17) Gorbals,	66300	57991	1506	110	784	469
	(18) Pollokshields,	34128	37295	713	33	388	337
645	Glassford,	1321	1312	43	–	20	9
646	Govan—(1) Plantation,	27228	28771	797	50	352	126
	(2) Govan,	56602	63228	1893	117	1454	410
	(3) Partick,	54298	66849	1725	84	730	397
647	Hamilton,	40372	46419	1567	79	636	256
648	Lanark,	8103	8978	192	14	124	71
649	Lesmahagow—(1) Lesmahagow,	9608	10641	338	27	123	61
	(2) Kirkfieldbank,	1346	1349	31	–	21	6
650	Libberton,	432	461	7	1	4	4
651	New Monkland,	36786	38116	1240	80	499	253
652	Old Monkland—(1) Western,	10653	12472	396	17	202	94
	(2) Coatbridge,	39930	46058	1499	70	711	274
	(3) Eastern,	2665	2496	88	4	33	10
653	Pettinain,	271	261	5	–	1	–
654	Rutherglen,	20934	28343	802	25	377	200
655	Shotts—(1) Middle District,	2823	3270	84	4	98	11
	(2) Eastern do.,	3593	3690	129	17	42	15
	(3) Western do.,	3757	4559	162	11	96	33
	(4) Northern do.,	1263	1234	31	1	14	14
656	Stonehouse,	3665	3688	117	7	52	30
657	Symington,	388	420	12	–	4	6
658	Walston,	283	255	6	1	5	2
659	Wandell and Lamington,	362	271	6	–	5	1
660	Wiston and Roberton,	412	400	11	3	1	1
560	Cathcart—*Lanark portion*,	20983	31483	608	18	580	148
562	Eastwood—*Lanark portion*,	3534	6010	115	–	57	16
	Total,	1339327	1447034	42348	2784	23471	11412

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
	24. LINLITHGOW.						
661	Abercorn,	866	933	21	–	10	7
662	Bathgate—(1) Bathgate,	9371	11812	433	19	172	60
	(2) Armadale,	4633	5847	191	12	85	39
663	Borrowstounness, etc.—						
	(1) Borrowstounness,	7921	9260	281	12	120	75
	(2) Carriden,	3552	4774	181	8	58	29
	(664 *Carriden.—Now* 663 (2) *supra.*)						
665	Dalmeny—(1) Dalmeny,	1523	1629	48	2	22	8
	(2) Queensferry,	2557	3510	66	2	25	20
666	Ecclesmachen,	681	1449	17	2	77	1
667	Kirkliston—*Linlithgow portion,*	3169	4467	144	6	41	23
668	Linlithgow,	8076	7567	220	22	124	48
669	Livingstone—(1) Livingstone,	906	1641	71	4	23	7
	(2) Blackburn,	1858	2073	84	2	24	17
	(670 *Queensferry.—Now* 665 (2) *supra.*)						
671	Torphichen—(1) Torphichen,	1377	1562	42	3	24	11
	(2) Blackridge,	1848	2486	74	2	21	6
672	Uphall,	10535	12766	364	13	165	52
673	Whitburn—(1) Whitburn,	3318	4456	160	8	69	25
	(2) Fauldhouse,	3517	3923	134	7	55	30
	Total,	65708	80155	2531	124	1115	458
	25. EDINBURGH.						
674	Borthwick,	1237	1304	38	5	13	11
675	Carrington,	460	480	11	1	6	2
676	Cockpen,	3720	3812	105	4	46	22
677	Colinton,	5499	6100	127	24	230	22
678	Corstorphine,	2725	3870	59	3	34	12
679	Cramond,	2727	3763	62	2	41	17
680	Cranston,	846	805	15	3	6	7
681	Crichton,	810	733	11	4	10	3
682	Currie,	2513	2519	42	3	33	16
683	Dalkeith,	7297	7502	206	12	120	71
	(684 *Duddingston.—Merged in* 685 (7))						
685	Edinburgh—(1) St. George,	53004	53165	1018	39	616	340
	(2) St. Andrew,	47103	45349	765	52	510	485
	(3) Canongate,	49365	47494	1147	65	499	346
	(4) St. Giles,	53077	49051	1586	405	1528	954
	(5) Newington,	45445	42824	859	41	777	258
	(6) Morningside,	56682	66124	1056	49	1002	343
	(7) Portobello,	12659	16762	389	25	189	124
686	Fala and Soutra,	319	276	10	–	4	1
687	Glencorse,	1347	1387	26	1	11	15
688	Heriot,	417	414	15	1	3	2
689	Inveresk,	14094	19791	578	24	250	105
690	Kirknewton and East Calder,	3221	2873	97	2	35	16
691	Lasswade,	9196	10504	262	15	174	60
692	Leith—(1) North Leith,	29952	30211	771	35	387	151
	(2) South Leith,	47611	50390	1300	72	836	359
693	Liberton,	5301	6017	147	5	85	30
694	Mid-Calder,	3132	3249	88	2	42	10
695*a*	Newbattle,	3754	5282	195	7	51	30
695*b*	New Craighall,	2414	2913	91	1	24	1
696	Newton,	1028	1156	35	1	10	5
697	Penicuik,	5609	5205	129	4	79	33
698*a*	Ratho,	1946	1883	40	1	23	7
698*b*	Stobhill,	3514	4231	152	4	67	21

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
699	Stow,	1560	1317	18	3	19	6
700	Temple,	385	363	8	–	3	3
701	West Calder,	8092	7716	249	13	95	62
667	Kirkliston—*Edinburgh portion*,	735	831	21	1	6	1
	Total,	488796	507666	11728	929	7864	3951
	26. HADDINGTON.						
702	Aberlady,	950	963	13	2	9	4
703	Athelstaneford,	635	666	16	1	10	8
704	Bolton,	298	256	11	1	7	–
705	Dirleton,	1810	2062	38	5	10	8
706	Dunbar,	5031	4830	86	13	81	30
707	Garvald,	628	511	10	–	4	3
708	Gladsmuir,	1481	1433	41	6	15	16
709	Haddington,	5126	5424	102	6	80	22
710	Humbie,	720	679	12	2	6	5
711	Innerwick,	782	676	12	2	6	6
712	Morham,	201	199	8	–	3	–
713	North Berwick,	3649	3968	59	5	54	19
714	Oldhamstocks,	429	404	12	–	2	2
715	Ormiston,	1190	1598	50	3	16	5
716	Pencaitland,	1112	1273	34	1	19	5
717	Prestonkirk,	1673	1634	29	6	30	8
718	Prestonpans,	3382	4722	178	8	67	21
719	Salton,	431	386	5	–	5	3
720	Spott,	423	386	10	–	1	3
721	Stenton,	511	461	7	3	4	2
722	Tranent,	6117	8677	302	16	112	47
723	Whitekirk and Tynninghame,	835	776	6	–	8	3
724	Whittinghame,	521	523	13	1	5	2
725	Yester,	730	747	14	–	10	4
	Total,	38665	43254	1068	81	564	226
	27. BERWICK.						
726	Abbey St. Bathans,	213	229	6	1	5	3
727	Ayton,	1629	1577	25	3	25	8
728	Bunkle and Preston,	629	562	13	–	7	4
729	Channelkirk,	568	478	16	1	2	–
730	Chirnside,	1580	1508	28	6	14	9
731	Cockburnspath,	982	997	26	2	6	3
732	Coldingham—(1) Coldingham,	2315	2313	46	2	41	9
	(2) Grantshouse,	498	436	3	–	5	7
733	Coldstream,	2281	2192	35	5	21	18
734	Cranshaws,	159	125	1	–	2	1
735	Duns,	3199	3042	44	6	50	14
736	Earlston,	1677	1749	30	3	22	17
737	Eccles,	1433	1449	33	3	24	11
738	Edrom,	1290	1269	21	5	15	7
739	Eyemouth,	2487	2561	76	6	24	22
740	Fogo,	445	389	6	–	1	1
741	Foulden,	386	313	5	1	3	1
742	Gordon,	791	711	14	–	12	6
743	Greenlaw,	1015	941	13	–	15	5
744	Hume,	311	298	2	–	1	–
745	Hutton,	750	682	13	–	5	6
746	Ladykirk,	316	315	4	1	4	2
747	Langton,	398	408	6	1	2	2
748	Lauder,	1461	1336	35	5	17	9
749	Legerwood,	431	401	12	3	6	2
750	Longformacus,	281	263	4	–	3	2

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
751	Merton,	576	532	13	2	6	1
752	Mordington,	284	292	7	1	5	1
753	Nenthorn,	416	356	6	1	3	3
754	Polwarth,	203	197	4	–	3	1
755	Swinton,	791	727	16	3	9	5
756	Westruther,	504	503	4	–	3	2
757	Whitsome,	525	492	5	1	7	2
	Total,	30824	29643	572	62	368	184
	28. PEEBLES.						
	(758 *Broughton.—Merged in* 763.)						
759	Drumelzier,	194	164	4	–	–	–
760	Eddlestone,	535	589	12	1	13	3
	(761 *Glenholm—Merged in* 763.)						
762	Innerleithen—(1) Innerleithen,	2410	2788	58	3	19	11
	(2) Walkerburn,	1217	1331	19	3	17	8
763	Kilbucho, Broughton, and Glenholm,	862	668	11	1	5	–
764	Kirkurd,	293	253	1	–	3	–
765	Lyne,	98	125	1	–	1	1
766	Manor,	257	261	7	–	5	3
767	Newlands,	564	590	7	–	7	–
768	Peebles,	5810	6112	108	6	75	28
769	Skirling,	230	241	4	1	1	–
770	Stobo,	401	350	9	–	6	4
771	Traquair,	618	559	3	–	13	2
772	Tweedsmuir,	435	198	4	–	1	–
773*a*	West Linton,	1110	1000	17	1	19	4
774*a*	Caddonfoot—*Peebles portion*,	32	29	1	1	–	–
	Total,	15066	15258	266	17	185	64
	29. SELKIRK.						
773*b*	Ashkirk,	404	329	6	–	6	–
774*a*	Caddonfoot—*Selkirk portion*,	663	709	12	–	8	5
774*b*	Ettrick,	331	344	6	–	2	2
775	Galashiels,	13969	14917	290	22	187	91
776	Kirkhope,	399	384	3	–	3	2
	(777 *Roberton.—Now* 802*b infra.*)						
778	Selkirk,	7090	7406	124	10	84	48
779	Yarrow—(1) Yarrow,	427	436	5	2	4	–
	(2) Megget,	73	74	4	1	2	–
799	Melrose—*Selkirk portion*,	–	2	–	–	–	–
	Total,	23356	24601	450	35	296	148
	30. ROXBURGH.						
780	Ancrum,	973	968	23	1	10	5
	(781 *Ashkirk.—Now* 773*b supra.*)						
782	Bedrule,	206	188	4	–	3	1
783	Bowden,	660	659	5	–	7	3
784	Castleton,	1872	1934	48	4	22	13
785	Cavers—(1) Cavers,	559	588	14	1	6	1
	(2) Kirktown,	691	709	12	1	–	2
786	Crailing,	501	465	10	–	6	3
787*a*	Eckford,	707	711	12	3	12	6
787*b*	Edgerston,	262	214	2	–	4	1
788	Ednam,	523	495	8	–	6	3

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births. Total.	Births. Illegitimate.	Deaths	Marriages.
789	Hawick,	18502	18021	353	39	260	103
790	Hobkirk,	552	545	13	1	11	2
791	Hownam,	192	193	3	–	2	–
792	Jedburgh,	4318	3806	68	8	65	36
793	Kelso,	4525	4471	86	7	77	23
	(794 *Kirktown.—Now* 785 (2) *supra.*)						
795	Lilliesleaf,	592	547	16	1	8	8
796	Linton,	405	407	4	–	2	1
797	Makerston,	337	295	5	–	5	3
798	Maxton,	411	380	5	1	1	6
799	Melrose—(1) Melrose—*Roxburgh portion*	4148	4150	62	3	68	29
	(2) Langshaw,	559	500	12	2	5	3
800	Minto,	427	348	8	1	6	1
801	Morebattle,	779	740	7	–	6	6
802*a*	Oxnam,	624	566	12	–	4	6
802*b*	Roberton,	397	436	11	1	5	1
803	Roxburgh,	835	793	15	–	5	6
804	St. Boswells,	940	977	17	–	6	1
805	Smailholm,	341	292	4	–	3	1
806	Southdean,	530	507	11	2	6	3
807	Sprouston,	911	876	16	5	13	2
808	Stitchel,	304	275	5	–	2	–
809	Teviothead,	419	381	8	1	3	1
	(810 *Wilton.—Merged in* 789.)						
811	Yetholm,	802	755	12	1	17	4
	Total,	48804	47192	891	83	656	284
	31. DUMFRIES.						
812	Annan,	6378	6261	133	17	82	34
813*a*	Applegarth,	807	821	13	2	13	1
813*b*	Brydekirk,	832	751	24	5	11	2
814	Canonbie,	1959	1838	39	7	23	11
815	Carlaverock,	841	811	14	4	9	10
816	Closeburn,	1275	1244	38	4	15	5
817	Cummertrees,	938	1027	18	3	21	7
818	Dalton,	563	589	11	–	6	6
819	Dornock,	871	820	13	3	9	4
820	Dryfesdale,	3130	3188	68	10	37	20
821	Dumfries,	18146	19076	408	43	382	147
822	Dunscore,	1055	1027	23	5	12	11
823	Durrisdeer,	970	849	14	3	18	8
824	Eskdalemuir,	441	392	6	1	5	6
825	Ewes,	261	247	4	–	3	1
826	Glencairn,	1490	1410	24	1	28	7
827	Graitney (or Gretna),	1250	1212	28	4	16	7
828	Halfmorton,	346	319	5	1	4	–
829	Hoddom,	1415	1258	26	4	18	15
830	Holywood—*Dumfries portion,*	938	865	21	3	11	9
831	Hutton,	663	630	14	2	2	2
832	Johnstone,	800	751	15	1	8	5
833	Keir,	540	538	10	3	9	6
834	Kirkconnel,	1248	2144	69	6	29	8
835	Kirkmahoe,	1106	1080	30	1	13	4
836	Kirkmichael,	748	725	21	3	11	4
837	Kirkpatrick-Fleming—						
	(1) Northern,	355	298	1	–	4	–
	(2) Southern,	1111	1056	23	5	14	8

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
838	Kirkpatrick-Juxta,	980	998	23	0	14	6
839	Langholm,	3500	3302	49	6	56	16
840	Lochmaben,	2388	2355	51	4	40	26
841	Middlebie—						
	(1) Northern District,	654	636	8	3	6	2
	(2) Southern District,	1169	1086	22	1	15	7
842	Moffat,	2799	2702	44	1	31	13
843	Morton,	1872	1820	41	4	38	12
844	Mouswald,	475	493	16	2	5	1
845	Penpont,	923	831	18	4	13	5
846	Ruthwell,	766	770	23	4	10	2
847	St. Mungo,	567	573	11	3	4	2
848	Sanquhar,	2309	2428	62	7	41	21
849	Tinwald,	741	728	10	1	9	3
850	Torthorwald,	779	788	22	4	13	5
851	Tundergarth,	403	399	10	–	9	1
852	Tynron,	334	309	7	–	4	–
853*a*	Wamphray,	396	369	7	1	7	2
853*b*	Wanlockhead,	624	618	13	–	5	2
854	Westerkirk,	415	393	15	2	4	3
	Total,	72571	72825	1565	188	1137	477
	32. KIRKCUDBRIGHT.						
855	Anwoth,	651	688	13	1	9	5
856	Balmaclellan,	546	494	5	–	5	2
857*a*	Balmaghie,	802	770	15	1	5	2
857*b*	Bargrennan—*Kirkcudbright portion*,	195	180	5	1	1	–
858	Borgue,	1045	1023	23	2	15	5
859	Buittle,	879	825	15	2	9	3
860	Carsphairn,	351	360	8	2	4	3
861	Colvend—(1) Colvend,	695	696	14	1	6	4
	(2) Southwick,	476	447	9	1	5	1
862	Corsock Bridge,	406	356	13	–	5	2
863	Crossmichel,	1231	1196	24	6	16	5
864	Dalbeattie,	3670	3553	88	15	59	17
865	Dalry,	826	807	20	5	15	8
866	Girthon,	1209	1174	19	3	20	6
867	Irongray,	701	594	13	–	5	2
868	Kells,	878	847	16	–	12	8
869	Kelton,	3734	3746	68	5	54	20
870	Kirkbean,	685	711	20	2	7	2
871	Kirkcudbright,	3309	3116	56	8	42	20
872	Kirkgunzeon,	527	497	16	1	9	–
873	Kirkmabreck,	1859	1549	28	3	16	4
874	Kirkpatrick-Durham,	818	795	18	1	22	4
875	Lochrutton,	497	484	7	3	9	3
876	Minnigaff,	1114	1022	20	4	12	5
877	New Abbey,	957	742	16	1	9	6
878	Parton,	436	421	7	–	1	1
879	Rerrick,	1356	1293	30	5	11	9
880	Terregles,	453	438	4	–	3	3
881	Tongland,	693	751	17	1	11	10
882	Troqueer,	6599	7050	164	15	102	27
883	Twynholm,	718	758	24	1	7	6
884	Urr,	1066	983	18	–	14	6
830	Holywood—*Kirkcudbright portion*,	1	1	–	–	–	–
	Total,	39383	38367	813	90	520	199

No. of District.	Registration Districts.	Population at Census.		Births.		Deaths	Marriages.
		1901	1911	Total.	Illegitimate.		
	33. WIGTOWN.						
885	Glasserton,	887	920	29	5	14	9
886	Inch,	1987	1860	43	9	26	16
887	Kirkcolm,	1506	1507	45	7	21	6
888	Kirkcowan,	1153	1244	37	3	19	4
889	Kirkinner,	1255	1206	18	1	18	1
890	Kirkmaiden,	1943	1792	39	5	15	7
891	Leswalt,	979	987	30	2	12	9
892	Mochrum,	1958	1822	34	13	33	12
893	New Luce,	557	481	8	1	5	2
894	Old Luce (or Glenluce),	2157	2096	48	5	28	12
895	Penninghame,	3228	2965	64	8	35	18
896	Portpatrick,	1136	1097	35	3	21	6
897	Sorbie,	1373	1354	28	3	21	4
898	Stoneykirk,	2420	2279	51	8	21	15
899	Stranraer,	6036	6444	177	28	117	37
900	Whithorn,	2235	2140	53	15	27	23
901	Wigtown,	1747	1710	39	4	14	8
857*b*	Bargrennan—*Wigtown portion*,	128	94	–	–	3	–
	Total,	32685	31998	778	120	450	189

1911.

CAUSES OF DEATH

AT

DIFFERENT PERIODS OF LIFE.

Causes of Death in SCOTLAND in 1911—Both Sexes.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	71,732	13,707	7333	1934	1209	3506	4152	4946	6191	8091	10,673	9987	3
I. GENERAL DISEASES.													
1 Enteric Fever	272	–	13	14	16	81	71	39	21	12	4	1	–
2 Typhus Fever	8	–	–	–	–	2	2	4	–	–	–	–	–
4 Malaria	6	–	–	–	–	–	4	2	–	–	–	–	–
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	5	–	–	–	–	2	1	1	1	–	–	–	–
Smallpox: Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	923	231	625	51	–	7	4	3	1	1	–	–	–
7 Scarlet Fever	451	18	213	129	44	22	7	13	3	2	–	–	–
8 Whooping-cough	2347	1034	1221	85	4	1	1	–	–	–	–	1	–
9 (*a*) Diphtheria	877	64	501	240	43	15	3	5	1	1	1	3	–
(*c*) Croup, Membr. Laryngitis (*b*)	54	11	33	10	–	–	–	–	–	–	–	–	–
10 Influenza	226	17	6	4	4	4	7	6	12	25	57	84	–
13 Cholera Nostras	7	2	1	1	1	–	–	–	2	–	–	–	–
14 Dysentery	10	3	–	–	–	–	–	–	–	3	2	2	–
18 Erysipelas	167	28	4	3	2	7	8	21	25	25	27	17	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	26	8	4	3	–	2	3	4	1	1	–	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	113	11	8	5	7	14	11	16	8	10	14	9	–
(*c*) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	33	2	2	2	7	2	4	8	4	2	–	–	–
28 Pulmonary Tuberculosis, Phthisis	5233	35	116	97	185	1250	1315	1031	671	372	137	24	–
29 (*a*) Acute Phthisis	218	2	7	10	14	78	51	26	18	9	3	–	–
(*b*) Acute Miliary Tuberculosis	111	17	21	11	8	20	16	12	3	2	1	–	–
30 Tuberculous Meningitis	1048	279	479	150	59	45	19	12	5	–	–	–	–
31 Abdominal Tuberculosis	839	177	297	107	62	76	45	29	22	15	6	3	–
32 Tuberculosis of Spine	149	1	11	20	23	34	24	13	17	4	2	–	–
33 Tuberculosis of Joints	61	–	6	8	9	13	9	2	3	3	5	3	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	728	81	148	82	58	110	98	68	42	27	11	3	–
36 Rickets, Osteomalacia	52	22	26	2	1	–	–	–	1	–	–	–	–
37 Syphilis	210	169	9	2	1	2	6	8	7	4	2	–	–
38 Other Venereal Diseases	4	1	1	–	–	1	1	–	–	–	–	–	–
45 (*a*) Carcinoma	2747	–	–	–	–	9	62	224	545	787	753	367	–
(*b*) Sarcoma	231	1	6	9	8	17	15	25	46	50	36	18	–
(*c*) Malignant Disease, other or not defined } 39-44	1970	4	1	–	–	9	31	133	320	544	607	321	–
46 Other Tumours (Situation undefined)	47	–	1	–	1	–	2	6	8	11	10	8	–
47 Rheumatic Fever	234	5	7	30	33	61	34	21	24	9	8	2	–
48 (*a*) Chronic Rheumatism	89	–	–	–	–	2	1	4	5	11	35	31	–
(*b*) Osteo-arthritis	93	–	–	–	–	1	2	6	8	23	31	22	–
(*c*) Gout	3	–	–	–	–	–	–	–	–	–	–	3	–
49 Scurvy	3	–	–	1	–	–	1	–	–	1	–	–	–
50 Diabetes	445	1	2	5	12	37	48	48	51	93	109	39	–
51 Exophthalmic Goitre	55	–	–	–	–	5	13	18	7	10	2	–	–
52 Addison's Disease	32	–	–	–	1	2	6	6	7	7	3	–	–
53 (*a*) Leucocythæmia	46	2	2	–	4	2	7	9	7	9	3	1	–
(*b*) Lymphadenoma	30	–	1	1	2	6	5	5	5	3	2	–	–
54 Anæmia, Chlorosis	404	7	8	2	7	15	39	48	87	99	79	13	–
55 (*b*) Purpura	44	10	6	5	1	5	7	4	1	4	1	–	–
(*c*) Hæmophilia	11	7	3	–	–	–	1	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	10	1	–	1	–	1	3	–	–	–	2	2	–
56 Alcoholism	165	–	–	–	–	2	19	46	48	32	14	4	–
57 Chronic Lead Poisoning	4	–	–	–	–	–	–	1	3	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	51	7	7	1	4	4	4	7	10	4	3	–	–
61 (*a*) Cerebro-spinal Meningitis	85	19	21	21	7	6	3	3	4	1	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	978	356	332	88	39	51	30	29	26	18	7	2	–
62 Locomotor Ataxy	83	–	–	–	–	2	5	12	27	24	10	3	–
63 Other Diseases of Spinal Cord	318	7	3	2	5	19	34	32	51	70	69	26	–
64 Cerebral Hæmorrhage, Apoplexy	4241	16	5	4	2	20	50	143	458	926	1517	1100	–
65 Softening of Brain	327	–	–	–	–	2	3	9	29	60	129	95	–
66 (*a*) Hemiplegia	547	2	1	–	2	2	5	13	35	97	199	191	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	115	–	2	1	–	4	2	12	15	16	37	26	–
67 General Paralysis of Insane	255	–	–	–	–	–	33	84	94	30	12	2	–
68 Other Insanity	177	–	–	–	1	10	23	36	37	40	25	5	–
69 Epilepsy	260	16	11	9	14	40	37	43	30	27	23	10	–
71 Convulsions (not Puerperal) (70)	746	556	169	10	3	1	–	–	–	2	5	–	–
72 Chorea	20	–	–	3	3	7	1	2	2	2	–	–	–
73 Neuralgia, Neuritis	62	–	1	–	–	1	3	13	12	10	14	8	–
74 (*c*) Cerebral Tumour	143	1	5	10	4	19	24	19	31	17	9	4	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	107	4	5	5	4	4	5	10	10	33	15	12	–
75 Diseases of Eye and Annexa	6	1	3	–	–	1	–	1	–	–	–	–	–
76 (*a*) Mastoid Disease	35	6	5	5	4	8	2	2	–	3	–	–	–
(*b*) Diseases of Ear	114	33	19	8	15	10	9	6	8	2	1	3	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	58	2	3	4	8	11	4	6	6	4	8	2	–
78 Acute Endocarditis	132	2	–	12	14	34	17	19	16	10	4	4	–
79 (*a*) Valvular Disease	2586	5	8	24	45	113	158	263	323	511	690	446	–
(*b*) Fatty Degeneration of Heart	334	–	–	–	1	1	3	14	61	86	107	61	–
(*c*) Other Organic Diseases of Heart	2873	14	4	11	21	66	69	162	304	594	883	745	–
80 Angina Pectoris	213	–	1	–	–	2	3	6	24	60	76	41	–
81 (*a*) Aneurysm	161	–	–	–	–	3	7	26	53	39	23	10	–
(*b*) Arterio-sclerosis	367	–	–	–	–	–	–	3	14	51	139	160	–
(*c*) Other Diseases of Arteries	2	–	–	–	–	–	–	–	–	1	1	–	–
82 (*a*) Cerebral Embolism, Thrombosis	379	1	–	–	3	6	6	11	30	63	124	135	–
(*b*) Embolism and Thrombosis, not Cerebral	62	1	–	–	1	3	4	11	10	10	16	6	–
83 Diseases of Veins	48	–	–	–	–	2	6	5	10	9	9	7	–
84 (*a*) Lymphatism, Status Lymphaticus	10	7	–	1	2	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	13	2	3	1	–	–	–	1	2	2	2	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	13	1	–	–	–	–	–	1	1	1	4	5	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	14	4	4	–	1	2	1	1	–	1	–	–	–
87 (*b*) Laryngitis	109	24	63	9	1	1	1	1	2	2	3	2	–
(*c*) Other Diseases of Larynx (*a*)	43	25	14	2	–	–	–	1	–	–	–	1	–
88 Diseases of Thyroid	35	1	1	–	1	1	–	4	7	10	9	1	–
90 Bronchitis (89)	4546	958	343	37	17	35	46	139	307	617	1068	979	–
91 Broncho-pneumonia	2342	948	818	57	18	20	26	42	72	89	144	108	–
92 Pneumonia	3563	432	405	80	58	193	270	362	463	484	504	312	–
93 Pleurisy	298	12	19	9	5	27	32	37	33	50	45	29	–
94 (*a*) Pulmonary Apoplexy	15	–	–	–	–	–	2	2	2	6	1	2	–
(*b*) Pulmonary Congestion (*c*, *d*)	403	101	48	9	–	5	6	8	13	28	63	122	–
95 Gangrene of Lung	7	–	–	–	–	–	1	3	1	–	2	–	–
96 Asthma	60	–	1	–	–	2	2	7	13	13	11	11	–
97 Pulmonary Emphysema	32	–	–	–	–	–	–	4	8	9	5	6	–
98 (*a*) Fibroid Diseases of Lung	72	–	–	–	1	4	4	9	18	18	11	7	–
(*b*) Other Diseases of Respiratory System	31	3	3	2	3	–	3	6	4	1	3	3	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	35	15	5	1	1	1	2	1	2	4	2	1	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	90	13	19	15	2	7	5	5	8	5	5	6	-
102 Gastric Ulcer - - - -	363	4	1	1	3	31	51	58	74	55	49	36	-
103 Other Dis. of Stomach. Gastritis	564	233	63	11	5	8	19	21	24	40	63	77	-
104 Diarrhœa, Enteritis (under 2 years)	2306	1881	425	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	586	-	96	32	13	14	24	38	54	85	108	122	-
107 Intestinal Parasites (106) - -	1	-	1	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	410	1	15	59	73	89	45	52	35	24	13	4	-
109 (*a*) Hernia - - - -	200	13	8	-	-	2	3	8	35	46	47	38	-
(*b*) Intestinal Obstruction - -	319	71	27	14	7	16	25	12	18	39	51	39	-
110 Other Diseases of Intestine -	192	7	4	4	1	11	22	24	35	31	29	24	-
111 Acute Yellow Atrophy of Liver -	11	1	-	-	-	2	4	3	-	-	1	-	-
112 Hydatids of Liver - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
113 Cirrhosis of Liver - - -	219	1	1	1	1	6	3	27	52	58	58	11	-
114 Gallstones - - - -	120	-	-	-	-	-	3	9	19	38	37	14	-
115 Other Diseases of Liver - -	169	10	10	-	2	6	8	22	19	34	37	21	-
116 Diseases of Spleen - - -	18	-	1	1	2	1	2	3	3	4	1	-	-
117 Peritonitis, cause not specified -	141	13	16	18	9	16	12	14	16	6	15	6	-
118 Other Diseases of Digestive System	26	1	-	-	-	3	2	4	7	4	5	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	397	23	49	27	9	26	45	37	62	51	44	24	-
120 (*a*) Bright's Disease - - -	1631	1	8	14	18	53	96	185	330	418	355	153	-
(*b*) Uræmia - - - -	115	-	2	2	1	4	12	10	22	16	26	20	-
122 Other Dis. of Kidney, Chyluria (121)	86	7	4	-	1	4	11	13	11	17	10	8	-
123 Urinary Calculus - - -	31	-	-	-	-	-	4	4	5	9	5	4	-
124 Diseases of Bladder - - -	220	-	-	1	-	5	7	11	18	29	66	83	-
125 Dis. of Urethra, Urinary Abscess	39	1	-	-	-	1	2	8	11	8	6	2	-
126 Diseases of Prostate - - -	209	-	-	-	-	-	-	-	1	29	76	103	-
127 Diseases of Male Genital Organs (not Venereal)	3	1	-	-	-	-	1	-	-	1	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	-	-	-	-	1	-	2	1	-	-	-	-
129 Uterine Tumour (non-Cancerous)	53	-	-	-	-	-	4	13	19	3	9	5	-
130 Other Diseases of Uterus - -	43	-	-	-	-	4	16	9	10	2	2	-	-
131 Cysts, and Other Tumours of Ovary	52	-	-	-	1	2	7	9	10	10	10	3	-
132 Other Dis. of Female Genit. Organs	35	-	2	-	-	6	14	10	3	-	-	-	-
133 Non-Puerperal Diseases of Breast	4	1	-	-	-	1	1	1	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	45	-	-	-	-	4	18	22	1	-	-	-	-
(*c*) Uncontrollable Vomiting -	23	-	-	-	-	5	11	7	-	-	-	-	-
(*d*) Ectopic Gestation - - -	8	-	-		-	-	7	1	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	25	-	-	-	-	3	11	8	3	-	-	-	-
135 Puerperal Hæmorrhage - -	100	-	-	-	-	8	43	49	-	-	-	-	-
136 Other Accidents of Childbirth -	138	-	-	-	-	12	78	47	1	-	-	-	-
137 Puerperal Sepsis - - -	173	-	-	-	-	31	88	53	1	-	-	-	-
138 Puerp. Albuminuria, Convulsions	137	-	-	-	1	38	63	35	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	-	-	-	-	6	20	15	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	7	-	-	-	-	1	3	3	-	-	-	-	-
(*b*) Other Puerperal Diseases -	1	-	-	-	-	-	1	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	1	-	-	-	-	1	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	231	-	-	-	-	-	-	-	-	8	97	126	-
(*b*) Noma, Cancrum Oris - -	5	2	2	-	-	-	-	-	-	1	-	-	-
(*d*) Other Gangrene (*c*) - -	43	3	-	-	1	-	1	6	9	23	-	-	-
143 Carbuncle, Boil - - -	28	4	1	-	-	-	2	2	4	3	9	3	-
144 Phlegmon, Acute Abscess - -	119	31	8	3	1	7	6	13	8	18	13	11	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	95	32	9	1	-	3	2	5	4	7	12	20	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	110	3	13	32	24	15	6	1	6	4	5	1	-
147 Diseases of Joints - - -	23	1	-	2	2	2	1	3	6	3	3	-	-
149 Other Dis. of Locomotor Syst. (148)	1	-	-	-	-	-	-	-	1	-	-	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	656	576	53	10	5	6	4	2	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	2365	2365	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	1706	1706	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	431	431	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	95	-	-	-	-	-	-	-	-	-	44	51	-
(*b*) Senile Decay - - -	3549	-	-	-	-	-	-	-	-	-	735	2814	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	253	-	-	-	-	18	50	44	71	38	25	7	-
164 Poisoning by Food - - -	13	5	3	1	1	-	-	1	-	1	-	1	-
165 Other Accidental Poisonings -	58	-	7	-	1	5	12	6	12	11	3	1	-
167 Burns and Scalds (166) - -	405	15	172	47	11	25	25	26	24	13	22	25	-
168 Exposure to Poisonous Vapours -	18	-	1	1	-	2	3	5	4	2	-	-	-
169 Drowning - - - - -	505	5	31	25	33	86	78	73	76	56	34	6	2
170 Accidents with Fire Arms - -	23	1	-	2	1	5	4	4	3	2	1	-	-
171 Accidents with Instruments and Weapons	2	2	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	247	5	7	10	6	27	28	52	28	31	33	20	-
173 (*a*) Accidents in Coal Mines -	166	-	-	-	5	45	39	36	19	16	6	-	-
(*b*) Accidents in Other Mines -	15	-	-	-	-	6	4	3	2	-	-	-	-
(*c*) Accidents in Quarries - -	11	-	-	-	-	1	4	3	1	1	1	-	-
174 Accidents with Machinery - -	56	-	1	1	3	11	13	15	6	2	4	-	-
175 (*a*) Accidents on Railways - -	145	-	5	1	3	31	23	27	18	26	7	4	-
(*b*) Acc. with Horses and Vehicles	81	-	10	7	4	9	5	9	10	15	10	2	-
(*c*) Accidents with Motor Vehicles	38	-	4	8	3	5	-	3	7	4	2	2	-
(*d*) Accidents with Tramways -	13	-	4	3	-	1	1	1	2	1	-	-	-
(*e*) Other Crushing Accidents -	36	-	1	4	3	4	7	6	3	3	4	1	-
177 Hunger - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	41	4	3	-	-	2	3	6	6	7	6	4	-
186 (*a*) Overlaying - - - -	99	98	1	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	109	60	6	4	1	1	4	9	9	6	8	1	-
(*c*) Other Accidents (176, 181, 185)	542	9	30	37	19	25	40	74	58	69	78	103	-
184 Homicide (182, 183) - - -	11	7	-	-	-	1	1	-	1	-	1	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - -	25	1	-	-	-	-	1	1	1	4	9	8	-
188 (*a*) Syncope - - - -	276	13	2	1	-	6	14	26	36	52	61	65	-
(*b*) Sudden Death (not otherwise defined)	36	13	3	-	1	1	2	5	5	2	2	2	-
189 (*a*) Heart Failure - - -	693	10	6	3	3	13	15	41	84	134	224	160	-
(*c*) Teething - - - -	8	4	4	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b, d*)	99	3	48	3	-	2	-	5	5	30	1	2	-
(*f*) Dis. not Specified, Nat. Causes	526	182	24	12	4	8	11	23	35	70	86	70	1

Causes of Death in SCOTLAND in 1911—Males.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over	Age not stated.
All Causes	35,823	7690	3796	964	577	1773	1944	2443	3307	4243	5096	3987	3
I. GENERAL DISEASES.													
1 Enteric Fever	143	–	9	5	5	40	40	25	11	6	2	–	–
2 Typhus Fever	4	–	–	–	–	1	–	3	–	–	–	–	–
4 Malaria	6	–	–	–	–	–	4	2	–	–	–	–	–
5 (a) Smallpox Vaccinated	1	–	–	–	–	–	–	1	–	–	–	–	–
(b) Smallpox Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
(c) Smallpox Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	467	126	307	28	–	4	2	–	–	–	–	–	–
7 Scarlet Fever	241	13	123	66	23	9	3	2	–	2	–	–	–
8 Whooping Cough	1,086	493	554	35	2	1	1	–	–	–	–	–	–
9 (a) Diphtheria	428	36	264	97	18	6	1	2	1	–	1	2	–
(c) Croup, Membr. Laryngitis (b)	33	8	20	5	–	–	–	–	–	–	–	–	–
10 Influenza	98	6	4	2	2	1	3	4	5	14	26	31	–
13 Cholera Nostras	3	1	–	–	1	–	–	–	1	–	–	–	–
14 Dysentery	5	1	–	–	–	–	–	–	–	3	1	–	–
18 Erysipelas	86	16	3	2	1	2	2	12	15	10	13	10	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	16	3	3	3	–	2	3	1	1	–	–	–	–
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	66	6	5	4	3	9	5	8	7	6	7	6	–
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	33	2	2	2	7	2	4	8	4	2	–	–	–
28 Pulmonary Tuberculosis, Phthisis	2,574	12	62	36	64	563	607	529	390	222	82	7	–
29 (a) Acute Phthisis	104	1	3	5	5	36	26	10	9	7	2	–	–
(b) Acute Miliary Tuberculosis	59	7	14	4	4	12	8	7	1	1	1	–	–
30 Tuberculous Meningitis	584	160	273	82	23	26	13	5	2	–	–	–	–
31 Abdominal Tuberculosis	421	109	158	50	30	33	12	6	8	12	2	1	–
32 Tuberculosis of Spine	85	1	7	12	12	25	13	5	6	3	1	–	–
33 Tuberculosis of Joints	39	–	3	6	5	9	5	2	1	2	5	1	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	398	52	81	43	32	52	53	37	26	13	7	2	–
36 Rickets, Osteomalacia	23	11	11	–	1	–	–	–	–	–	–	–	–
37 Syphilis	115	98	4	–	–	1	2	2	3	3	2	–	–
38 Other Venereal Diseases	2	1	–	–	–	1	–	–	–	–	–	–	–
45 (a) Carcinoma } 39-44	1,110	–	–	–	–	5	17	80	214	333	326	135	–
(b) Sarcoma } 39-44	117	1	4	5	3	13	8	17	25	21	14	6	–
(c) Malignant Disease, other or not defined } 39-44	819	1	1	–	–	5	14	37	128	237	275	121	–
46 Other Tumours (Situation undefined)	27	–	1	–	–	–	1	4	6	4	7	4	–
47 Rheumatic Fever	106	2	4	16	15	24	14	8	15	5	3	–	–
48 (a) Chronic Rheumatism	30	–	–	–	–	–	1	2	3	3	12	9	–
(b) Osteo-arthritis	16	–	–	–	–	1	–	–	–	5	7	3	–
(c) Gout	1	–	–	–	–	–	–	–	–	–	–	1	–
49 Scurvy	3	–	–	1	–	–	1	–	–	1	–	–	–
50 Diabetes	206	–	1	3	6	25	25	26	22	36	42	20	–
51 Exophthalmic Goitre	4	–	–	–	–	–	1	2	–	1	–	–	–
52 Addison's Disease	14	–	–	–	1	–	2	4	1	4	2	–	–
53 (a) Leucocythæmia	21	1	1	–	3	1	4	2	4	5	–	–	–
(b) Lymphadenoma	17	–	1	1	1	4	4	2	2	1	1	–	–
54 Anæmia, Chlorosis	152	5	3	1	2	5	9	14	35	46	27	5	–
55 (b) Purpura	23	6	4	3	1	3	3	–	–	3	–	–	–
(c) Hæmophilia	6	3	2	–	–	–	1	–	–	–	–	–	–
(d) Other General Diseases (a)	5	1	–	–	–	–	1	–	–	–	2	1	–
56 Alcoholism	100	–	–	–	–	2	10	29	27	22	8	2	–
57 Chronic Lead Poisoning	4	–	–	–	–	–	–	1	3	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	30	4	3	-	1	2	3	4	8	3	2	-	-
61 (*a*) Cerebro-Spinal Meningitis	47	9	12	15	2	3	2	1	3	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	517	207	169	44	14	27	19	15	11	7	2	2	-
62 Locomotor Ataxy	73	-	-	-	-	2	4	12	22	22	9	2	-
63 Other Diseases of Spinal Cord	155	1	1	2	3	10	19	15	22	31	38	13	-
64 Cerebral Hæmorrhage, Apoplexy	1,897	11	3	1	1	7	23	65	209	444	691	442	-
65 Softening of Brain	147	-	-	-	-	1	2	4	13	28	61	38	-
66 (*a*) Hemiplegia	253	-	1	-	1	-	-	6	17	46	97	85	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	51	-	1	-	-	3	1	4	6	9	17	10	-
67 General Paralysis of Insane	204	-	-	-	-	-	27	71	70	27	8	1	-
68 Other Insanity	76	-	-	-	-	5	9	13	12	21	12	4	-
69 Epilepsy	145	7	8	8	6	17	20	27	15	21	14	2	-
71 Convulsions (not Puerperal) (70)	431	333	88	5	1	-	-	-	-	1	3	-	-
72 Chorea	9	-	-	-	-	4	-	1	2	2	-	-	-
73 Neuralgia, Neuritis	22	-	-	-	-	-	1	3	5	3	7	3	-
74 (*c*) Cerebral Tumour	70	1	2	4	-	10	9	12	19	9	3	1	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	46	1	2	3	3	2	1	4	4	14	8	4	-
75 Diseases of Eye and Annexa	5	1	3	-	-	1	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	17	3	3	-	2	4	2	-	-	3	-	-	-
(*b*) Diseases of Ear	66	17	12	6	10	6	2	5	4	1	1	2	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	28	1	1	1	4	3	2	3	5	3	4	1	-
78 Acute Endocarditis	64	2	-	5	8	15	8	9	7	4	4	2	-
79 (*a*) Valvular Disease	1,184	3	4	12	17	57	59	99	156	256	335	186	-
(*b*) Fatty Degeneration of Heart	125	-	-	-	1	1	-	8	18	27	43	27	-
(*c*) Other Organic Diseases of Heart	1,379	7	2	6	8	34	33	77	171	293	434	314	-
80 Angina Pectoris	122	-	1	-	-	1	1	3	15	37	45	19	-
81 (*a*) Aneurysm	123	-	-	-	-	3	5	23	47	29	11	5	-
(*b*) Arterio-sclerosis	218	-	-	-	-	-	-	2	9	34	86	87	-
(*c*) Other Diseases of Arteries	1	-	-	-	-	-	-	-	-	1	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	136	1	-	-	2	3	4	6	9	26	43	42	-
(*b*) Embolism and Thrombosis, not Cerebral	24	-	-	-	-	-	1	3	2	5	10	3	-
83 Diseases of Veins	15	-	-	-	-	1	1	3	1	3	4	2	-
84 (*a*) Lymphatism, Status Lymphaticus	6	5	-	-	1	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	7	1	1	-	-	-	-	1	1	2	1	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	7	-	-	-	-	-	-	-	1	1	3	2	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	6	2	2	-	-	-	1	-	-	1	-	-	-
87 (*b*) Laryngitis	54	13	27	6	1	-	1	-	2	-	3	1	-
(*c*) Other Diseases of Larynx (*a*)	20	12	6	1	-	-	-	1	-	-	-	-	-
88 Diseases of Thyroid	9	-	1	-	1	1	-	1	1	2	2	-	-
90 Bronchitis (89)	2,217	582	197	16	9	15	20	70	155	327	480	346	-
91 Broncho-pneumonia	1,195	525	398	28	10	8	16	17	40	49	68	36	-
92 Pneumonia	2,113	251	219	41	32	124	157	239	326	309	270	145	-
93 Pleurisy	148	3	11	4	2	15	15	21	18	28	19	12	-
94 (*a*) Pulmonary Apoplexy	7	-	-	-	-	-	1	-	1	5	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	178	53	17	2	-	3	4	4	5	13	29	48	-
95 Gangrene of Lung	3	-	-	-	-	-	-	2	-	-	1	-	-
96 Asthma	33	-	-	-	-	1	1	4	9	8	5	5	-
97 Pulmonary Emphysema	21	-	-	-	-	-	-	3	7	5	3	3	-
98 (*a*) Fibroid Diseases of Lung	54	-	-	-	1	2	4	8	10	17	8	4	-
(*b*) Other Diseases of Respiratory System	20	1	1	1	2	-	3	3	4	1	2	2	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	21	9	4	1	–	–	–	–	2	3	2	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	52	8	7	11	2	3	3	4	6	3	2	3	–
102 Gastric Ulcer – – – –	175	3	–	–	2	11	21	22	42	33	23	18	–
103 Other Dis. of Stomach. Gastritis	279	134	35	5	1	6	10	6	11	20	27	24	–
104 Diarrhœa, Enteritis (under 2 years)	1,272	1057	215	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	239	–	49	14	5	8	12	12	24	39	41	35	–
107 Intestinal Parasites (106) – –	1	–	1	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	227	–	10	32	39	48	29	29	18	12	9	1	–
109 (*a*) Hernia – – – –	91	9	6	–	–	2	1	3	7	24	21	18	–
(*b*) Intestinal Obstruction – –	175	48	16	9	4	11	13	6	9	18	25	16	–
110 Other Diseases of Intestine – –	117	5	1	2	1	7	16	11	28	20	12	14	–
111 Acute Yellow Atrophy of Liver –	2	–	–	–	–	–	–	1	–	–	1	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	139	1	–	–	1	3	–	18	38	43	33	2	–
114 Gallstones – – – – –	22	–	–	–	–	–	1	1	4	8	5	3	–
115 Other Diseases of Liver – –	78	5	8	–	2	2	6	10	6	11	21	7	–
116 Diseases of Spleen – – –	5	–	–	1	1	–	–	2	1	–	–	–	–
117 Peritonitis, cause not specified –	60	4	8	5	6	12	4	4	8	3	5	1	–
118 Other Diseases of Digestive System	11	–	–	–	–	2	–	2	3	1	3	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – – –	234	14	35	17	2	15	21	20	36	38	24	12	–
120 (*a*) Bright's Disease – – –	855	1	4	8	6	31	46	90	183	227	189	70	–
(*b*) Uræmia – – – –	57	–	2	–	1	2	2	4	12	9	15	10	–
122 Other Dis. of Kidney, Chyluria (121)	46	5	2	–	–	4	2	5	5	12	8	3	–
123 Urinary Calculus – – –	21	–	–	–	–	–	3	2	2	5	5	4	–
124 Diseases of Bladder – – –	154	–	–	–	–	2	5	5	14	21	45	62	–
125 Dis. of Urethra, Urinary Abscess	38	1	–	–	–	–	2	8	11	8	6	2	–
126 Diseases of Prostate – – –	209	–	–	–	–	–	–	–	1	29	76	103	–
127 Diseases of Male Genital Organs (not Venereal)	3	1	–	–	–	–	1	–	–	1	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–
130 Other Diseases of Uterus – –	–	–	–	–	–	–	–	–	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–
132 Other Dis. of Female Genit. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	–	–	–	–	–	–	–	–	–	–	–	–
136 Other Accidents of Childbirth –	–	–	–	–	–	–	–	–	–	–	–	–	–
137 Puerperal Sepsis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	–	–	–	–	–	–	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	–	–	–	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	99	–	–	–	–	–	–	–	–	5	42	52	–
(*b*) Noma, Cancrum Oris – –	1	–	1	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	20	2	–	–	–	–	–	1	2	15	–	–	–
143 Carbuncle, Boil – – – –	14	1	1	–	–	–	2	1	1	2	4	2	–
144 Phlegmon, Acute Abscess – –	68	20	6	3	–	4	2	7	5	11	4	6	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	45	21	8	1	–	–	2	2	–	2	4	5	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	74	3	9	25	12	10	4	–	5	4	1	1	–
147 Diseases of Joints – – –	14	1	–	1	1	1	1	1	3	2	3	–	–
149 Other Dis. of Locomotor Sys. (148)	1	–	–	–	–	–	–	–	1	–	–	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	353	304	35	6	2	1	3	2	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	1,324	1324	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	975	975	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	256	256	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	40	–	–	–	–	–	–	–	–	–	16	24	–
(*b*) Senile Decay – – –	1,339	–	–	–	–	–	–	–	–	–	317	1022	–
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	182	–	–	–	–	11	37	35	50	28	15	6	–
164 Poisoning by Food – – –	4	2	1	–	–	–	–	–	–	–	–	1	–
165 Other Accidental Poisonings –	39	–	4	–	1	4	9	4	7	9	1	–	–
167 Burns and Scalds (166) – –	189	6	91	13	6	6	20	17	12	4	9	5	–
168 Exposure to Poisonous Vapours –	12	–	1	1	–	1	2	2	3	2	–	–	–
169 Drowning – – – – – –	409	4	25	17	29	69	69	57	61	46	27	3	2
170 Accidents with Fire Arms – –	19	1	–	1	1	3	4	3	3	2	1	–	–
171 Accidents with Instruments and Weapons	1	1	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	199	1	5	8	4	27	25	46	25	25	22	11	–
173 (*a*) Accidents in Coal Mines –	166	–	–	–	5	45	39	36	19	16	6	–	–
(*b*) Accidents in Other Mines –	15	–	–	–	–	6	4	3	2	–	–	–	–
(*c*) Accidents in Quarries	11	–	–	–	–	1	4	3	1	1	1	–	–
174 Accidents with Machinery – –	53		–	1	3	10	13	15	6	2	3	–	–
175 (*a*) Accidents on Railways – –	133	–	2	1	3	29	23	26	17	24	5	3	–
(*b*) Acc. with Horses and Vehicles	71	–	6	4	3	9	5	8	10	14	10	2	–
(*c*) Accidents with Motor Vehicles	28	–	2	4	1	5	–	3	6	4	1	2	–
(*d*) Accidents with Tramways –	9	–	2	1	–	1	1	1	2	1	–	–	–
(*e*) Other Crushing Accidents –	34	–	1	3	2	4	7	6	3	3	4	1	–
177 Hunger – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179)	35	3	2	–	–	–	3	6	6	6	5	4	–
186 (*a*) Overlaying – – – –	55	54	1	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	64	35	5	2	–	1	3	7	6	2	3	–	–
(*c*) Other Accidents (176, 181, 185)	342	4	16	30	14	23	37	62	47	50	33	26	–
184 Homicide (182, 183) – – –	3	1	–	–	–	1	–	–	1	–	–	–	–
190 Execution – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – – –	15	1	–	–	–	–	1	1	–	3	5	4	–
188 (*a*) Syncope – – – – –	147	9	1	–	–	4	4	13	23	28	36	29	–
(*b*) Sudden Death (not otherwise defined)	21	7	–	–	1	1	2	2	4	2	1	1	–
189 (*a*) Heart Failure – – – –	355	5	6	1	1	8	8	23	41	79	110	73	–
(*c*) Teething – – – – –	3	2	1	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	43	1	23	2	–	1	–	3	3	9	–	1	–
(*f*) Dis. not Specified, Nat. Causes	281	101	10	6	2	4	8	11	23	43	45	27	1

Causes of Death in SCOTLAND in 1911—Females.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	35909	6017	3537	970	632	1733	2208	2503	2884	3848	5577	6000	-
I. GENERAL DISEASES.													
1 Enteric Fever	129	-	4	9	11	41	31	14	10	6	2	1	-
2 Typhus Fever	4	-	-	-	-	1	2	1	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	4	-	-	-	-	2	1	-	1	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	456	105	318	23	-	3	2	3	1	1	-	-	-
7 Scarlet Fever	210	5	90	63	21	13	4	11	3	-	-	-	-
8 Whooping-cough	1,261	541	667	50	2	-	-	-	-	-	-	1	-
9 (*a*) Diphtheria	449	28	237	143	25	9	2	3	-	1	-	1	-
(*c*) Croup, Membr. Laryngitis (*b*)	21	3	13	5	-	-	-	-	-	-	-	-	-
10 Influenza	128	11	2	2	2	3	4	2	7	11	31	53	-
13 Cholera Nostras	4	1	1	1	-	-	-	-	1	-	-	-	-
14 Dysentery	5	2	-	-	-	-	-	-	-	-	1	2	-
18 Erysipelas	81	12	1	1	1	5	6	9	10	15	14	7	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	10	5	1	-	-	-	-	3	-	1	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	47	5	3	1	4	5	6	8	1	4	7	3	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	2,659	23	54	61	121	687	708	502	281	150	55	17	-
29 (*a*) Acute Phthisis	114	1	4	5	9	42	25	16	9	2	1	-	-
(*b*) Acute Miliary Tuberculosis	52	10	7	7	4	8	8	5	2	1	-	-	-
30 Tuberculous Meningitis	464	119	206	68	36	19	6	7	3	-	-	-	-
31 Abdominal Tuberculosis	418	68	139	57	32	43	33	23	14	3	4	2	-
32 Tuberculosis of Spine	64	-	4	8	11	9	11	8	11	1	1	-	-
33 Tuberculosis of Joints	22	-	3	2	4	4	4	-	2	1	-	2	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	330	29	67	39	26	58	45	31	16	14	4	1	-
36 Rickets, Osteomalacia	29	11	15	2	-	-	-	-	1	-	-	-	-
37 Syphilis	95	71	5	2	1	1	4	6	4	1	-	-	-
38 Other Venereal Diseases	2	-	1	-	-	-	1	-	-	-	-	-	-
45 (*a*) Carcinoma	1,637	-	-	-	-	4	45	144	331	454	427	232	-
(*b*) Sarcoma } 39-44	114	-	2	4	5	4	7	8	21	29	22	12	-
(*c*) Malignant Disease, other or not defined } 39-44	1,151	3	-	-	-	4	17	96	192	307	332	200	-
46 Other Tumours (Situation undefined)	20	-	-	-	1	-	1	2	2	7	3	4	-
47 Rheumatic Fever	128	3	3	14	18	37	20	13	9	4	5	2	-
48 (*a*) Chronic Rheumatism	59	-	-	-	-	2	-	2	2	8	23	22	-
(*b*) Osteo-arthritis	77	-	-	-	-	-	2	6	8	18	24	19	-
(*c*) Gout	2	-	-	-	-	-	-	-	-	-	-	2	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	239	1	1	2	6	12	23	22	29	57	67	19	-
51 Exophthalmic Goitre	51	-	-	-	-	5	12	16	7	9	2	-	-
52 Addison's Disease	18	-	-	-	-	2	4	2	6	3	1	-	-
53 (*a*) Leucocythæmia	25	1	1	-	1	1	3	7	3	4	3	1	-
(*b*) Lymphadenoma	13	-	-	-	1	2	1	3	3	2	1	-	-
54 Anæmia, Chlorosis	252	2	5	1	5	10	30	34	52	53	52	8	-
55 (*b*) Purpura	21	4	2	2	-	2	4	4	1	1	1	-	-
(*c*) Hæmophilia	5	4	1	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	5	-	-	1	-	1	2	-	-	-	-	1	-
56 Alcoholism	65	-	-	-	-	-	9	17	21	10	6	2	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	21	3	4	1	3	2	1	3	2	1	1	-	-
61 (*a*) Cerebro-spinal Meningitis	38	10	9	6	5	3	1	2	1	1	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	461	149	163	44	25	24	11	14	15	11	5	-	-
62 Locomotor Ataxy	10	-	-	-	-	-	1	-	5	2	1	1	-
63 Other Diseases of Spinal Cord	163	6	2	-	2	9	15	17	29	39	31	13	-
64 Cerebral Hæmorrhage, Apoplexy	2,344	5	2	3	1	13	27	78	249	482	826	658	-
65 Softening of Brain	180	-	-	-	-	1	1	5	16	32	68	57	-
66 (*a*) Hemiplegia	294	2	-	-	1	2	5	7	18	51	102	106	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	64	-	1	1	-	1	1	8	9	7	20	16	-
67 General Paralysis of Insane	51	-	-	-	-	-	6	13	24	3	4	1	-
68 Other Insanity	101	-	-	-	1	5	14	23	25	19	13	1	-
69 Epilepsy	115	9	3	1	8	23	17	16	15	6	9	8	-
71 Convulsions (not Puerperal) (70)	315	223	81	5	2	1	-	-	-	1	2	-	-
72 Chorea	11	-	-	3	3	3	1	1	-	-	-	-	-
73 Neuralgia, Neuritis	40	-	1	-	-	1	2	10	7	7	7	5	-
74 (*c*) Cerebral Tumour	73	-	3	6	4	9	15	7	12	8	6	3	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	61	3	3	2	1	2	4	6	6	19	7	8	-
75 Diseases of Eye and Annexa	1	-	-	-	-	-	-	1	-	-	-	-	-
76 (*a*) Mastoid Disease	18	3	2	5	2	4	-	2	-	-	-	-	-
(*b*) Diseases of Ear	48	16	7	2	5	4	7	1	4	1	-	1	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	30	1	2	3	4	8	2	3	1	1	4	1	-
78 Acute Endocarditis	68	-	-	7	6	19	9	10	9	6	-	2	-
79 (*a*) Valvular Disease	1,402	2	4	12	28	56	99	164	167	255	355	260	-
(*b*) Fatty Degeneration of Heart	209	-	-	-	-	-	3	6	43	59	64	34	-
(*c*) Other Organic Diseases of Heart	1,494	7	2	5	13	32	36	85	133	301	449	431	-
80 Angina Pectoris	91	-	-	-	-	1	2	3	9	23	31	22	-
81 (*a*) Aneurysm	38	-	-	-	-	-	2	3	6	10	12	5	-
(*b*) Arterio-sclerosis	149	-	-	-	-	-	-	1	5	17	53	73	-
(*c*) Other Diseases of Arteries	1	-	-	-	-	-	-	-	-	-	1	-	-
82 (*a*) Cerebral Embolism, Thrombosis	243	-	-	-	1	3	2	5	21	37	81	93	-
(*b*) Embolism and Thrombosis, not Cerebral	38	1	-	-	1	3	3	8	8	5	6	3	-
83 Diseases of Veins	33	-	-	-	-	1	5	2	9	6	5	5	-
84 (*a*) Lymphatism, Status Lymphaticus	4	2	-	1	1	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	6	1	2	1	-	-	-	-	1	-	1	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	6	1	-	-	-	-	-	1	-	-	1	3	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	8	2	2	-	1	2	-	1	-	-	-	-	-
87 (*b*) Laryngitis	55	11	36	3	-	1	-	1	-	2	-	1	-
(*c*) Other Diseases of Larynx (*a*)	23	13	8	1	-	-	-	-	-	-	-	1	-
88 Diseases of Thyroid	26	1	-	-	-	-	-	3	6	8	7	1	-
90 Bronchitis (89)	2,329	376	146	21	8	20	26	69	152	290	588	633	-
91 Broncho-pneumonia	1,147	423	420	29	8	12	10	25	32	40	76	72	-
92 Pneumonia	1,450	181	186	39	26	69	113	123	137	175	234	167	-
93 Pleurisy	150	9	8	5	3	12	17	16	15	22	26	17	-
94 (*a*) Pulmonary Apoplexy	8	-	-	-	-	-	1	2	1	1	1	2	-
(*b*) Pulmonary Congestion (*c*, *d*)	225	48	31	7	-	2	2	4	8	15	34	74	-
95 Gangrene of Lung	4	-	-	-	-	-	1	1	1	-	1	-	-
96 Asthma	27	-	1	-	-	1	1	3	4	5	6	6	-
97 Pulmonary Emphysema	11	-	-	-	-	-	-	1	1	4	2	3	-
98 (*a*) Fibroid Diseases of Lung	18	-	-	-	-	2	-	1	8	1	3	3	-
(*b*) Other Diseases of Respiratory System	11	2	2	1	1	-	-	3	-	-	1	1	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	14	6	1	-	1	1	2	1	-	1	-	1	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	38	5	12	4	-	4	2	1	2	2	3	3	-
102 Gastric Ulcer - - - -	188	1	1	1	1	20	30	36	32	22	26	18	-
103 Other Dis. of Stomach. Gastritis	285	99	28	6	4	2	9	15	13	20	36	53	-
104 Diarrhœa, Enteritis (under 2 years)	1,034	824	210	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	347	-	47	18	8	6	12	26	30	46	67	87	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	183	1	5	27	34	41	16	23	17	12	4	3	-
109 (*a*) Hernia - - - - -	109	4	2	-	-	-	2	5	28	22	26	20	-
(*b*) Intestinal Obstruction - -	144	23	11	5	3	5	12	6	9	21	26	23	-
110 Other Diseases of Intestine - -	75	2	3	2	-	4	6	13	7	11	17	10	-
111 Acute Yellow Atrophy of Liver -	9	1	-	-	-	2	4	2	-	-	-	-	-
112 Hydatids of Liver - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
113 Cirrhosis of Liver - - -	80	-	1	1	-	3	3	9	14	15	25	9	-
114 Gallstones - - - - -	98	-	-	-	-	-	2	8	15	30	32	11	-
115 Other Diseases of Liver - -	91	5	2	-	-	4	2	12	13	23	16	14	-
116 Diseases of Spleen - - -	13	-	1	-	1	1	2	1	2	4	1	-	-
117 Peritonitis, cause not specified -	81	9	8	13	3	4	8	10	8	3	10	5	-
118 Other Diseases of Digestive System	15	1	-	-	-	1	2	2	4	3	2	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	163	9	14	10	7	11	24	17	26	13	20	12	-
120 (*a*) Bright's Disease - - -	776	-	4	6	12	22	50	95	147	191	166	83	-
(*b*) Uræmia - - - -	58	-	-	2	-	2	10	6	10	7	11	10	
122 Other Dis. of Kidney, Chyluria (121)	40	2	2	-	1	-	9	8	6	5	2	5	-
123 Urinary Calculus - - -	10	-	-	-	-	-	1	2	3	4	-	-	-
124 Diseases of Bladder - - -	66	-	-	1	-	3	2	6	4	8	21	21	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	1	-	-	-	-	-	-	-
126 Diseases of Prostate - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-		-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	-	-	-	-	1	-	2	1	-	-	-	-
129 Uterine Tumour (non-Cancerous)	53	-	-	-	-	-	4	13	19	3	9	5	-
130 Other Diseases of Uterus - -	43	-	-	-	-	4	16	9	10	2	2	-	-
131 Cysts, and Other Tumours of Ovary	52	-	-	-	1	2	7	9	10	10	10	3	-
132 Other Dis. of Female Genit. Organs	35	-	2	-	-	6	14	10	3	-	-	-	-
133 Non-Puerperal Diseases of Breast	4	1	-	-	-	1	1	1	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	45	-	-	-	-	4	18	22	1	-	-	-	-
(*c*) Uncontrollable Vomiting -	23	-	-	-	-	5	11	7	-	-	-	-	-
(*d*) Ectopic Gestation - -	8	-	-	-	-	-	7	1	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	25	-	-	-	-	3	11	8	3	-	-	-	-
135 Puerperal Hæmorrhage - -	100	-	-	-	-	8	43	49	-	-	-	-	-
136 Other Accidents of Childbirth -	138	-	-	-	-	12	78	47	1	-	-	-	-
137 Puerperal Sepsis - - -	173	-	-	-	-	31	88	53	1	-	-	-	-
138 Puerp. Albuminuria, Convulsions	137	-	-	-	1	38	63	35	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	-	-	-	-	6	20	15	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	7	-	-	-	-	1	3	3	-	-	-	-	-
(*b*) Other Puerperal Diseases -	1	-	-	-	-	-	1	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	1	-	-	-	-	1	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	132	-	-	-	-	-	-	-	-	3	55	74	-
(*b*) Noma, Cancrum Oris - -	4	2	1	-	-	-	-	-	-	1	-	-	-
(*d*) Other Gangrene (*c*) - -	23	1	-	-	1	-	1	5	7	8	-	-	-
143 Carbuncle, Boil - - - -	14	3	-	-	-	-	-	1	3	1	5	1	-
144 Phlegmon, Acute Abscess - -	51	11	2	-	1	3	4	6	3	7	9	5	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	50	11	1	-	-	3	-	3	4	5	8	15	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	36	–	4	7	12	5	2	1	1	–	4	–	–
147 Diseases of Joints – – –	9	–	–	1	1	1	–	2	3	1	–	–	–
149 Other Dis. of Locomotor Syst. (148)	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	303	272	18	4	3	5	1	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	1041	1041	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	731	731	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	175	175	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	55	–	–	–	–	–	–	–	–	–	28	27	–
(*b*) Senile Decay – – –	2210	–	–	–	–	–	–	–	–	–	418	1792	–
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	71	–	–	–	–	7	13	9	21	10	10	1	–
164 Poisoning by Food – – –	9	3	2	1	1	–	–	1	–	1	–	–	–
165 Other Accidental Poisonings –	19	–	3	–	–	1	3	2	5	2	2	1	–
167 Burns and Scalds (166) – –	216	9	81	34	5	19	5	9	12	9	13	20	–
168 Exposure to Poisonous Vapours –	6	–	–	–	–	1	1	3	1	–	–	–	–
169 Drowning – – – – –	96	1	6	8	4	17	9	16	15	10	7	3	–
170 Accidents with Fire Arms – –	4	–	–	1	–	2	–	1	–	–	–	–	–
171 Accidents with Instruments and Weapons	1	1	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	48	4	2	2	2	–	3	6	3	6	11	9	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery – –	3	–	1	–	–	1	–	–	–	–	1	–	–
175 (*a*) Accidents on Railways – –	12	–	3	–	–	2	–	1	1	2	2	1	–
(*b*) Acc. with Horses and Vehicles	10	–	4	3	1	–	–	1	–	1	–	–	–
(*c*) Accidents with Motor Vehicles	10	–	2	4	2	–	–	–	1	–	1	–	–
(*d*) Accidents with Tramways –	4	–	2	2	–	–	–	–	–	–	–	–	–
(*e*) Other Crushing Accidents –	2	–	–	1	1	–	–	–	–	–	–	–	–
177 Hunger – – – – –	1	–	1	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179) –	6	1	1	–	–	2	–	–	–	1	1	–	–
186 (*a*) Overlaying – – – –	44	44	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	45	25	1	2	1	–	1	2	3	4	5	1	–
(*c*) Other Accidents (176, 181, 185)	200	5	14	7	5	2	3	12	11	19	45	77	–
184 Homicide (182, 183) – – –	8	6	–	–	–	–	1	–	–	–	1	–	–
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – –	10	–	–	–	–	–	–	–	1	1	4	4	–
188 (*a*) Syncope – – – – –	129	4	1	1	–	2	10	13	13	24	25	36	–
(*b*) Sudden Death (not otherwise defined)	15	6	3	–	–	–	–	3	1	–	1	1	–
189 (*a*) Heart Failure – – –	338	5	–	2	2	5	7	18	43	55	114	87	–
(*c*) Teething – – – –	5	2	3	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	56	2	25	1	–	1	–	2	2	21	1	1	–
(*f*) Dis. not Specified, Nat. Causes	245	81	14	6	2	4	3	12	12	27	41	43	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911.

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
All Causes	71,732	4,561	1,015	3,689	820	381	292	483	473	1,938	1,109	7,540	673	3,609	4,590	608	1,277
I. GENERAL DISEASES.																	
1 Enteric Fever	272	18	4	24	2	1	–	3	–	9	–	10	1	14	6	1	3
2 Typhus Fever	8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Malaria	6	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
5 Small-pox (a) Vaccinated	5	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–
(b) Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(c) Vaccination doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	923	121	–	14	2	–	1	–	–	43	2	95	5	31	3	10	2
7 Scarlet Fever	451	40	–	15	8	1	1	–	3	10	6	36	4	30	16	1	1
8 Whooping Cough	2,347	102	7	65	5	3	4	–	4	113	14	234	9	82	119	12	16
9 (a) Diphtheria	877	37	1	38	6	–	6	1	4	31	6	94	5	59	69	6	14
(c) Croup, Membranous Laryngitis (b)	54	1	3	4	–	–	–	1	–	2	–	6	–	2	3	–	–
10 Influenza	226	18	8	8	9	1	2	3	1	7	8	15	1	8	8	4	13
13 Cholera Nostras	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	10	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
18 Erysipelas	167	7	1	10	2	–	1	1	3	6	1	20	–	6	10	–	2
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	26	2	–	1	–	–	–	–	–	–	–	1	1	2	1	–	1
20 (a) Pyæmia, Septicæmia (not Puerperal (b)	113	9	2	5	1	1	–	–	–	4	3	10	1	5	6	1	6
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	33	4	–	2	–	–	–	–	–	1	–	2	–	–	–	–	–
28 Pulmonary Tuberculosis, Phthisis	5,233	322	77	260	71	34	24	27	39	150	92	614	55	221	370	30	101
29 (a) Acute Phthisis	218	14	3	9	3	1	–	4	2	9	3	8	3	8	15	1	5
(b) Acute Miliary Tuberculosis	111	10	2	4	1	–	–	–	–	5	1	17	1	11	14	–	4
30 Tuberculous Meningitis	1,048	65	7	44	9	3	5	3	4	43	15	117	3	54	59	3	10
31 Abdominal Tuberculosis	839	28	5	31	10	2	3	2	7	35	11	65	11	30	51	6	4
32 Tuberculosis of Spine	149	10	–	10	1	–	1	1	3	2	2	15	3	7	7	1	1
33 Tuberculosis of Joints	61	2	1	4	–	–	–	–	–	4	1	2	–	4	4	1	2
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	728	28	8	38	6	1	1	–	6	22	11	92	4	34	53	6	7

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1911.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
All Causes	522	108	549	23,528	1,148	128	435	197	1,773	4,741	1,157	651	305	386	2,272	316	458
I. GENERAL DISEASES.																	
1 Enteric Fever	–	–	2	111	4	2	–	–	6	23	7	2	–	1	16	1	1
2 Typhus Fever	–	–	–	3	–	–	–	–	–	1	3	–	–	–	–	–	–
4 Malaria	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–
5 Small-pox (a) Vaccinated	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(b) Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(c) Vaccination doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	4	1	1	470	39	–	16	–	9	26	–	–	–	4	21	–	3
7 Scarlet Fever	6	–	2	181	9	1	3	3	6	47	1	4	–	–	16	–	–
8 Whooping Cough	8	1	3	1127	46	1	2	2	29	161	61	7	7	1	94	–	8
9 (a) Diphtheria	12	3	3	324	28	1	1	–	34	54	5	3	–	1	26	1	4
(c) Croup, Membranous Laryngitis (b)	2	–	–	12	3	–	–	–	3	5	3	–	–	–	3	–	1
10 Influenza	1	–	4	43	5	–	8	3	6	16	11	3	2	4	4	–	2
13 Cholera Nostras	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	–	–	1	2	–	–	–	–	–	3	2	–	–	–	–	–	–
18 Erysipelas	1	–	–	61	4	–	1	–	5	12	4	–	–	3	6	–	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	–	–	9	–	–	–	–	1	3	–	–	–	1	2	–	–
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	2	1	1	38	1	–	–	–	–	2	3	1	1	3	5	–	1
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	–	–	–	17	3	–	–	–	–	3	–	–	–	–	–	–	1
28 Pulmonary Tuberculosis, Phthisis	30	10	39	1719	68	2	33	7	105	348	97	39	25	24	150	18	32
29 (a) Acute Phthisis	1	–	1	77	4	–	3	–	4	20	2	1	1	1	11	4	–
(b) Acute Miliary Tuberculosis	–	–	–	23	2	1	–	–	2	8	–	–	–	–	4	–	1
30 Tuberculous Meningitis	4	1	4	422	17	–	2	–	18	72	8	11	2	5	35	–	3
31 Abdominal Tuberculosis	6	–	3	352	20	–	2	2	17	79	3	8	3	2	37	–	4
32 Tuberculosis of Spine	–	–	2	56	1	1	1	–	–	11	3	3	–	2	5	–	–
33 Tuberculosis of Joints	–	–	–	22	1	–	–	–	2	4	2	1	–	–	1	2	1
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	4	–	7	260	12	2	2	3	13	58	8	4	2	4	28	1	3

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
I. General Diseases—*continued.*																	
36 Rickets, Osteomalacia	52	8	–	1	–	–	–	–	–	1	2	9	–	–	6	–	–
37 Syphilis	210	18	2	8	1	1	–	–	–	3	3	38	1	3	14	1	–
38 Other Venereal Diseases	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
45 (*a*) Carcinoma (39-44)	2,747	185	30	127	37	19	21	28	19	71	35	367	23	150	202	39	50
(*b*) Sarcoma (39-44)	231	12	6	13	2	3	1	1	1	6	4	26	1	9	14	1	6
(*c*) Malignant Dis., other or not def. (39-44)	1,970	162	34	96	39	24	13	21	14	56	54	226	22	100	124	12	42
46 Other Tumours (Situation undefined)	47	1	2	4	–	–	1	–	–	–	–	7	3	2	1	1	1
47 Rheumatic Fever	234	17	9	16	2	–	1	2	1	8	3	28	1	8	17	6	6
48 (*a*) Chronic Rheumatism	89	6	6	2	1	–	–	–	1	3	1	7	–	2	–	3	9
(*b*) Osteo-arthritis	93	6	1	3	2	1	–	–	1	4	1	15	–	4	8	–	2
(*c*) Gout	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
49 Scurvy	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
50 Diabetes	445	25	13	27	3	5	1	4	3	13	9	52	6	19	13	3	9
51 Exophthalmic Goitre	55	2	2	2	2	–	1	–	–	–	1	8	–	4	1	1	2
52 Addison's Disease	32	2	–	–	2	–	–	–	1	–	–	3	1	2	1	1	–
53 (*a*) Leucocythæmia	46	3	1	4	–	–	–	–	1	1	–	5	–	3	3	–	1
(*b*) Lymphadenoma	30	2	1	4	1	–	–	–	–	1	2	5	–	1	–	1	–
54 Anæmia, Chlorosis	404	21	7	23	4	2	3	2	3	7	4	52	3	28	27	6	4
55 (*b*) Purpura	44	2	–	1	–	–	–	–	–	3	–	4	–	6	3	–	1
(*c*) Hæmophilia	11	1	–	1	–	1	–	–	–	–	–	–	–	1	2	–	–
(*d*) Other General Diseases (*a*)	10	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2
56 Alcoholism	165	7	1	4	1	–	1	–	1	6	3	23	2	12	7	3	1
57 Chronic Lead Poisoning	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
I. General Diseases—*continued.*																	
36 Rickets, Osteomalacia	–	–	–	15	3	–	–	–	1	1	–	–	–	–	5	–	–
37 Syphilis	2	–	–	88	1	–	–	–	–	17	2	3	–	1	3	–	–
38 Other Venereal Diseases	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
45 (*a*) Carcinoma (39-44)	29	5	18	780	38	8	8	14	89	152	32	39	8	8	89	12	15
(*b*) Sarcoma (39-44)	2	1	4	65	3	–	2	–	11	15	2	4	–	1	12	1	2
(*c*) Malignant Dis., other or not def. (39-44)	18	3	31	474	19	5	23	7	48	114	44	37	19	17	37	11	24
46 Other Tumours (Situation undefined)	–	–	–	15	1	–	–	–	2	2	1	–	–	–	3	–	–
47 Rheumatic Fever	–	–	2	65	3	1	–	–	4	14	6	1	–	2	10	–	1
48 (*a*) Chronic Rheumatism	2	–	–	13	1	–	–	–	–	16	8	–	1	2	5		–
(*b*) Osteo-arthritis	1	–	–	19	2	–	–	–	9	1	–	3	3	1	2	4	–
(*c*) Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49 Scurvy	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
50 Diabetes	1	–	8	124	8	–	4	1	8	28	11	7	5	3	25	3	4
51 Exophthalmic Goitre	2	–	1	14	1	–	–	–	5	2	1	1	–	–	2	–	–
52 Addison's Disease	–	–	1	9	–	–	4	–	1	2	–	1	–	–	1	–	–
53 (*a*) Leucocythæmia	–	–	–	12	–	–	–	–	2	4	1	2	–	–	2	–	1
(*b*) Lymphadenoma	1	–	–	5	–	–	1	–	1	–	1	–	1	–	2	–	–
54 Anæmia, Chlorosis	1	1	–	119	8	–	2	1	14	29	3	4	2	1	17	4	2
55 (*b*) Purpura	1	–	–	16	2	–	–	–	1	2	–	–	–	–	2	–	–
(*c*) Hæmophilia	–	–	–	4	–	–	–	–	–	1	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
56 Alcoholism	1	–	–	59	4	–	–	–	4	15	–	1	4	–	4	–	1
57 Chronic Lead Poisoning	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	51	2	–	1	–	1	–	–	–	2	2	5	1	2	2	–	1
61 (*a*) Cerebro-spinal Meningitis	85	3	–	2	–	–	1	–	–	2	–	3	–	5	4	1	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	978	35	11	51	17	2	1	5	11	49	6	72	7	45	41	6	20
62 Locomotor Ataxy	83	9	1	7	1	2	–	1	–	4	–	10	4	5	5	–	2
63 Other Diseases of Spinal Cord	318	21	5	16	3	4	–	1	1	6	5	43	2	18	23	6	7
64 Cerebral Hæmorrhage, Apoplexy	4,241	269	79	215	66	35	20	31	34	102	95	498	73	223	293	43	59
65 Softening of Brain	327	10	5	18	5	4	2	1	1	6	10	41	3	14	50	1	7
66 (*a*) Hemiplegia	547	57	17	20	6	6	8	7	1	12	10	54	4	28	17	7	18
(*c*) Paralysis, Cause or Nature unspecified (*b*)	115	7	5	3	1	–	1	–	1	6	5	10	2	–	7	2	4
67 General Paralysis of Insane	255	11	4	17	2	–	–	1	4	5	3	40	1	10	18	1	2
68 Other Insanity	177	11	2	6	1	–	1	–	1	3	5	7	3	14	16	–	2
69 Epilepsy	260	20	3	14	2	3	2	5	1	8	3	38	1	15	13	5	2
71 Convulsions (not Puerperal) (70)	746	64	8	35	9	3	3	4	5	19	10	72	7	41	30	10	6
72 Chorea	20	4	–	2	–	–	–	1	–	–	–	4	–	2	–	–	–
73 Neuralgia, Neuritis	62	1	–	2	–	–	–	–	–	3	–	6	1	5	1	–	–
74 (*c*) Cerebral Tumour	143	10	–	10	1	–	–	1	–	4	4	20	2	7	17	2	2
(*d*) Other Diseases of Nervous System (*a*, *b*)	107	3	4	5	1	–	1	2	3	1	–	18	–	3	15	–	1
75 Diseases of Eye and Annexa	6	1	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1
76 (*a*) Mastoid Disease	35	4	1	1	–	–	–	1	–	–	–	3	1	–	–	–	1
(*b*) Diseases of Ear	114	4	2	6	–	1	–	1	2	4	1	11	–	5	13	–	2

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	3	–	–	14	2	–	–	1	2	3	3	–	–	2	1	–	1
61 (*a*) Cerebro-spinal Meningitis	2		–	53	1	–	–	–	–	6	–	–	–	–	2	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	5	2	9	378	24	1	2	2	22	81	12	7	8	3	35	3	5
62 Locomotor Ataxy	–	–	–	18	2	–	3	–	2	4	1	–	–	–	2	–	–
63 Other Diseases of Spinal Cord	3	2	2	88	3	1	1	1	12	14	5	7	4	1	7	2	4
64 Cerebral Hæmorrhage, Apoplexy	33	9	41	1,170	60	7	24	13	119	314	42	60	15	25	125	18	31
65 Softening of Brain	2	1	5	73	1	1	1	3	10	22	2	9	2	–	14	–	3
66 (*a*) Hemiplegia	8	1	4	123	7	1	1	4	20	38	35	6	3	11	7	6	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	–	–	–	29	4	–	1	–	3	8	7	2	2	2	3	–	–
67 General Paralysis of Insane	–	–	1	104	2	1	3	1	6	9	1	2	–	–	4	–	2
68 Other Insanity	1	1	–	66	–	–	2	–	4	16	4	1	1	2	4	1	2
69 Epilepsy	4	–	–	73	5	–	1	1	11	14	3	4	–	1	4	2	2
71 Convulsions (not Puerperal) (70)	4	2	10	283	11	2	3	–	11	40	7	4	3	1	28	2	9
72 Chorea	–	–	–	5	–	–	–	–	1	1	–	–	–	–	–	–	–
73 Neuralgia, Neuritis	–	–	1	24	1	1	–	1	6	3	1	1	1	–	3	–	–
74 (*c*) Cerebral Tumour	–	–	3	44	1	–	–	1	4	5	1	–	1	1	2	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	1	–	–	27	1	–	5	–	4	–	2	–	3	–	5	1	1
75 Diseases of Eye and Annexa	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	–	–	–	17	–	–	–	–	–	2	1	–	–	–	2	–	1
(*b*) Diseases of Ear	–	–	–	34	2	1	–	–	2	12	–	1	1	–	9	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries)	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	58	4	1	2	–	–	–	3	–	2	–	6	1	1	5	1	2
78 Acute Endocarditis	132	4	1	3	1	1	–	1	–	6	3	17	–	5	10	2	–
79 (*a*) Valvular Disease	2,586	142	47	125	29	17	14	16	14	60	63	315	20	157	217	24	66
(*b*) Fatty Degeneration of Heart	334	20	2	24	9	7	1	–	3	6	11	80	1	21	18	2	3
(*c*) Other Organic Diseases of Heart	2,873	263	57	137	51	26	18	33	16	46	50	287	52	190	180	31	55
80 Angina Pectoris	213	18	2	4	4	2	2	2	–	3	4	26	3	16	12	4	9
81 (*a*) Aneurysm	161	14	1	7	1	2	2	–	1	2	1	35	1	6	5	–	2
(*b*) Arterio-sclerosis	367	25	5	11	10	1	1	1	2	3	1	43	8	9	34	3	8
(*c*) Other Diseases of Arteries	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
82 (*a*) Cerebral Embolism, Thrombosis	379	13	5	26	7	4	2	1	–	2	6	65	5	23	39	4	2
(*b*) Embolism and Thrombosis, not Cerebral	62	4	–	1	3	–	–	–	2	1	1	4	–	3	11	–	3
83 Diseases of Veins	48	6	–	3	1	–	–	–	2	2	–	10	–	1	2	–	1
84 (*a*) Lymphatism, Status Lymphaticus	10	1	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	13	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	13	3	–	1	–	–	–	–	–	–	1	2	–	–	2	1	–
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	14	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
87 (*b*) Laryngitis	109	6	3	12	2	–	–	–	–	6	2	10	4	13	8	2	–
(*c*) Other Diseases of Larynx (*a*)	43	–	–	–	1	1	–	–	–	–	1	4	–	2	2	–	–
88 Diseases of Thyroid	35	2	–	1	–	–	–	–	–	–	3	8	–	2	5	1	–
90 Bronchitis (89)	4,546	274	65	209	48	12	15	30	34	106	83	437	35	185	333	38	61
91 Broncho-pneumonia	2,342	141	14	105	19	4	3	6	4	76	27	241	11	102	182	8	23
92 Pneumonia	3,563	213	47	186	35	17	15	18	27	75	58	399	28	168	181	17	58
93 Pleurisy	298	15	2	19	1	1	–	3	3	6	6	33	–	12	19	4	8
94 (*a*) Pulmonary Apoplexy	15	2	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	403	30	5	23	2	1	3	1	3	13	4	36	5	18	30	4	5
95 Gangrene of Lung	7	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
96 Asthma	60	4	–	4	–	1	–	–	–	2	–	6	–	4	1	1	2
97 Pulmonary Emphysema	32	1	2	1	–	–	–	–	–	2	–	6	–	1	1	–	3
98 (*a*) Fibroid Diseases of Lung	72	2	–	9	–	1	–	1	–	3	–	9	1	4	3	–	2
(*b*) Other Diseases of Respiratory System	31	3	–	2	–	–	–	–	–	2	1	3	–	1	1	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
IV. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	–	–	–	17	2	1	–	–	2	4	–	–	–	–	4	–	–
78 Acute Endocarditis	1	1	1	47	1	–	1	–	5	14	1	2	–	–	3	–	1
79 (*a*) Valvular Disease	19	7	29	676	42	8	16	14	73	148	52	25	11	9	94	20	17
(*b*) Fatty Degeneration of Heart	1	–	4	55	4	–	1	1	9	19	1	7	4	2	13	2	3
(*c*) Other Organic Diseases of Heart	28	5	26	687	35	7	14	6	106	184	63	41	20	32	85	15	27
80 Angina Pectoris	–	1	2	53	3	–	3	–	7	18	2	5	1	–	4	–	3
81 (*a*) Aneurysm	–	–	1	55	4	–	–	1	4	13	1	1	–	–	1	–	–
(*b*) Arterio-sclerosis	4	1	1	149	–	1	5	1	8	17	1	1	2	–	11	–	–
(*c*) Other Diseases of Arteries	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	3	1	3	91	–	1	2	1	21	19	5	4	3	1	9	3	8
(*b*) Embolism and Thrombosis, not Cerebral	–	–	–	15	2	–	–	–	4	4	–	–	–	–	3	–	1
83 Diseases of Veins	–	1	–	11	1	–	–	–	–	2	2	–	–	–	2	–	1
84 (*a*) Lymphatism, Status Lymphaticus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	–	–	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	–	–	1	5	–	–	–	–	1	–	–	–	–	–	2	–	1
87 (*b*) Laryngitis	2	–	3	24	2	1	–	–	–	2	1	–	–	–	1	–	5
(*c*) Other Diseases of Larynx (*a*)	–	–	–	20	4	–	–	–	–	4	–	–	–	–	2	1	1
88 Diseases of Thyroid	–	–	–	8	–	–	–	–	1	2	–	–	–	–	1	1	–
90 Bronchitis (89)	32	4	35	1,625	67	8	33	10	103	363	71	30	22	16	123	10	29
91 Broncho-pneumonia	15	1	8	1,075	18	2	4	5	20	130	17	7	4	8	44	2	16
92 Pneumonia	17	3	25	1,291	38	4	7	10	76	277	65	22	10	10	132	15	19
93 Pleurisy	2	–	4	103	6	–	2	1	6	20	6	2	2	–	10	1	1
94 (*a*) Pulmonary Apoplexy	–	–	–	2	1	–	–	1	1	1	–	–	1	–	2	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	4	–	2	138	8	–	2	1	19	18	5	3	5	–	12	2	1
95 Congestion of Lungs	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
96 Asthma	1	–	–	16	2	–	–	–	6	1	5	1	–	1	1	–	1
97 Pulmonary Emphysema	–	–	–	11	–	–	–	–	–	3	–	–	–	–	1	–	–
98 (*a*) Fibroid Diseases of Lung	1	–	1	14	–	–	–	–	3	6	1	1	2	–	7	–	1
(*b*) Other Diseases of Respiratory System	–	–	–	12	–	–	–	–	1	4	–	–	–	1	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	35	4	–	–	3	–	–	–	–	2	1	1	–	2	2	–	1
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	90	6	–	5	1	–	–	2	–	4	2	9	–	5	3	2	2
102 Gastric Ulcer	363	23	10	21	3	3	1	3	2	6	5	38	5	14	26	4	17
103 Other Diseases of Stomach. Gastritis	564	29	14	32	12	3	4	7	4	8	10	47	4	36	32	7	9
104 Diarrhœa, Enteritis (under 2 years)	2306	95	11	161	22	1	1	13	7	49	21	191	7	97	181	14	2
105 Diarrhœa, Enteritis (over 2 years)	586	31	12	34	7	2	1	2	6	19	12	42	6	28	33	2	7
107 Intestinal Parasites (106) . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis . . .	410	38	7	25	1	2	1	1	3	6	8	45	5	34	26	2	5
109 (*a*) Hernia	200	22	3	12	1	–	–	–	1	3	4	24	6	12	10	2	4
(*b*) Intestinal Obstruction . .	319	24	9	11	5	–	1	5	2	12	1	28	5	14	20	4	4
110 Other Diseases of Intestine . .	192	16	7	15	3	1	–	2	1	1	3	27	2	11	10	–	3
111 Acute Yellow Atrophy of Liver .	11	1	–	1	–	–	–	–	–	1	1	–	–	1	1	–	–
112 Hydatids of Liver	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver	219	9	5	13	1	3	2	–	2	6	4	25	–	13	19	2	1
114 Gallstones	120	9	–	11	3	–	–	–	1	4	3	9	–	9	9	1	3
115 Other Diseases of Liver . .	169	9	1	16	1	1	3	–	3	13	–	15	1	3	7	2	1
116 Diseases of Spleen	18	–	–	2	–	–	–	–	1	–	–	1	–	1	–	–	–
117 Peritonitis, cause not specified .	141	9	4	16	2	–	–	1	1	6	2	12	–	8	5	–	1
118 Other Diseases of Digestive System	26	4	–	1	–	–	–	–	–	–	–	6	–	2	–	–	1

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	2	–	2	7	2	–	–	–	1	3	–	–	–	–	2	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	–	–	26	1	–	1	–	1	10	5	1	–	–	2	–	1
102 Gastric Ulcer	2	1	3	92	5	1	3	1	13	20	8	9	4	4	10	3	3
103 Other Dis. of Stomach. Gastritis	3	–	7	189	9	–	7	1	9	45	9	2	5	1	10	3	6
104 Diarrhœa, Enteritis (under 2 years)	9	–	6	1076	59	1	3	2	36	154	2	10	3	–	65	–	7
105 Diarrhœa, Enteritis (over 2 years)	7	–	2	217	16	–	6	1	11	42	3	4	8	–	18	3	4
107 Intestinal Parasites (106)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis	2	2	3	134	6	2	2	1	11	23	3	1	1	–	8	–	2
109 (*a*) Hernia	1	–	2	56	3	–	–	2	6	10	1	–	3	–	7	3	2
(*b*) Intestinal Obstruction	5	–	5	110	7	1	2	–	8	14	7	2	1	2	7	1	2
110 Other Diseases of Intestine	–	1	2	47	3	–	1	1	8	11	2	2	1	–	10	1	–
111 Acute Yellow Atrophy of Liver	–	–	–	2	1	–	–	–	–	–	–	1	–	–	1	–	–
112 Hydatids of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
113 Cirrhosis of Liver	2	1	1	64	6	2	–	1	8	9	4	2	1	–	8	2	3
114 Gallstones	–	–	3	35	1	–	2	1	2	7	–	2	1	–	3	–	1
115 Other Diseases of Liver	2	–	1	41	4	1	3	1	4	17	4	2	–	4	7	2	–
116 Diseases of Spleen	1	–	1	7	–	–	–	–	–	3	–	–	–	–	–	1	–
117 Peritonitis, cause not specified	–	1	–	34	2	1	–	1	6	9	6	2	–	1	9	2	–
118 Other Diseases of Digestive System	–	–	1	9	–	–	–	–	–	–	2	–	–	–	–	–	–

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
VI. DISEASES OF GENITO-URINARY SYSTEM.																	
119 Acute Nephritis	397	16	1	20	4	–	–	4	–	5	5	44	3	14	22	4	7
120 (*a*) Bright's Disease	1631	101	29	99	25	5	4	8	21	56	14	185	20	67	85	18	25
(*b*) Uræmia	115	8	2	7	1	2	–	1	2	1	2	7	2	6	12	1	5
122 Other Diseases of Kidney, Chyluria (121)	86	6	1	9	1	–	–	–	1	1	2	15	–	5	11	–	1
123 Urinary Calculus	31	2	–	–	3	–	–	–	–	–	–	8	–	–	4	–	–
124 Diseases of Bladder	220	14	6	10	6	2	1	1	2	6	9	22	4	10	12	1	7
125 Diseases of Urethra, Urinary Abscess	39	1	–	1	–	–	1	–	–	–	–	6	–	1	5	1	–
126 Diseases of Prostate	209	17	2	18	2	–	2	3	–	3	4	28	2	9	19	2	3
127 Diseases of Male Genital Organs (not Venereal)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	53	9	–	5	1	–	–	1	–	–	2	6	–	2	4	1	1
130 Other Diseases of Uterus	43	4	–	2	1	1	–	–	–	–	–	8	–	3	–	–	–
131 Cysts, and Other Tumours of Ovary	52	2	–	5	1	–	–	1	–	–	–	11	1	3	5	2	2
132 Other Diseases of Female Genital Organs	35	1	–	3	–	–	–	–		–	1	5	–	3	3	–	–
133 Non-puerperal Diseases of Breast	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (*a*) Abortion, Miscarriage	45	3	–	2	–	–	–	–	1	2	–	4	–	3	1	1	1
(*c*) Uncontrollable Vomiting	23	2	–	–	–	–	–	–	–	–	–	2	2	–	3	1	–
(*d*) Ectopic Gestation	8	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	25	2	–	–	–	–	–	–	–	–	–	6	–	1	–	–	–
135 Puerperal Hæmorrhage	100	4	–	10	–	–	–	–	–	6	2	11	–	8	9	–	–
136 Other Accidents of Childbirth	138	3	1	7	1	–	1	2	1	9	–	18	3	5	5	–	3
137 Puerperal Sepsis	173	7	1	8	1	–	–	1	–	4	2	12	2	11	6	6	3
138 Puerperal Albuminuria, Convulsions	137	9	1	5	2	2	–	–	1	8	3	19	1	8	6	2	2
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	1	1	1	2	–	–	1	–	2	1	4	–	4	1	–	1
140 (*a*) Puerperal Insanity	7	–	–	1	–	–	–	–	1	–	–	2	–	1	–	–	1
(*b*) Other Puerperal Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
VI. DISEASES OF GENITO-URINARY SYSTEM.																	
119 Acute Nephritis	1	1	4	182	3	–	1	1	7	24	6	3	2	2	11	–	–
120 (*a*) Bright's Disease	8	3	13	553	9	5	12	7	36	87	29	18	11	12	49	4	13
(*b*) Uræmia	1	–	–	34	1	1	1	2	1	4	2	2	2	1	2	–	2
122 Other Diseases of Kidney, Chyluria (121)	–	–	1	18	1	1	–	–	3	5	2	–	1	–	1	–	–
123 Urinary Calculus	1	–	–	5	–	–	1	–	–	3	1	–	1	–	1	1	–
124 Diseases of Bladder	3	1	3	43	2	2	2	–	13	18	3	2	1	3	7	3	1
125 Diseases of Urethra, Urinary Abscess	–	–	–	16	–	–	–	–	–	3	1	–	–	1	1	–	1
126 Diseases of Prostate	2	–	5	46	2	–	4	–	5	12	4	4	2	5	2	–	2
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	1	–	–	10	1	–	1	–	3	4	–	1	–	–	–	–	–
130 Other Diseases of Uterus	–	–	–	15	–	–	–	–	2	2	1	–	–	1	3	–	–
131 Cysts, and Other Tumours of Ovary	–	–	2	9	1	–	1	–	–	2	1	–	–	1	2	–	–
132 Other Diseases of Female Genital Organs	–	–	–	15	1	–	–	–	–	2	–	–	–	–	1	–	–
133 Non-puerperal Diseases of Breast	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (*a*) Abortion, Miscarriage	1	–	1	16	–	–	–	–	1	3	–	–	–	–	4	1	–
(*c*) Uncontrollable Vomiting	–	–	–	7	1	–	–	–	2	1	–	–	–	–	2	–	–
(*d*) Ectopic Gestation	–	–	–	2	–	–	–	–	–	–	1	–	–	–	3	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	–	–	13	–	–	–	–	–	–	1	–	–	1	1	–	–
135 Puerperal Hæmorrhage	–	–	–	27	–	–	–	–	2	11	1	–	1	–	7	–	1
136 Other Accidents of Childbirth	2	–	1	44	3	–	–	–	4	12	3	1	–	1	7	–	1
137 Puerperal Sepsis	1	–	–	83	4	1	1	–	1	10	3	–	–	–	4	–	1
138 Puerperal Albuminuria, Convulsions	1	1	3	35	2	–	–	–	2	12	3	1	2	–	6	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	1	–	15	1	1	–	1	–	1	–	–	–	–	2	–	–
140 (*a*) Puerperal Insanity	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(*b*) Other Puerperal Diseases	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-Lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (*a*) Senile Gangrene	231	18	3	13	3	–	2	7	3	3	8	28	–	9	21	2	7
(*b*) Noma, Cancrum Oris	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*)	43	2	1	4	–	–	–	–	–	1	1	3	1	2	8	1	–
143 Carbuncle, Boil	28	3	–	1	–	–	–	–	–	1	–	3	–	2	4	–	–
144 Phlegmon, Acute Abscess	119	11	–	1	1	–	–	1	1	5	3	20	1	7	6	2	4
145 Ulcer, Other Diseases of Skin and Cellular Tissue	95	11	6	5	1	1	–	–	1	–	1	8	–	10	9	–	1
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	110	8	2	5	–	–	–	1	–	3	–	14	–	7	5	2	–
147 Diseases of Joints	23	1	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.																	
150 Congenital Malformations	656	29	6	46	10	1	1	1	4	23	11	71	5	42	33	4	3
XI. DISEASES OF EARLY INFANCY.																	
151 (*a*) Premature Birth	2365	160	13	144	19	10	5	12	8	66	24	256	20	142	176	22	26
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1706	113	9	108	18	5	1	8	15	38	28	123	11	82	112	26	26
152 Other Diseases peculiar to Early Infancy	431	32	5	19	6	2	1	3	1	13	6	40	4	31	12	2	6
153 Lack of Care	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.																	
154 (*a*) Senile Dementia	95	8	2	2	1	2	2	3	–	1	1	8	1	13	2	–	7
(*b*) Senile Decay	3549	284	104	215	32	55	25	70	36	66	57	254	35	207	222	32	138

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (*a*) Senile Gangrene	4	–	8	47	3	1	1	3	11	8	5	4	–	1	2	2	4
(*b*) Noma, Cancrum Oris	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	–	–
(*d*) Other Gangrene (*c*)	–	–	–	13	1	–	–	–	–	4	–	–	–	–	1	–	–
143 Carbuncle, Boil	–	–	1	8	–	1	–	–	–	4	–	–	–	–	–	–	–
144 Phlegmon, Acute Abscess	1	–	1	36	–	1	–	–	2	9	2	–	–	–	4	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	–	–	–	24	3	1	–	–	4	6	–	1	–	–	1	–	1
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	2	–	–	43	2	–	–	–	1	11	–	–	–	–	3	–	1
147 Diseases of Joints	1	–	–	11	–	–	–	–	–	2	–	1	–	–	3	–	–
149 Other Diseases of Locomotor System (148)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.																	
150 Congenital Malformations	2	3	6	238	13	4	1	4	14	41	3	5	1	3	22	–	6
XI. DISEASES OF EARLY INFANCY.																	
151 (*a*) Premature Birth	16	2	15	849	51	3	8	5	41	138	12	22	6	5	75	1	13
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	14	1	7	580	61	–	2	3	36	141	14	15	4	6	87	7	5
152 Other Diseases peculiar to Early Infancy	6	1	2	183	3	–	1	–	6	20	4	–	3	1	18	–	–
153 Lack of Care	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.																	
154 (*a*) Senile Dementia	1	1	2	23	1	–	–	–	2	8	2	–	–	1	1	–	–
(*b*) Senile Decay	38	9	40	612	43	16	80	18	153	209	158	43	10	70	111	74	33

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—(1911)—*continued.*

	All Ages.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	253	24	1	10	4	2	–	1	3	1	4	23	1	17	31	1	5
164 Poisoning by Food	13	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–	1
165 Other Accidental Poisonings	58	5	–	1	–	–	1	1	1	–	–	13	–	1	7	–	–
167 Burns and Scalds (166)	405	27	5	19	3	1	2	1	2	7	4	42	1	23	25	2	6
168 Exposure to Poisonous Vapours	18	1	–	3	–	–	–	–	–	–	–	2	–	–	3	–	–
169 Drowning	505	35	30	21	8	2	5	3	3	22	5	25	9	20	17	7	22
170 Accidents with Fire Arms	23	6	1	1	–	–	–	–	1	–	–	2	–	–	–	–	2
171 Accidents with Instruments and Weapons	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls	247	13	1	14	–	1	–	2	3	9	2	43	2	13	6	1	3
173 (*a*) Accidents in Coal Mines	166	–	–	15	–	–	–	–	–	5	1	13	–	36	–	1	–
(*b*) Accidents in Other Mines	15	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
(*c*) Accidents in Quarries	11	2	1	–	–	–	–	–	–	–	–	1	–	4	–	–	–
174 Accidents with Machinery	56	5	–	1	1	–	–	–	–	2	1	6	–	4	–	–	–
175 (*a*) Accidents on Railways	145	7	–	9	–	–	–	–	2	8	1	16	–	11	8	1	1
(*b*) Acc. with Horses and Vehicles	81	14	–	9	–	1	–	–	–	1	2	11	1	8	2	1	1
(*c*) Accidents with Motor Vehicles	38	1	1	3	–	–	–	–	–	1	1	8	–	2	1	–	1
(*d*) Accidents with Tramways	13	1	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–
(*e*) Other Crushing Accidents	36	2	–	5	–	–	–	–	1	2	1	2	–	3	–	–	1
177 Hunger	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
180 Weather Agencies (178, 179)	41	1	1	–	1	–	–	–	1	4	1	2	–	2	1	1	2
186 (*a*) Overlaying	99	9	–	1	1	–	–	–	–	1	3	14	1	4	25	–	1
(*b*) Suffocation (otherwise)	109	2	–	4	2	–	1	–	1	3	2	16	–	5	3	1	–
(*c*) Other Accidents (176, 181, 185)	542	25	10	25	9	–	3	2	9	12	7	49	6	17	36	7	7
184 Homicide (182, 183)	11	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
190 Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	25	–	1	1	–	–	–	–	1	1	1	–	–	1	1	–	2
188 (*a*) Syncope	276	7	3	23	2	2	3	4	–	12	5	16	7	22	21	4	3
(*b*) Sudden Death (not otherwise defined)	36	1	–	–	–	–	–	5	–	7	–	–	1	–	4	–	–
189 (*a*) Heart Failure	693	42	12	50	5	3	9	7	3	17	14	53	9	37	47	5	18
(*c*) Teething	8	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	99	5	1	6	1	1	–	–	–	3	–	6	2	3	1	4	2
(*f*) Dis. not Specified, Nat. Causes	526	25	17	41	3	–	–	9	9	15	3	10	15	13	9	5	78

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1911—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
XIII. VIOLENT CAUSES.																	
163 Suicide	6	1	1	60	5	–	1	–	10	23	4	3	1	3	5	–	2
164 Poisoning by Food	–	–	–	1	4	–	–	–	–	3	–	–	–	–	–	–	–
165 Other Accidental Poisonings	–	–	–	22	1	–	–	–	2	1	–	2	–	–	–	–	–
167 Burns and Scalds (166)	1	–	2	153	9	–	2	–	7	24	4	3	1	2	25	1	1
168 Exposure to Poisonous Vapours	–	–	–	8	1	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning	13	1	10	136	6	–	3	2	13	25	15	5	–	9	23	5	5
170 Accidents with Fire Arms	–	–	1	4	–	–	–	–	1	–	1	–	–	–	2	–	1
171 Accidents with Instruments and Weapons	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
172 Accidental Falls	2	–	1	82	1	1	2	–	2	36	–	1	1	–	4	–	1
173 (*a*) Accidents in Coal Mines	–	–	–	79	4	–	–	–	–	–	–	–	–	–	12	–	–
(*b*) Accidents in Other Mines	–	–	–	1	10	–	–	–	–	–	–	–	–	–	1	–	–
(*c*) Accidents in Quarries	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–
174 Accidents with Machinery	1	–	–	28	–	–	–	–	1	5	–	1	–	–	–	–	–
175 (*a*) Accidents on Railways	1	1	–	48	5	–	–	–	10	7	1	1	3	–	3	–	1
(*b*) Acc. with Horses and Vehicles	–	–	2	16	3	–	1	–	2	3	–	–	–	–	1	1	1
(*c*) Accidents with Motor Vehicles	–	–	1	7	1	–	–	–	4	4	–	–	–	–	1	1	–
(*d*) Accidents with Tramways	–	–	–	4	–	–	–	–	–	1	–	–	–	–	1	–	–
(*e*) Other Crushing Accidents	–	–	–	4	3	–	–	1	1	9	–	–	1	–	–	–	–
177 Hunger	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179)	–	–	–	8	1	1	–	2	3	3	2	2	–	–	1	–	1
186 (*a*) Overlaying	1	–	–	31	–	–	–	–	1	3	–	–	–	–	1	–	2
(*b*) Suffocation (otherwise)	–	–	1	45	3	1	–	–	4	7	–	–	2	1	5	–	–
(*c*) Other Accidents (176, 181, 185)	4	1	3	220	7	–	–	1	16	29	9	1	1	1	18	3	4
184 Homicide (182, 183)	–	–	–	5	–	–	–	–	–	3	–	–	–	–	–	–	–
190 Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	1	–	–	1	–	–	2	–	1	1	4	4	–	–	1	1	–
188 (*a*) Syncope	3	–	–	81	4	–	–	3	16	19	2	2	1	–	10	1	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	11	–	–	–	–	1	2	1	–	–	–	2	1	–
189 (*a*) Heart Failure	3	3	7	195	8	1	3	5	12	61	14	13	1	8	16	9	3
(*c*) Teething	–	–	–	2	–	–	–	2	1	–	–	–	–	–	–	–	1
(*e*) Other Ill-defined Diseases (*b*, *d*)	–	–	–	38	3	–	–	–	4	4	1	2	–	2	9	1	–
(*f*) Dis. not Specified, Nat. Causes	2	–	4	152	1	3	19	1	8	29	19	2	–	9	9	9	7

Causes of Death in SCOTLAND (Both Sexes), by Months, in 1911.

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
All Causes	71732	6337	6682	6775	6503	6283	5243	5258	5410	5481	5707	5746	6307
I. GENERAL DISEASES.													
1 Enteric Fever	272	31	25	27	21	25	12	18	25	25	21	15	27
2 Typhus Fever	8	1	2	–	–	–	1	2	–	–	–	2	–
4 Malaria	6	–	–	–	–	.	3	–	–	–	2	1	–
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	5	–	–	–	–	1	–	2	2	–	–	–	–
Smallpox: Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	923	39	48	61	73	82	85	61	56	24	69	139	186
7 Scarlet Fever	451	55	42	40	26	29	26	33	22	27	58	46	47
8 Whooping-cough	2347	190	304	291	347	343	245	140	117	94	56	75	145
9 (*a*) Diphtheria	877	111	86	68	57	29	29	59	51	82	96	104	105
(*c*) Croup, Membr. Laryngitis (*b*)	54	9	8	3	2	1	4	3	2	9	4	6	3
10 Influenza	226	25	44	30	35	19	10	7	4	7	11	17	17
13 Cholera Nostras	7	–	–	–	–	–	–	1	1	4	1	–	–
14 Dysentery	10	1	–	1	–	–	3	–	1	2	1	1	–
18 Erysipelas	167	14	17	14	14	15	10	15	14	5	13	16	20
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	26	3	2	3	1	2	1	3	3	4	1	1	2
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	113	5	14	9	13	9	8	8	7	8	6	13	13
(*c*) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	33	4	–	3	4	5	1	3	7	1	1	3	1
28 Pulmonary Tuberculosis, Phthisis	5233	383	495	515	482	503	471	366	376	415	428	392	407
29 (*a*) Acute Phthisis	218	25	19	24	18	21	23	16	15	20	9	14	14
(*b*) Acute Miliary Tuberculosis	111	10	10	11	6	11	14	7	5	14	10	10	3
30 Tuberculous Meningitis	1048	86	76	114	112	114	86	91	100	75	70	59	65
31 Abdominal Tuberculosis	839	69	65	88	80	93	80	67	69	69	66	49	44
32 Tuberculosis of Spine	149	16	15	15	14	13	9	12	8	9	11	7	20
33 Tuberculosis of Joints	61	6	9	5	8	4	8	6	4	4	3	3	1
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	728	67	58	74	57	71	54	68	53	68	56	51	51
36 Rickets, Osteomalacia	52	7	9	9	2	6	6	3	–	3	2	5	–
37 Syphilis	210	17	14	20	20	18	9	19	14	21	26	13	19
38 Other Venereal Diseases	4	–	1	–	2	–	–	–	–	1	–	–	–
45 (*a*) Carcinoma (39-44)	2747	213	212	229	196	228	231	216	284	222	244	209	263
(*b*) Sarcoma (39-44)	231	16	27	28	13	15	14	21	21	19	23	18	16
(*c*) Malignant Disease, other or not defined (39-44)	1970	178	153	154	147	169	143	167	178	173	178	162	168
46 Other Tumours (Situation undefined)	47	1	2	3	4	3	7	3	2	2	8	7	5
47 Rheumatic Fever	234	23	24	26	13	20	17	15	12	18	20	19	27
48 (*a*) Chronic Rheumatism	89	4	9	4	8	7	6	5	9	4	14	9	10
(*b*) Osteo-arthritis	93	8	4	6	14	13	2	8	7	3	5	12	11
(*c*) Gout	3	–	1	–	–	–	–	–	1	–	–	–	1
49 Scurvy	3	–	–	–	1	1	–	–	–	–	–	–	1
50 Diabetes	445	31	31	51	35	27	38	41	32	49	47	30	33
51 Exophthalmic Goitre	55	7	–	7	2	3	4	5	7	7	8	2	3
52 Addison's Disease	32	1	4	4	3	–	2	3	2	1	2	7	3
53 (*a*) Leucocythæmia	46	4	1	4	5	8	–	4	3	3	5	2	7
(*b*) Lymphadenoma	30	3	4	4	1	1	2	3	2	2	1	6	1
54 Anæmia, Chlorosis	404	28	32	30	38	41	43	36	34	41	24	25	32
55 (*b*) Purpura	44	7	3	3	5	5	2	6	2	2	6	2	1
(*c*) Hæmophilia	11	1	–	3	–	–	–	3	–	–	–	2	2
(*d*) Other General Diseases (*a*)	10	1	–	–	2	3	–	1	–	–	2	–	1
56 Alcoholism	165	20	15	12	15	11	10	11	16	10	12	17	16
57 Chronic Lead Poisoning	4	–	–	–	1	–	1	–	2	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	51	3	8	4	3	5	4	4	3	4	5	5	3
61 (*a*) Cerebro-Spinal Meningitis	85	8	5	7	11	9	9	8	8	7	2	6	5
(*c*) Meningitis, Basal, Nature unspecified (*b*)	978	72	77	104	97	88	81	81	93	94	65	60	66
62 Locomotor Ataxy	83	9	12	9	6	6	6	7	2	6	8	8	4
63 Other Diseases of Spinal Cord	318	28	26	29	39	20	22	25	13	33	23	29	31
64 Cerebral Hæmorrhage, Apoplexy	4241	373	363	364	375	406	320	337	331	312	361	344	355
65 Softening of Brain	327	28	23	38	25	31	30	32	16	25	27	22	30
66 (*a*) Hemiplegia	547	51	66	45	40	38	55	40	35	43	46	47	41
(*c*) Paralysis, Cause or Nature unspecified (*b*)	115	11	11	13	5	7	11	13	5	3	15	13	8
67 General Paralysis of Insane	255	17	32	29	20	17	18	26	18	19	15	23	21
68 Other Insanity	177	16	10	16	8	15	26	14	19	12	17	13	11
69 Epilepsy	260	17	28	24	32	23	16	25	14	15	24	14	28
71 Convulsions (not Puerperal) (70)	746	72	86	72	75	77	51	42	43	45	51	52	80
72 Chorea	20	2	–	1	2	1	1	3	2	2	2	–	4
73 Neuralgia, Neuritis	62	6	10	8	1	5	3	4	–	8	4	6	7
74 (*c*) Cerebral Tumour	143	10	17	15	13	11	12	10	6	15	10	8	16
(*d*) Other Diseases of Nervous System (*a*, *b*)	107	11	8	9	9	12	13	6	4	7	13	7	8
75 Diseases of Eye and Annexa	6	–	1	–	1	–	–	–	2	–	1	1	–
76 (*a*) Mastoid Disease	35	4	4	3	3	4	1	3	3	4	3	2	1
(*b*) Diseases of Ear	114	18	6	16	10	12	5	8	4	8	6	14	7
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	58	9	3	9	6	4	4	2	1	9	1	5	5
78 Acute Endocarditis	132	9	13	21	4	10	10	15	7	9	11	14	9
79 (*a*) Valvular Disease	2586	220	239	233	231	232	193	205	187	180	198	230	238
(*b*) Fatty Degeneration of Heart	334	31	20	33	30	33	23	24	25	28	26	34	27
(*c*) Other Organic Diseases of Heart	2873	258	258	296	237	255	229	234	190	210	235	216	255
80 Angina Pectoris	213	13	17	20	11	16	19	18	12	15	28	22	22
81 (*a*) Aneurysm	161	14	18	14	11	12	15	7	14	14	20	9	13
(*b*) Arterio-sclerosis	367	29	17	37	41	32	23	28	33	29	30	33	35
(*c*) Other Diseases of Arteries	2	1	–	–	–	–	–	–	–	–	–	1	–
82 (*a*) Cerebral Embolism, Thrombosis	379	44	40	35	35	33	21	32	23	32	30	29	25
(*b*) Embolism and Thrombosis, not Cerebral	62	11	7	7	6	4	2	1	5	2	7	5	5
83 Diseases of Veins	48	1	3	3	7	5	2	6	6	4	2	4	5
84 (*a*) Lymphatism, Status Lymphaticus	10	1	–	–	3	1	–	2	1	–	1	–	1
(*b*) Other Dis. of Lymphatic System	13	1	1	1	1	2	–	–	–	1	1	2	3
85 Hæmorrhage, Other Diseases of Circulatory System	13	–	1	5	–	2	–	1	2	1	–	1	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	14	4	–	–	1	2	1	2	1	1	1	–	1
87 (*b*) Laryngitis	109	19	13	9	9	3	9	6	5	6	14	11	5
(*c*) Other Diseases of Larynx (*a*)	43	5	4	5	7	4	3	1	3	1	3	5	2
88 Diseases of Thyroid	35	1	1	4	4	6	1	3	1	3	7	3	1
90 Bronchitis (89)	4546	517	659	537	474	308	230	181	128	182	360	438	532
91 Broncho-pneumonia	2342	233	295	253	251	149	96	94	76	97	192	248	358
92 Pneumonia	3563	375	383	401	480	286	244	208	136	182	274	286	308
93 Pleurisy	298	23	30	29	29	33	28	24	19	18	22	23	20
94 (*a*) Pulmonary Apoplexy	15	2	–	1	1	–	3	–	1	1	1	3	2
(*b*) Pulmonary Congestion (*c*, *d*)	403	38	42	49	43	38	20	20	23	22	26	42	40
95 Gangrene of Lung	7	–	–	2	2	1	–	1	–	–	1	–	–
96 Asthma	60	7	11	5	3	4	3	3	4	3	6	5	6
97 Pulmonary Emphysema	32	2	4	4	2	5	2	2	3	–	2	2	4
98 (*a*) Fibroid Diseases of Lung	72	7	7	4	4	7	7	5	4	5	8	8	6
(*b*) Other Diseases of Respiratory System	31	1	4	1	1	5	2	2	6	1	6	2	–

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	35	2	3	2	2	–	4	3	9	1	4	2	3
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	90	7	7	8	9	5	9	9	7	4	10	7	8
102 Gastric Ulcer – – – –	363	35	26	38	23	36	26	22	21	30	30	32	44
103 Other Dis. of Stomach. Gastritis	564	53	53	43	42	44	35	49	58	69	50	31	37
104 Diarrhœa, Enteritis (under 2 years)	2306	106	77	101	95	84	101	182	585	566	217	103	89
105 Diarrhœa, Enteritis (over 2 years)	586	41	38	38	28	37	47	48	122	70	47	29	41
107 Intestinal Parasites (106) – –	1	–	–	–	–	–	–	1	–	–	–	–	–
108 Appendicitis, Typhlitis – –	410	32	26	35	29	42	34	35	47	42	35	22	31
109 (*a*) Hernia – – – –	200	21	17	16	11	22	16	21	15	21	11	19	10
(*b*) Intestinal Obstruction – –	319	27	28	26	27	30	31	23	28	27	19	22	31
110 Other Diseases of Intestine –	192	12	20	22	15	24	19	13	16	10	17	19	5
111 Acute Yellow Atrophy of Liver –	11	2	1	–	1	1	–	1	–	–	1	1	3
112 Hydatids of Liver – – –	1	–	–	–	–	1	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	219	22	21	16	25	20	8	27	12	17	17	18	16
114 Gallstones – – – – –	120	13	15	6	10	15	8	6	11	12	9	11	4
115 Other Diseases of Liver – –	169	17	14	7	17	18	11	15	15	16	14	13	12
116 Diseases of Spleen – – –	18	1	–	1	1	–	2	1	3	4	3	2	–
117 Peritonitis, cause not specified –	141	11	8	11	10	14	18	12	10	8	14	16	9
118 Other Diseases of Digestive System	26	1	3	4	1	2	1	2	4	3	–	–	5
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	397	35	44	24	39	35	29	40	37	20	24	36	34
120 (*a*) Bright's Disease – – –	1631	139	153	157	126	162	123	112	128	131	129	123	148
(*b*) Uræmia – – – –	115	8	8	17	9	16	6	7	10	8	9	11	6
122 Other Dis. of Kidney, Chyluria (121)	86	8	8	5	5	12	14	7	5	10	2	6	4
123 Urinary Calculus – – –	31	–	4	4	3	2	3	2	4	2	2	2	3
124 Diseases of Bladder – – –	220	21	21	20	20	17	22	21	17	24	10	14	13
125 Dis. of Urethra, Urinary Abscess	39	6	3	2	3	7	5	1	3	3	2	4	–
126 Diseases of Prostate – – –	209	16	22	19	16	17	20	16	18	18	14	17	16
127 Diseases of Male Genital Organs (not Venereal)	3	–	–	–	1	–	–	–	–	–	–	–	2
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	–	–	–	2	–	–	1	–	1	–	–	–
129 Uterine Tumour (non-Cancerous)	53	5	2	2	4	6	2	6	4	6	5	2	9
130 Other Diseases of Uterus – –	43	4	4	3	3	6	3	3	3	5	3	3	3
131 Cysts, and Other Tumours of Ovary	52	5	5	7	3	3	4	1	2	5	7	6	4
132 Other Dis. of Female Genit. Organs	35	2	3	2	4	3	5	3	1	3	1	4	4
133 Non-Puerperal Diseases of Breast	4	–	–	–	1	–	1	–	–	–	1	1	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	45	6	3	3	4	5	4	5	3	4	2	4	2
(*c*) Uncontrollable Vomiting –	23	3	1	2	2	2	2	–	2	1	3	3	2
(*d*) Ectopic Gestation – –	8	–	1	–	1	2	–	–	1	1	1	1	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	25	4	2	3	1	3	1	1	2	4	3	1	–
135 Puerperal Hæmorrhage – –	100	6	5	11	15	9	11	4	16	6	5	8	4
136 Other Accidents of Childbirth –	138	10	13	8	19	15	14	4	8	8	13	13	13
137 Puerperal Sepsis – – –	173	17	11	12	22	15	14	14	12	10	19	10	17
138 Puerp. Albuminuria, Convulsions	137	9	16	15	14	13	11	12	6	14	10	12	5
139 Puerperal Plegmasia Alba Dolens, Phlebitis, Embolism	41	5	3	4	5	2	3	5	2	–	3	3	6
140 (*a*) Puerperal Insanity – –	7	1	1	1	–	1	–	2	1	–	–	–	–
(*b*) Other Puerperal Diseases –	1	–	–	1	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast –	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	231	18	20	19	30	21	16	20	18	15	13	22	19
(*b*) Noma, Cancrum Oris – –	5	–	2	–	–	–	–	–	1	–	–	2	–
(*d*) Other Gangrene (*c*) – –	43	7	5	2	2	5	3	4	2	2	4	1	6
143 Carbuncle, Boil – – – –	28	3	2	3	3	4	–	–	3	2	2	3	3
144 Phlegmon, Acute Abscess – –	119	9	6	13	13	8	9	6	11	10	9	11	14
145 Ulcer, Other Diseases of Skin and Cellular Tissue	95	8	6	7	8	8	7	8	7	10	11	4	11

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	110	7	6	7	11	6	9	11	14	8	10	11	10
147 Diseases of Joints – – –	23	2	5	1	1	3	2	–	2	1	1	2	3
149 Other Dis. of Locomotor Syst. (148)	1	–	–	–	–	1	–	–	–	–	–	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	656	61	49	64	52	71	45	56	49	58	50	50	51
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	2365	227	223	207	205	238	182	201	177	157	190	169	189
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	1706	172	151	138	128	140	123	126	146	148	119	143	172
152 Other Diseases peculiar to Early Infancy	431	33	31	44	40	41	29	35	28	39	35	37	39
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	95	7	13	10	5	12	3	11	11	4	7	5	7
(*b*) Senile Decay – – –	3549	332	320	374	347	321	237	238	232	237	293	300	318
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	253	16	20	23	23	28	21	23	19	21	16	30	13
164 Poisoning by Food – – –	13	–	2	2	–	1	1	1	3	2	–	–	1
165 Other Accidental Poisonings –	58	3	7	3	4	8	5	3	1	4	4	7	9
167 Burns and Scalds (166) – –	405	46	28	36	42	35	17	31	27	31	27	45	40
168 Exposure to Poisonous Vapours –	18	–	2	6	1	–	3	–	–	2	2	–	2
169 Drowning – – – – –	505	43	42	33	28	46	38	74	64	27	33	46	31
170 Accidents with Fire Arms – –	23	2	5	1	1	1	2	2	2	1	2	1	3
171 Accidents with Instruments and Weapons	2	–	–	–	–	1	1	–	–	–	–	–	–
172 Accidental Falls – – –	247	18	20	10	15	24	17	28	24	23	25	16	27
173 (*a*) Accidents in Coal Mines –	166	8	14	21	17	15	10	12	10	8	18	15	18
(*b*) Accidents in Other Mines –	15	2	1	–	1	–	1	4	–	1	3	2	–
(*c*) Accidents in Quarries – –	11	–	–	–	2	2	–	–	2	–	–	3	2
174 Accidents with Machinery – –	56	4	1	5	4	6	3	4	4	5	6	8	6
175 (*a*) Accidents on Railways – –	145	11	12	9	11	15	11	11	12	13	8	17	15
(*b*) Acc. with Horses and Vehicles	81	3	2	7	9	8	7	9	8	8	8	5	7
(*c*) Accidents with Motor Vehicles	38	3	6	1	2	2	1	6	8	5	–	4	–
(*d*) Accidents with Tramways –	13	1	–	1	2	2	–	1	1	2	1	1	1
(*e*) Other Crushing Accidents –	36	3	4	4	1	4	–	3	1	4	5	2	5
177 Hunger – – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
180 Weather Agencies (178, 179) –	41	6	2	2	2	2	5	3	6	1	1	7	4
186 (*a*) Overlaying – – – –	99	10	5	12	12	7	2	9	9	9	10	7	7
(*b*) Suffocation (otherwise) – –	109	7	20	15	9	8	7	7	7	4	6	11	8
(*c*) Other Accidents (176, 181, 185)	542	36	40	35	39	66	31	56	45	44	55	57	38
184 Homicide (182, 183) – – –	11	1	3	1	1	–	–	2	1	1	–	–	1
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – –	25	1	5	3	2	1	–	5	2	2	2	1	1
188 (*a*) Syncope – – – –	276	28	22	33	24	24	25	20	17	12	17	29	25
(*b*) Sudden Death (not otherwise defined)	36	–	6	3	6	1	4	1	1	5	2	4	3
189 (*a*) Heart Failure – – –	693	69	52	46	57	54	53	66	37	63	70	62	64
(*c*) Teething – – – –	8	1	1	–	1	1	–	2	–	1	–	1	–
(*e*) Other Ill-defined Diseases (*b, d*)	99	10	10	13	7	13	9	4	6	6	7	6	8
(*f*) Dis. not Specified, Nat. Causes	526	54	53	48	60	33	43	45	37	35	38	42	38

Causes of Death in GLASGOW in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	13656	2964	1900	424	242	634	821	1119	1348	1580	1679	945	-
I. GENERAL DISEASES.													
1 Enteric Fever	59	-	3	2	1	8	28	10	4	2	-	1	-
2 Typhus Fever	3	-	-	-	-	1	-	2	-	-	-	-	-
4 Malaria	1	-	-	-	-	-	-	1	-	-	-	-	-
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	297	64	218	15	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	91	3	53	23	6	4	1	1	-	-	-	-	-
8 Whooping-cough	645	269	352	24	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	177	20	101	43	12	-	1	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	2	1	-	1	-	-	-	-	-	-	-	-	-
10 Influenza	23	4	-	1	-	-	-	-	3	2	9	4	-
13 Cholera Nostras	6	2	1	1	1	-	-	-	1	-	-	-	-
14 Dysentery	2	-	-	-	-	-	-	-	-	2	-	-	-
18 Erysipelas	43	6	1	-	-	3	3	7	13	6	4	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	6	2	2	-	-	1	1	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	19	-	2	-	4	3	3	5	-	1	1	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	8	1	-	1	3	-	1	-	1	1	-	-	-
28 Pulmonary Tuberculosis, Phthisis	1111	5	37	24	37	240	260	243	147	82	34	2	-
29 (*a*) Acute Phthisis	43	-	1	1	4	14	9	7	5	2	-	-	-
(*b*) Acute Miliary Tuberculosis	16	2	5	1	1	2	3	2	-	-	-	-	-
30 Tuberculous Meningitis	239	74	115	22	9	12	2	3	2	-	-	-	-
31 Abdominal Tuberculosis	169	32	65	29	12	11	8	8	1	1	1	1	-
32 Tuberculosis of Spine	31	-	5	7	5	6	1	1	6	-	-	-	-
33 Tuberculosis of Joints	13	-	4	1	2	1	2	1	1	-	1	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	159	26	44	17	8	22	11	15	9	5	2	-	-
36 Rickets, Osteomalacia	10	5	4	-	-	-	-	-	1	-	-	-	-
37 Syphilis	68	57	3	-	-	-	2	3	2	1	-	-	-
38 Other Venereal Diseases	1	1	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	469	-	-	-	-	3	16	42	106	147	114	41	-
(*b*) Sarcoma } 39-44	38	-	-	2	2	2	5	2	8	10	4	3	-
(*c*) Malignant Disease, other or not defined } 39-44	302	-	1	-	-	2	6	29	48	121	74	21	-
46 Other Tumours (Situation undefined)	6	-	-	-	1	-	-	2	-	3	-	-	-
47 Rheumatic Fever	29	-	-	4	5	9	4	3	3	1	-	-	-
48 (*a*) Chronic Rheumatism	4	-	-	-	-	-	-	-	1	-	2	1	-
(*b*) Osteo-arthritis	13	-	-	-	-	-	-	-	-	8	3	2	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	70	-	-	-	2	4	6	7	10	17	21	3	-
51 Exophthalmic Goitre	9	-	-	-	-	1	-	5	1	2	-	-	-
52 Addison's Disease	4	-	-	-	1	-	2	-	1	-	-	-	-
53 (*a*) Leucocythæmia	7	1	-	-	1	-	2	2	-	-	-	1	-
(*b*) Lymphadenoma	3	-	-	-	-	1	-	2	-	-	-	-	-
54 Anæmia, Chlorosis	59	2	1	1	1	2	1	10	13	19	8	1	-
55 (*b*) Purpura	7	4	1	-	-	-	1	-	-	1	-	-	-
(*c*) Hæmophilia	1	1	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	1	1	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	38	-	-	-	-	-	3	11	17	4	2	1	-
57 Chronic Lead Poisoning	4	-	-	-	-	-	-	1	3	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	9	4	1	–	1	1	1	1	–	–	–	–	–
61 (*a*) Cerebro-Spinal Meningitis	43	15	10	13	2	2	–	–	1	–	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	163	58	57	27	5	5	3	3	4	1	–	–	–
62 Locomotor Ataxy	12	–	–	–	–	1	–	2	4	3	2	–	–
63 Other Diseases of Spinal Cord	45	–	–	1	1	4	8	3	8	9	9	2	–
64 Cerebral Hæmorrhage, Apoplexy	690	4	2	1	2	4	8	31	102	181	247	108	–
65 Softening of Brain	40	–	–	–	–	–	–	2	8	8	18	4	–
66 (*a*) Hemiplegia	84	–	–	–	–	1	1	2	6	26	32	16	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	15	–	–	1	–	–	–	2	4	2	4	2	–
67 General Paralysis of Insane	75	–	–	–	–	–	7	36	23	6	3	–	–
68 Other Insanity	52	–	–	–	–	1	10	8	10	16	4	3	–
69 Epilepsy	37	–	1	1	2	9	4	8	5	4	2	1	–
71 Convulsions (not Puerperal) (70)	180	135	41	3	1	–	–	–	–	–	–	–	–
72 Chorea	3	–	–	1	–	2	–	–	–	–	–	–	–
73 Neuralgia, Neuritis	17	–	–	–	–	–	1	5	3	3	3	2	–
74 (*c*) Cerebral Tumour	26	–	1	4	1	3	5	3	4	5	–	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	15	1	–	1	–	1	1	–	4	1	4	2	–
75 Diseases of Eye and Annexa	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	12	2	2	1	3	2	–	2	–	–	–	–	–
(*b*) Diseases of Ear	16	5	2	2	2	1	–	–	2	–	1	1	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	9	–	–	1	1	3	1	–	1	1	1	–	–
78 Acute Endocarditis	23	1	–	2	6	5	2	3	3	1	–	–	–
79 (*a*) Valvular Disease	407	2	–	8	10	35	34	60	57	84	85	32	–
(*b*) Fatty Degeneration of Heart	30	–	–	–	1	1	–	2	9	8	4	5	–
(*c*) Other Organic Diseases of Heart	394	2	–	2	5	19	15	33	60	92	116	50	–
80 Angina Pectoris	29	–	1	–	–	–	–	2	4	12	8	2	–
81 (*a*) Aneurysm	35	–	–	–	–	–	3	7	13	4	7	1	–
(*b*) Arterio-sclerosis	123	–	–	–	–	–	–	1	3	19	50	50	–
(*c*) Other Diseases of Arteries	–	–	–	–	–	–	–	–	–	–	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	59	–	–	–	–	1	–	2	7	11	21	17	–
(*b*) Embolism and Thrombosis, not Cerebral	9	–	–	–	–	1	2	2	–	1	3	–	–
83 Diseases of Veins	8	–	–	–	–	1	3	–	1	–	2	1	–
84 (*a*) Lymphatism, Status Lymphaticus	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	4	–	1	1	–	–	–	1	1	–	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	1	–	–	–	–	–	–	–	–	–	–	1	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	2	–	–	–	–	2	–	–	–	–	–	–	–
87 (*b*) Laryngitis	12	2	8	–	–	–	–	1	–	–	–	1	–
(*c*) Other Diseases of Larynx (*a*)	11	8	3	–	–	–	–	–	–	–	–	–	–
88 Diseases of Thyroid	5	–	–	–	–	–	–	1	2	2	–	–	–
90 Bronchitis (89)	954	203	93	5	3	4	9	38	91	161	216	131	–
91 Broncho-pneumonia	618	237	244	13	4	5	8	11	29	24	28	15	–
92 Pneumonia	807	107	116	19	19	30	69	92	121	110	94	30	–
93 Pleurisy	59	3	2	3	–	3	9	10	9	7	7	6	–
94 (*a*) Pulmonary Apoplexy	2	–	–	–	–	–	–	1	–	1	–	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	80	35	12	2	–	1	2	2	3	5	9	9	–
95 Gangrene of Lung	3	–	–	–	–	–	–	2	–	–	1	–	–
96 Asthma	9	–	–	–	–	1	–	1	3	2	2	–	–
97 Pulmonary Emphysema	6	–	–	–	–	–	–	3	1	1	–	1	–
98 (*a*) Fibroid Diseases of Lung	11	–	–	–	–	1	–	1	7	2	–	–	–
(*b*) Other Diseases of Respiratory System	7	1	1	1	–	–	1	2	–	1	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	5	3	-	-	-	-	-	-	-	1	1	-	-
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	10	-	5	1	-	3	1	-	-	-	-	-	-
102 Gastric Ulcer - - - -	58	1	-	-	1	4	13	13	11	9	4	2	-
103 Other Dis. of Stomach. Gastritis	102	47	15	1	1	3	4	4	1	8	6	12	-
104 Diarrhœa, Enteritis (under 2 years)	543	431	112	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	123	-	29	7	2	4	3	9	14	9	26	20	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	83	-	4	15	17	15	8	9	7	4	2	2	-
109 (a) Hernia - - - -	28	-	3	-	-	-	2	-	6	7	7	3	-
(b) Intestinal Obstruction - -	62	13	6	6	2	3	6	4	4	9	5	4	-
110 Other Diseases of Intestine - -	31	2	-	2	-	1	4	5	7	5	3	2	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	38	-	-	-	1	-	1	5	11	9	9	2	-
114 Gallstones - - - - -	23	-	-	-	-	-	1	3	4	3	8	4	-
115 Other Diseases of Liver - -	21	-	2	-	-	-	1	4	5	4	4	1	-
116 Diseases of Spleen - - -	4	-	-	-	1	1	-	-	-	2	-	-	-
117 Peritonitis, cause not specified -	22	4	3	1	1	2	3	2	2	1	2	1	-
118 Other Diseases of Digestive System	6	-	-	-	-	1	1	1	-	1	2	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	123	6	11	10	1	5	11	9	22	23	18	7	-
120 (a) Bright's Disease - - -	346	-	1	2	1	12	30	40	86	90	67	17	-
(b) Uræmia - - - -	23	-	-	-	1	1	1	2	8	4	5	1	-
122 Other Dis. of Kidney, Chyluria (121)	13	2	1	-	-	-	2	2	1	1	4	-	-
123 Urinary Calculus - - -	3	-	-	-	-	-	-	1	-	1	1	-	-
124 Diseases of Bladder - - -	30	-	-	-	-	-	1	3	6	6	7	7	-
125 Dis. of Urethra, Urinary Abscess	11	-	-	-	-	-	1	1	4	3	2	-	-
126 Diseases of Prostate - - -	21	-	-	-	-	-	-	-	-	5	7	9	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	2	-	-	-	-	-	-	1	1	-	-	-	-
129 Uterine Tumour (non-Cancerous)	3	-	-	-	-	-	-	2	1	-	-	-	-
130 Other Diseases of Uterus - -	8	-	-	-	-	-	3	-	4	1	-	-	-
131 Cysts, and Other Tumours of Ovary	4	-	-	-	-	1	-	1	-	2	-	-	-
132 Other Dis. of Female Genit. Organs	10	-	-	-	-	2	3	3	2	-	-	-	-
133 Non-Puerperal Diseases of Breast	2	1	-	-	-	1	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	8	-	-	-	-	-	4	4	-	-	-	-	-
(c) Uncontrollable Vomiting -	3	-	-	-	-	1	2	-	-	-	-	-	-
(d) Ectopic Gestation - -	2	-	-	-	-	-	2	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	9	-	-	-	-	1	3	4	1	-	-	-	-
135 Puerperal Hæmorrhage - -	16	-	-	-	-	2	6	8	-	-	-	-	-
136 Other Accidents of Childbirth	17	-	-	-	-	1	11	5	-	-	-	-	-
137 Puerperal Sepsis - - -	54	-	-	-	-	16	21	16	1	-	-	-	-
138 Puerp. Albuminuria, Convulsions	14	-	-	-	-	2	7	5	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	10	-	-	-	-	1	4	5	-	-	-	-	-
140 (a) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - -	28	-	-	-	-	-	-	-	-	1	17	10	-
(b) Noma, Cancrum Oris - -	1	-	1	-	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - -	7	-	-	-	-	-	-	-	1	6	-	-	-
143 Carbuncle, Boil - - - -	4	1	1	-	-	-	-	1	-	-	1	-	-
144 Phlegmon, Acute Abscess - -	17	3	2	-	-	-	1	2	2	6	1	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	16	7	1	1	-	1	-	2	-	2	1	1	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	21	1	3	7	6	2	1	-	-	-	1	-	-
147 Diseases of Joints - - -	9	-	-	2	-	2	1	1	2	1	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	113	106	4	1	1	1	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	456	456	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	303	303	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	82	82	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	10	-	-	-	-	-	-	-	-	-	7	3	-
(*b*) Senile Decay - - -	319	-	-	-	-	-	-	-	-	-	106	213	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	34	-	-	-	-	1	11	6	7	5	4	-	-
164 Poisoning by Food - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
165 Other Accidental Poisonings -	11	-	2	-	-	2	2	3	2	-	-	-	-
167 Burns and Scalds (166) - -	97	4	45	11	2	3	7	8	6	3	4	4	-
168 Exposure to Poisonous Vapours -	3	-	-	-	-	-	1	1	1	-	-	-	-
169 Drowning - - - - -	87	1	3	2	3	8	14	22	17	11	6	-	-
170 Accidents with Fire Arms - -	2	-	-	-	-	1	-	-	1	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	51	1	-	-	-	7	11	12	3	9	5	3	-
173 (*a*) Accidents in Coal Mines -	6	-	-	-	-	2	1	2	1	-	-	-	-
(*b*) Accidents in Other Mines -	1	-	-	-	-	-	1	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	16	-	-	-	-	3	2	6	2	1	2	-	-
175 (*a*) Accidents on Railways - -	19	-	-	-	-	5	3	4	2	4	1	-	-
(*b*) Acc. with Horses and Vehicles	10	-	-	1	2	1	-	2	2	2	-	-	-
(*c*) Accidents with Motor Vehicles	4	-	1	-	-	1	-	2	-	-	-	-	-
(*d*) Accidents with Tramways -	2	-	-	1	-	-	-	-	1	-	-	-	-
(*e*) Other Crushing Accidents -	2	-	-	-	-	1	1	-	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	4	-	-	-	-	-	-	-	2	1	-	1	-
186 (*a*) Overlaying - - - -	24	24	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	32	23	1	-	-	-	1	2	2	1	2	-	-
(*c*) Other Accidents (176, 181, 185)	146	1	8	15	9	4	8	29	27	13	21	11	-
184 Homicide (182, 183) - - -	5	3	-	-	-	1	-	-	-	-	1	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	41	3	-	-	-	-	2	11	10	4	7	4	-
(*b*) Sudden Death (not otherwise defined)	3	1	-	-	-	-	1	-	1	-	-	-	-
189 (*a*) Heart Failure - - -	114	-	-	-	1	2	3	9	16	32	26	25	-
(*c*) Teething - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b, d*)	20	-	10	-	-	1	-	2	1	5	1	-	-
(*f*) Dis. not Specified, Nat. Causes	86	26	8	5	2	-	-	9	10	13	12	1	-

Causes of Death in EDINBURGH in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	4733	754	387	94	45	185	294	363	499	622	818	672	-
I. GENERAL DISEASES.													
1 Enteric Fever	2	-	-	-	-	-	2	-	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (a) (b) Smallpox (c) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	64	16	45	1	-	1	1	-	-	-	-	-	-
7 Scarlet Fever	28	4	10	12	-	1	-	-	1	-	-	-	-
8 Whooping-cough	115	51	62	2	-	-	-	-	-	-	-	-	-
9 (a) Diphtheria	50	1	29	15	2	2	-	1	-	-	-	-	-
(c) Croup, Membr. Laryngitis (b)	3	-	3	-	-	-	-	-	-	-	-	-	-
10 Influenza	10	-	-	-	-	-	-	2	-	-	1	7	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	11	5	-	-	-	-	-	-	2	2	1	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	6	2	2	-	-	1	-	-	1	-	-	-	-
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	2	-	-	-	-	-	-	1	-	1	-	-	-
28 Pulmonary Tuberculosis, Phthisis	394	3	7	2	5	67	94	90	69	40	15	2	-
29 (a) Acute Phthisis	2	1	-	-	-	1	-	-	-	-	-	-	-
(b) Acute Miliary Tuberculosis	10	2	2	4	1	-	1	-	-	-	-	-	-
30 Tuberculous Meningitis	67	14	35	12	1	2	1	2	-	-	-	-	-
31 Abdominal Tuberculosis	38	10	8	2	2	3	3	3	5	1	1	-	-
32 Tuberculosis of Spine	11	-	-	1	1	3	3	-	2	-	1	-	-
33 Tuberculosis of Joints	1	-	-	-	-	-	-	-	-	-	1	-	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	65	7	11	5	5	5	11	8	6	5	2	-	-
36 Rickets, Osteomalacia	5	2	3	-	-	-	-	-	-	-	-	-	-
37 Syphilis	29	21	2	-	-	-	-	1	2	2	1	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (a) Carcinoma	255	-	-	-	-	1	5	19	46	78	73	33	-
(b) Sarcoma } 39-44	21	-	-	-	-	1	4	3	2	5	3	3	-
(c) Malignant Disease, other or not defined } 39-44	153	-	-	-	-	1	1	15	32	33	47	24	-
46 Other Tumours (Situation undefined)	6	-	-	-	-	-	-	-	2	3	1	-	-
47 Rheumatic Fever	17	-	-	2	-	8	2	3	1	1	-	-	-
48 (a) Chronic Rheumatism	4	-	-	-	-	-	-	-	-	-	4	-	-
(b) Osteo-arthritis	10	-	-	-	-	1	-	-	1	1	1	6	-
(c) Gout	2	-	-	-	-	-	-	-	-	-	-	2	-
49 Scurvy	1	-	-	-	-	-	1	-	-	-	-	-	-
50 Diabetes	42	-	-	-	1	1	3	5	5	7	12	8	-
51 Exophthalmic Goitre	5	-	-	-	-	-	-	3	2	-	-	-	-
52 Addison's Disease	3	-	-	-	-	-	-	1	1	1	-	-	-
53 (a) Leucocythæmia	4	-	1	-	1	-	-	-	1	-	1	-	-
(b) Lymphadenoma	4	-	-	-	-	-	1	2	1	-	-	-	-
54 Anæmia, Chlorosis	26	-	-	-	-	1	3	-	5	7	10	-	-
55 (b) Purpura	3	-	-	-	1	-	1	-	-	1	-	-	-
(c) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other General Diseases (a)	1	-	-	-	-	-	1	-	-	-	-	-	-
56 Alcoholism	13	-	-	-	-	-	2	5	4	2	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
61 (*a*) Cerebro-spinal Meningitis	2	–	1	–	–	–	–	–	1	–	–	–	–
(*c*) Meningitis, Basal, Nature, unspecified (*b*)	45	8	17	3	1	2	2	5	2	4	1	–	–
62 Locomotor Ataxy	8	–	–	–	–	–	2	1	3	2	–	–	–
63 Other Diseases of Spinal Cord	37	–	–	–	–	1	6	1	6	10	7	6	–
64 Cerebral Hæmorrhage, Apoplexy	315	–	–	1	–	2	1	9	37	85	101	79	–
65 Softening of Brain	31	–	–	–	–	–	1	1	2	8	11	8	–
66 (*a*) Hemiplegia	35	–	–	–	–	–	1	2	4	3	16	9	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	8	–	–	–	–	1	–	2	–	–	4	1	–
67 General Paralysis of Insane	20	–	–	–	–	–	5	3	9	2	1	–	–
68 Other Insanity	5	–	–	–	–	1	–	2	–	–	2	–	–
69 Epilepsy	22	–	–	–	–	4	6	2	3	3	4	–	–
71 Convulsions (not Puerperal) (70)	43	38	4	1	–	–	–	–	–	–	–	–	–
72 Chorea	3	–	–	–	–	1	–	1	1	–	–	–	–
73 Neuralgia, Neuritis	4	–	–	–	–	–	–	2	–	–	1	1	–
74 (*c*) Cerebral Tumour	11	–	1	–	1	–	2	2	2	2	1	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	15	–	3	–	–	–	–	–	1	2	5	4	–
75 Diseases of Eye and Annexa	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
(*b*) Diseases of Ear	8	2	1	1	–	3	1	–	–	–	–	–	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	4	1	–	–	1	1	–	–	–	1	–	–	–
78 Acute Endocarditis	11	–	–	–	1	3	4	2	1	–	–	–	–
79 (*a*) Valvular Disease	196	–	–	3	3	5	8	18	24	42	67	26	–
(*b*) Fatty Degeneration of Heart	57	–	–	–	–	–	–	4	7	16	22	8	–
(*c*) Other Organic Diseases of Heart	193	1	–	–	–	2	7	10	27	42	57	47	–
80 Angina Pectoris	20	–	–	–	–	–	–	–	2	4	8	6	–
81 (*a*) Aneurysm	27	–	–	–	–	–	1	4	10	8	1	3	–
(*b*) Arterio-sclerosis	28	–	–	–	–	–	–	–	3	3	13	9	–
(*c*) Other Diseases of Arteries	–	–	–	–	–	–	–	–	–	–	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	44	–	–	–	–	1	–	2	1	8	16	16	–
(*b*) Embolism and Thrombosis, not Cerebral	1	–	–	–	–	–	–	–	–	–	–	1	–
83 Diseases of Veins	8	–	–	–	–	–	–	1	–	3	2	2	–
84 (*a*) Lymphatism, Status Lymphaticus	6	5	–	1	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	1	–	–	–	–	–	–	–	–	1	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	2	–	–	–	–	–	–	–	–	–	–	2	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–
87 (*b*) Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Other Diseases of Larynx (*a*)	6	1	5	–	–	–	–	–	–	–	–	–	–
88 Diseases of Thyroid	6	1	1	–	–	–	–	–	–	2	2	–	–
90 Bronchitis (89)	259	47	7	2	1	–	1	9	15	36	72	69	–
91 Broncho-pneumonia	160	61	50	3	1	1	1	5	6	8	11	13	–
92 Pneumonia	261	35	21	3	4	11	21	21	29	38	37	41	–
93 Pleurisy	21	2	2	–	1	3	3	1	1	1	4	3	–
94 (*a*) Pulmonary Apoplexy	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	22	5	–	–	–	–	1	–	2	2	6	6	–
95 Gangrene of Lung	1	–	–	–	–	–	–	–	–	–	1	–	–
96 Asthma	5	–	1	–	–	–	–	1	–	2	1	–	–
97 Pulmonary Emphysema	3	–	–	–	–	–	–	–	1	1	–	1	–
98 (*a*) Fibroid Diseases of Lung	7	–	–	–	–	–	1	1	1	3	1	–	–
(*b*) Other Diseases of Respiratory System	1	–	–	–	–	–	–	1	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	8	-	2	-	-	-	2	1	1	1	-	1	-
102 Gastric Ulcer - - - -	21	-	-	-	-	-	3	3	9	2	3	1	-
103 Other Dis. of Stomach. Gastritis	24	13	1	-	-	1	-	1	-	1	3	4	-
104 Diarrhœa, Enteritis (under 2 years)	95	84	11	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	25	-	3	1	-	1	1	2	3	1	7	6	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	30	-	1	3	3	8	5	2	4	1	3	-	-
109 (*a*) Hernia - - - -	20	4	-	-	-	1	-	-	3	4	7	1	-
(*b*) Intestinal Obstruction - -	22	3	3	-	-	1	3	2	-	-	7	3	-
110 Other Diseases of Intestine -	21	1	1	-	-	1	2	2	6	3	3	2	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	16	1	-	-	-	2	-	-	5	3	5	-	-
114 Gallstones - - - - -	4	-	-	-	-	-	-	-	1	1	2	-	-
115 Other Diseases of Liver - -	9	-	-	-	-	-	-	3	1	1	3	1	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	9	-	2	1	-	1	-	-	2	1	2	-	-
118 Other Diseases of Digestive System	4	-	-	-	-	-	-	1	2	-	1	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	30	-	3	1	-	2	3	3	9	5	4	-	-
120 (*a*) Bright's Disease - - -	131	-	1	-	-	1	7	20	23	34	31	14	-
(*b*) Uræmia - - - -	5	-	-	-	-	-	-	-	2	-	-	3	-
122 Other Dis. of Kidney, Chyluria (121)	9	3	-	-	-	-	1	-	1	2	1	1	-
123 Urinary Calculus - - -	4	-	-	-	-	-	1	-	-	1	-	2	-
124 Diseases of Bladder - - -	15	-	-	-	-	1	1	1	1	1	4	6	-
125 Dis. of Urethra, Urinary Abscess	4	-	-	-	-	-	-	2	2	-	-	-	-
126 Diseases of Prostate - - -	17	-	-	-	-	-	-	-	-	3	8	6	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	4	-	-	-	-	-	-	-	2	-	1	1	-
130 Other Diseases of Uterus - -	6	-	-	-	-	1	1	2	-	-	2	-	-
131 Cysts, and Other Tumours of Ovary	10	-	-	-	-	-	-	3	4	1	1	1	-
132 Other Dis. of Female Genit. Organs	3	-	-	-	-	-	2	1	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	3	-	-	-	-	1	1	1	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	1	-	-	-	-	-	-	1	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	4	-	-	-	-	1	2	1	-	-	-	-	-
135 Puerperal Hæmorrhage - -	7	-	-	-	-	1	3	3	-	-	-	-	-
136 Other Accidents of Childbirth -	9	-	-	-	-	2	4	3	-	-	-	-	-
137 Puerperal Sepsis - - -	7	-	-	-	-	2	4	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	11	-	-	-	-	2	6	3	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	3	-	-	-	-	2	-	1	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	16	-	-	-	-	-	-	-	-	2	6	8	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	1	-	-	-	-	-	-	-	1	-	-	-	-
143 Carbuncle, Boil - - - -	3	-	-	-	-	-	-	-	-	-	2	1	-
144 Phlegmon, Acute Abscess - -	14	3	-	-	-	1	1	4	1	2	2	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	3	2	-	-	-	-	-	1	-	-	-	-	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	11	-	2	3	2	2	1	-	-	1	-	-	-
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	40	35	2	2	1	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	146	146	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	69	69	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	29	29	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	7	-	-	-	-	-	-	-	-	-	4	3	-
(*b*) Senile Decay - - -	159	-	-	-	-	-	-	-	-	-	25	134	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	16	-	-	-	-	-	3	3	6	1	3	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	9	-	1	-	-	-	5	1	1	1	-	-	-
167 Burns and Scalds (166) - -	23	-	7	-	2	1	5	3	2	3	-	-	-
168 Exposure to Poisonous Vapours -	1	-	-	-	-	-	-	-	1	-	-	-	-
169 Drowning - - - - -	10	-	-	-	-	1	3	-	1	2	3	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	26	-	2	2	2	1	5	4	4	3	2	1	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	7	-	-	-	-	1	1	4	1	-	-	-	-
(*b*) Acc. with Horses and Vehicles	4	-	-	1	-	1	1	-	-	-	1	-	-
(*c*) Accidents with Motor Vehicles	4	-	-	-	1	1	-	-	-	-	1	1	-
(*d*) Accidents with Tramways -	5	-	1	1	-	-	1	1	-	1	-	-	-
(*e*) Other Crushing Accidents -	1	-	-	-	-	-	-	1	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	6	6	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	12	7	3	-	-	-	-	-	1	-	1	-	-
(*c*) Other Accidents (176, 181, 185)	31	-	1	3	-	2	1	-	2	6	5	11	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	10	-	1	-	-	-	-	-	2	1	4	2	-
(*b*) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	27	1	1	-	-	-	-	1	3	1	10	10	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	4	1	2	-	-	-	-	-	-	-	-	1	-
(*f*) Dis. not Specified, Nat. Causes	1	-	1	-	-	-	-	-	-	-	-	-	-

Causes of Death in DUNDEE in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	2869	672	272	93	49	147	184	182	260	333	390	287	-
I. GENERAL DISEASES.													
1 Enteric Fever	2	-	-	-	-	1	-	1	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	1	-	-	-	-	-	-	1	-	-	-	-	-
5 (a) Vaccinated	4	-	-	-	-	1	1	1	1	-	-	-	-
(b) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	2	-	2	-	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	13	2	5	4	1	-	1	-	-	-	-	-	-
8 Whooping-cough	93	39	51	3	-	-	-	-	-	-	-	-	-
9 (a) Diphtheria	36	3	21	9	2	-	-	-	-	-	-	1	-
(c) Croup, Membr. Laryngitis (b)	2	-	2	-	-	-	-	-	-	-	-	-	-
10 Influenza	1	-	-	-	-	1	-	-	-	-	-	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	7	2	-	-	-	-	1	-	-	-	1	3	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	-	-	-	-	-	-	1	-	-	-	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	5	-	1	1	-	1	1	-	-	-	1	-	-
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	271	2	5	11	7	67	64	48	38	18	10	1	-
29 (a) Acute Phthisis	9	1	-	-	-	3	2	1	-	1	1	-	-
(b) Acute Miliary Tuberculosis	12	2	3	1	-	3	1	-	1	1	-	-	-
30 Tuberculous Meningitis	40	9	11	12	4	2	2	-	-	-	-	-	-
31 Abdominal Tuberculosis	39	15	15	2	3	1	2	-	-	-	1	-	-
32 Tuberculosis of Spine	5	-	-	2	1	-	2	-	-	-	-	-	-
33 Tuberculosis of Joints	3	-	-	1	1	1	-	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	42	5	9	7	4	6	6	2	3	-	-	-	-
36 Rickets, Osteomalacia	5	3	2	-	-	-	-	-	-	-	-	-	-
37 Syphilis	14	12	-	1	-	-	1	-	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (a) Carcinoma } 39-44	103	-	-	-	-	-	2	6	22	32	36	5	-
(b) Sarcoma } 39-44	7	-	-	1	-	1	-	-	1	1	2	1	-
(c) Malignant Disease, other or not defined } 39-44	68	-	-	-	-	-	4	4	14	21	18	7	-
46 Other Tumours (Situation undefined)	1	-	-	-	-	-	-	-	-	-	1	-	-
47 Rheumatic Fever	10	1	-	1	-	1	4	1	2	-	-	-	-
48 (a) Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Osteo-arthritis	4	-	-	-	-	-	-	-	-	2	1	1	-
(c) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	10	-	-	-	-	-	3	-	1	4	2	-	-
51 Exophthalmic Goitre	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Addison's Disease	1	-	-	-	-	-	-	-	-	-	1	-	-
53 (a) Leucocythæmia	2	-	1	-	-	-	-	-	1	-	-	-	-
(b) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	11	-	1	1	1	-	2	-	5	1	-	-	-
55 (b) Purpura	2	1	-	-	-	-	1	-	-	-	-	-	-
(c) Hæmophilia	2	2	-	-	-	-	-	-	-	-	-	-	-
(d) Other General Diseases (a)	1	-	-	-	-	-	-	-	-	-	1	-	-
56 Alcoholism	4	-	-	-	-	-	1	1	1	1	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	1	-	-	-	-	-	-	1	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	4	-	1	1	-	1	1	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	22	13	4	1	1	2	1	-	-	-	-	-	-
62 Locomotor Ataxy	2	-	-	-	-	-	-	-	1	-	1	-	-
63 Other Diseases of Spinal Cord	14	-	1	-	-	-	1	1	2	5	2	2	-
64 Cerebral Hæmorrhage, Apoplexy	162	-	-	-	-	3	2	2	23	32	59	41	-
65 Softening of Brain	35	-	-	-	-	-	1	2	3	9	11	9	-
66 (*a*) Hemiplegia	12	-	-	-	1	-	-	1	1	-	5	4	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	5	-	-	-	-	-	-	-	1	2	2	-	-
67 General Paralysis of Insane	8	-	-	-	-	-	1	2	5	-	-	-	-
68 Other Insanity	13	-	-	-	-	-	1	4	3	3	2	-	-
69 Epilepsy	10	-	-	-	-	1	4	1	1	2	1	-	-
71 Convulsions (not Puerperal) (70)	22	17	5	-	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-
74 (*c*) Cerebral Tumour	12	-	-	1	-	3	1	3	3	-	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	8	-	-	1	-	-	1	2	1	2	-	1	-
75 Diseases of Eye and Annexa	1	-	1	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	9	2	1	1	2	1	-	1	1	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	4	-	-	1	-	1	-	2	-	-	-	-	-
78 Acute Endocarditis	5	-	-	1	1	2	-	1	-	-	-	-	-
79 (*a*) Valvular Disease	138	-	1	3	4	7	10	19	19	33	28	14	-
(*b*) Fatty Degeneration of Heart	9	-	-	-	-	-	-	-	3	3	2	1	-
(*c*) Other Organic Diseases of Heart	89	-	-	-	-	2	2	6	9	20	26	24	-
80 Angina Pectoris	6	-	-	-	-	-	-	-	2	1	2	1	-
81 (*a*) Aneurysm	4	-	-	-	-	-	-	-	1	3	-	-	-
(*b*) Arterio-sclerosis	26	-	-	-	-	-	-	-	1	3	10	12	-
(*c*) Other Diseases of Arteries	1	-	-	-	-	-	-	-	-	1	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	22	-	-	-	1	-	1	1	2	4	5	8	-
(*b*) Embolism and Thrombosis, not Cerebral	2	-	-	-	-	-	-	-	-	2	-	-	-
83 Diseases of Veins	1	-	-	-	-	-	-	-	1	-	-	-	-
84 (*b*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	1	1	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	1	-	-	-	-	-	-	-	-	-	1	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	1	-	-	-	1	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	2	-	1	1	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	2	-	-	-	-	-	-	-	-	1	1	-	-
90 Bronchitis (89)	218	60	14	1	-	2	1	5	16	28	55	36	-
91 Broncho-pneumonia	153	54	53	3	-	1	1	2	8	11	14	6	-
92 Pneumonia	111	14	10	5	2	8	7	11	16	13	17	8	-
93 Pleurisy	10	-	1	-	1	1	-	-	2	3	2	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	18	-	1	-	-	1	-	-	1	2	4	9	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	1	-	-	-	-	-	-	-	-	1	-	-	-
97 Pulmonary Emphysema	1	-	-	-	-	-	-	-	-	1	-	-	-
98 (*a*) Fibroid Diseases of Lung	1	-	-	-	-	-	-	1	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	1	-	-	1	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	1	1	–	–	–	–	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	2	–	–	–	–	–	–	–	2	–	–	–	–
102 Gastric Ulcer – – – –	17	–	–	–	–	1	5	4	3	1	2	1	–
103 Other Dis. of Stomach. Gastritis	15	8	3	–	–	–	–	1	–	–	3	–	–
104 Diarrhœa, Enteritis (under 2 years	151	126	25	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	20	–	3	–	1	1	1	4	2	5	1	2	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	17	–	1	1	4	3	3	2	1	1	1	–	–
109 (*a*) Hernia – – – – –	4	–	–	–	–	–	–	–	–	–	2	2	–
(*b*) Intestinal Obstruction – –	12	4	–	1	–	1	1	–	–	1	3	1	–
110 Other Diseases of Intestine –	4	–	–	–	–	1	–	–	1	–	–	2	–
111 Acute Yellow Atrophy of Liver –	1	–	–	–	–	–	1	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	10	–	–	1	–	1	–	1	3	3	1	–	–
114 Gallstones – – – – –	3	–	–	–	–	–	–	–	–	3	–	–	–
115 Other Diseases of Liver – –	5	–	–	–	–	–	1	1	–	2	–	1	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	3	–	–	3	–	–	–	–	–	–	–	–	–
118 Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	18	2	4	2	1	–	4	–	3	1	–	1	–
120 (*a*) Bright's Disease – – –	43	1	1	–	–	2	1	8	6	14	4	6	–
(*b*) Uræmia – – – –	8	–	–	–	–	1	–	1	2	1	3	–	–
122 Other Dis. of Kidney, Chylúria (121)	6	1	–	–	–	–	1	2	1	1	–	–	–
123 Urinary Calculus – – –	2	–	–	–	–	–	–	1	1	–	–	–	–
124 Diseases of Bladder – – –	5	–	–	–	–	–	1	–	1	1	1	1	–
125 Dis. of Urethra, Urinary Abscess	2	–	–	–	–	–	–	1	1	–	–	–	–
126 Diseases of Prostate – – –	7	–	–	–	–	–	–	–	–	1	3	3	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	2	–	–	–	–	–	–	1	1	–	–	–	–
130 Other Diseases of Uterus – –	–	–	–	–	–	–	–	–	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	4	–	–	–	–	–	2	–	–	1	1	–	–
132 Other Dis. of Female Genit. Organs	1	–	–	–	–	–	–	1	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	1	–	–	–	–	–	–	1	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – –	1	–	–	–	–	–	1	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	6	–	–	–	–	1	3	2	–	–	–	–	–
136 Other Accidents of Childbirth –	4	–	–	–	–	–	4	–	–	–	–	–	–
137 Puerperal Sepsis – – –	5	–	–	–	–	–	5	–	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	3	–	–	–	–	1	1	1	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	–	–	–	–	–	–	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	–	–	–	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	12	–	–	–	–	–	–	–	–	1	5	6	–
(*b*) Noma, Cancrum Oris – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	5	1	–	–	–	–	–	–	–	4	–	–	–
143 Carbuncle, Boil – – – –	4	1	–	–	–	–	–	–	–	1	2	–	–
144 Phlegmon, Acute Abscess – –	3	2	–	1	–	–	–	–	–	–	–	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	5	2	–	–	–	–	–	–	–	1	1	1	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	2	-	-	1	-	-	-	-	-	-	1	-	-
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	20	16	3	-	1	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	125	125	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	79	79	-	-	-	-	-	-	-		-	-	-
152 Other Diseases peculiar to Early Infancy	12	12	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Senile Decay - - -	63	-	-	-	-	-	-	-	-	-	15	48	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	15	-	-	-	-	2	3	2	5	-	2	1	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	5	-	-	-	-	-	2	-	-	3	-	-	-
167 Burns and Scalds (166) - -	19	-	8	3	-	-	-	-	1	2	1	4	-
168 Exposure to Poisonous Vapours -	3	-	-	-	-	-	1	2	-	-	-	-	-
169 Drowning - - - - - -	11	-	-	-	1	3	2	-	-	4	1	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	5	-	-	-	-	-	-	1	-	2	1	1	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	3	-	-	-	-	-	-	1	1	1	-	-	-
(*b*) Acc. with Horses and Vehicles	1	-	-	-	1	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	1	-	-	-	-	-	-	-	1	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	24	24	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	3	2	-	-	-	-	1	-	-	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	21	-	-	1	1	2	1	5	2	4	2	3	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	10	-	-	-	-	2	2	1	1	1	2	1	-
(*b*) Sudden Death (not otherwise defined)	3	1	-	-	-	-	-	-	1	-	-	1	-
189 (*a*) Heart Failure - - -	26	1	1	-	1	-	-	3	4	6	5	5	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	-	-	-	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	3	2	-	1	-	-	-	-	-	-	-	-	-

Causes of Death in ABERDEEN in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	2495	556	282	78	40	123	117	148	202	271	333	345	–
I. GENERAL DISEASES.													
1 Enteric Fever	3	–	–	–	–	1	–	–	2	–	–	–	–
2 Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	120	43	71	6	–	–	–	–	–	–	–	–	–
7 Scarlet Fever	26	1	11	8	2	2	–	1	–	1	–	–	–
8 Whooping-cough	77	43	32	2	–	–	–	–	–	–	–	–	–
9 (*a*) Diphtheria	23	5	14	3	–	–	–	1	–	–	–	–	–
(*c*) Croup, Membr. Laryngitis (*b*)	1	–	1	–	–	–	–	–	–	–	–	–	–
10 Influenza	6	1	–	–	–	1	–	–	–	2	–	2	–
13 Cholera Nostras	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Erysipelas	3	–	–	–	–	–	–	–	1	–	2	–	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	2	2	–	–	–	–	–	–	–	–	–	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	6	–	–	1	1	–	–	–	2	2	–	–	–
(*c*) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	3	–	–	1	–	–	–	1	1	–	–	–	–
28 Pulmonary Tuberculosis, Phthisis	193	3	5	4	10	54	40	26	30	17	2	2	–
29 (*a*) Acute Phthisis	6	–	–	1	–	1	1	–	2	1	–	–	–
(*b*) Acute Miliary Tuberculosis	6	1	1	2	1	–	–	–	–	–	1	–	–
30 Tuberculous Meningitis	38	9	21	4	1	–	1	1	1	–	–	–	–
31 Abdominal Tuberculosis	15	7	4	1	1	–	1	–	1	–	–	–	–
32 Tuberculosis of Spine	7	–	–	1	–	2	2	2	–	–	–	–	–
33 Tuberculosis of Joints	1	–	–	1	–	–	–	–	–	–	–	–	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	16	1	4	4	2	1	1	1	–	–	1	1	–
36 Rickets, Osteomalacia	8	3	5	–	–	–	–	–	–	–	–	–	–
37 Syphilis	14	13	–	–	–	–	–	–	1	–	–	–	–
38 Other Venereal Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
45 (*a*) Carcinoma } 39-44	107	–	–	–	–	1	1	6	19	30	28	22	–
(*b*) Sarcoma } 39-44	6	–	–	1	–	–	–	1	2	–	–	2	–
(*c*) Malignant Disease, other or not defined } 39-44	63	–	–	–	–	–	2	3	10	18	20	10	–
46 Other Tumours (Situation undefined)	1	–	–	–	–	–	–	–	–	–	–	1	–
47 Rheumatic Fever	10	–	–	3	3	–	1	1	–	–	1	1	–
48 (*a*) Chronic Rheumatism	2	–	–	–	–	–	–	–	–	–	1	1	–
(*b*) Osteo-arthritis	2	–	–	–	–	–	–	–	1	–	–	1	–
(*c*) Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
49 Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–
50 Diabetes	11	–	–	–	–	1	1	3	–	4	2	–	–
51 Exophthalmic Goitre	2	–	–	–	–	–	1	1	–	–	–	–	–
52 Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
53 (*a*) Leucocythæmia	1	–	–	–	–	–	–	1	–	–	–	–	–
(*b*) Lymphadenoma	1	–	–	1	–	–	–	–	–	–	–	–	–
54 Anæmia, Chlorosis	5	–	–	–	–	–	2	–	–	1	2	–	–
55 (*b*) Purpura	3	1	–	1	–	1	–	–	–	–	–	–	–
(*c*) Hæmophilia	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	–	–	–	–	–	–	–	–	–	–	–	–	–
56 Alcoholism	4	–	–	–	–	–	–	1	1	1	1	–	–
57 Chronic Lead Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	1	-	-	1	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	2	-	-	1	-	1	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	20	9	7	1	2	-	-	1	-	-	-	-	-
62 Locomotor Ataxy	3	-	-	-	-	-	1	1	-	1	-	-	-
63 Other Diseases of Spinal Cord	7	-	-	-	-	-	1	-	1	3	1	1	-
64 Cerebral Hæmorrhage, Apoplexy	133	-	-	-	-	1	1	4	11	25	52	39	-
65 Softening of Brain	5	-	-	-	-	-	-	-	1	3	-	1	-
66 (*a*) Hemiplegia	27	-	-	-	-	-	-	3	2	8	6	8	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	4	-	-	-	-	-	-	-	2	-	2	-	-
67 General Paralysis of Insane	10	-	-	-	-	-	1	3	4	2	-	-	-
68 Other Insanity	1	-	-	-	-	-	-	-	-	1	-	-	-
69 Epilepsy	9	-	-	1	-	3	2	1	1	1	-	-	-
71 Convulsions (not Puerperal) (70)	46	33	10	-	2	-	-	-	1	-	-	-	-
72 Chorea	1	-	-	1	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-
74 (*c*) Cerebral Tumour	5	-	-	-	-	-	1	1	1	1	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	1	-	-	-	-	-	-	1	-	-	-	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	3	-	-	1	1	1	-	-	-	-	-	-	-
(*b*) Diseases of Ear	3	-	1	-	-	-	-	-	1	1	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	4	-	-	1	-	2	-	1	-	-	-	-	-
78 Acute Endocarditis	4	-	-	-	-	2	1	-	1	-	-	-	-
79 (*a*) Valvular Disease	69	-	-	-	3	3	3	9	16	13	8	14	-
(*b*) Fatty Degeneration of Heart	4	-	-	-	-	-	-	-	1	1	2	-	-
(*c*) Other Organic Diseases of Heart	158	-	-	-	1	4	3	8	21	31	51	39	-
80 Angina Pectoris	9	-	-	-	-	-	-	-	-	5	3	1	-
81 (*a*) Aneurysm	6	-	-	-	-	-	-	1	1	4	-	-	-
(*b*) Arterio-sclerosis	14	-	-	-	-	-	-	-	1	-	4	9	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	9	-	-	-	-	-	1	-	-	3	3	2	-
(*b*) Embolism and Thrombosis, not Cerebral	3	-	-	-	-	-	-	1	-	1	1	-	-
83 Diseases of Veins	3	-	-	-	-	-	-	1	-	1	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	1	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	1	1	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	1	-	-	-	-	-	-	-	-	-	1	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	1	-	-	-	-	-	-	-	-	1	-	-	-
87 (*b*) Laryngitis	1	-	-	-	-	-	-	-	-	-	1	-	-
(*c*) Other Diseases of Larynx (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	159	44	8	1	1	-	3	4	9	19	34	36	-
91 Broncho-pneumonia	98	41	39	3	-	1	-	2	-	2	7	3	-
92 Pneumonia	109	13	11	4	3	5	6	12	10	13	21	11	-
93 Pleurisy	8	-	-	-	-	-	-	1	2	4	1	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	10	1	2	1	-	-	-	1	-	1	1	3	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	3	-	-	-	-	-	-	-	1	-	1	1	-
97 Pulmonary Emphysema	1	-	-	-	-	-	-	1	-	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	1	-	-	-	-	-	1	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	3	1	–	–	–	–	1	–	–	–	1	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	3	–	1	–	–	–	–	–	1	1	–	–	–
102 Gastric Ulcer – – – –	10	1	–	1	–	1	–	2	–	2	3	–	–
103 Other Dis. of Stomach. Gastritis	13	8	1	1	–	–	–	–	1	1	–	1	–
104 Diarrhœa, Enteritis (under 2 years)	57	49	8	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	12	–	2	1	–	1	1	–	1	1	2	3	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	21	1	–	3	2	4	–	4	1	4	2	–	–
109 (*a*) Hernia – – – –	11	1	1	–	–	–	–	–	–	3	3	3	–
(*b*) Intestinal Obstruction – –	10	1	2	1	–	–	2	–	1	–	1	2	–
110 Other Diseases of Intestine –	7	–	–	–	–	1	1	–	–	1	4	–	–
111 Acute Yellow Atrophy of Liver –	1	–	–	–	–	–	1	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	6	–	–	–	–	–	–	2	–	2	2	–	–
114 Gallstones – – – –	5	–	–	–	–	–	–	–	–	–	3	2	–
115 Other Diseases of Liver – –	1	–	–	–	–	–	–	–	–	1	–	–	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	4	–	–	1	–	1	1	–	1	–	–	–	–
118 Other Diseases of Digestive System	2	–	–	–	–	1	–	–	1	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	11	1	1	–	–	2	1	2	1	1	1	1	–
120 (*a*) Bright's Disease – – –	50	–	–	2	–	1	6	4	9	14	10	4	–
(*b*) Uræmia – – – –	5	–	–	–	–	–	–	–	1	–	1	3	–
122 Other Dis. of Kidney, Chyluria (121)	4	–	–	–	–	–	1	2	–	–	1	–	–
123 Urinary Calculus – – –	2	–	–	–	–	–	1	–	1	–	–	–	–
124 Diseases of Bladder – – –	4	–	–	–	–	–	–	–	–	–	1	3	–
125 Dis. of Urethra, Urinary Abscess	1	–	–	–	–	–	–	–	–	1	–	–	–
126 Diseases of Prostate – – –	7	–	–	–	–	–	–	–	–	–	4	3	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	7	1	–	–	–	–	–	–	2	1	2	1	–
130 Other Diseases of Uterus – –	2	–	–	–	–	–	2	–	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	1	–	–	–	–	–	–	–	1	–	–	–	–
132 Other Dis. of Female Genit. Organs	1	–	–	–	–	–	–	1	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	1	–	–	–	–	–	–	1	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	2	–	–	–	–	–	1	1	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	2	–	–	–	–	–	–	2	–	–	–	–	–
135 Puerperal Hæmorrhage – –	2	–	–	–	–	–	2	–	–	–	–	–	–
136 Other Accidents of Childbirth –	2	–	–	–	–	–	1	1	–	–	–	–	–
137 Puerperal Sepsis – – –	7	–	–	–	–	–	3	4	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	5	–	–	–	–	4	–	1	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	1	–	–	–	–	–	1	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	–	–	–	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast –	1	–	–	–	–	1	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	7	–	–	–	–	–	–	–	–	–	2	5	–
(*b*) Noma, Cancrum Oris – –	1	1	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	1	–	–	–	–	–	–	–	–	1	–	–	–
143 Carbuncle, Boil – – – –	2	1	–	–	–	–	–	–	–	–	1	–	–
144 Phlegmon, Acute Abscess – –	4	–	–	–	1	–	–	–	–	2	1	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	8	4	–	–	–	–	1	–	1	–	1	1	–

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	5	1	2	–	2	–	–	–	–	–	–	–	–
147 Diseases of Joints – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	1	–	–	–	–	–	–	–	1	–	–	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	13	12	–	–	–	1	–	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	90	90	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	75	75	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	19	19	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	1	–	–	–	–	–	–	–	–	–	–	1	–
(*b*) Senile Decay – – –	102	–	–	–	–	–	–	–	–	–	14	88	–
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	12	–	–	–	–	1	2	3	4	2	–	–	–
164 Poisoning by Food – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
165 Other Accidental Poisonings	5	–	–	–	–	–	–	–	5	–	–	–	–
167 Burns and Scalds (166) – –	16	–	10	3	–	2	–	–	–	–	–	1	–
168 Exposure to Poisonous Vapours –	–	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning – – – – –	18	–	1	3	–	2	1	5	1	4	1	–	–
170 Accidents with Fire Arms – –	1	–	–	–	–	1	–	–	–	–	–	–	–
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	9	–	1	–	–	2	2	1	2	1	–	–	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery – –	3	–	–	–	–	1	–	1	–	–	1	–	–
175 (*a*) Accidents on Railways – –	1	–	–	–	–	1	–	–	–	–	–	–	–
(*b*) Acc. with Horses and Vehicles	5	–	–	–	–	2	2	–	–	1	–	–	–
(*c*) Accidents with Motor Vehicles	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Accidents with Tramways –	1	–	1	–	–	–	–	–	–	–	–	–	–
(*e*) Other Crushing Accidents –	–	–	–	–	–	–	–	–	–	–	–	–	–
177 Hunger – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179) –	–	–	–	–	–	–	–	–	–	–	–	–	–
186 (*a*) Overlaying – – – –	6	6	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	1	1	–	–	–	–	–	–	–	–	–	–	–
(*c*) Other Accidents (176, 181, 185)	14	–	–	–	–	1	1	3	1	2	2	4	–
184 Homicide (182, 183) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XIX. ILL-DEFINED CAUSES.													
187 Dropsy – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
188 (*a*) Syncope – – – –	3	–	–	–	–	–	–	–	–	2	–	1	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–
189 (*a*) Heart Failure – – –	22	1	–	–	–	4	1	1	2	1	6	6	–
(*c*) Teething – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	4	–	4	–	–	–	–	–	–	–	–	–	–
(*f*) Dis. not Specified, Nat. Causes	11	5	–	1	1	–	2	–	1	–	–	1	–

Causes of Death in PAISLEY in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes – – – – –	1291	243	157	36	20	84	70	105	111	146	198	121	–
I. GENERAL DISEASES.													
1 Enteric Fever – – – –	3	–	–	–	–	1	1	–	1	–	–	–	–
2 Typhus Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Malaria – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
5 (*a*) Vaccinated –	1	–	–	–	–	1	–	–	–	–	–	–	–
(*b*) Smallpox Unvaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles – – – – –	3	1	1	–	–	–	1	–	–	–	–	–	–
7 Scarlet Fever – – – –	14	1	7	4	–	1	–	1	–	–	–	–	–
8 Whooping-cough – – –	81	33	44	4	–	–	–	–	–	–	–	–	–
9 (*a*) Diphtheria – – – –	10	1	6	2	1	–	–	–	–	–	–	–	–
(*c*) Croup, Membr. Laryngitis (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–
10 Influenza – – – – –	9	–	1	–	–	–	–	–	1	3	1	3	–
13 Cholera Nostras – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Erysipelas – – – –	2	1	–	–	–	–	–	–	–	–	1	–	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	1	–	–	–	–	–	–	–	–	–	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Vaccinia – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia – –	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus – – – – –	1	–	–	–	–	1	–	–	–	–	–	–	–
28 Pulmonary Tuberculosis, Phthisis	92	–	1	1	1	22	19	29	6	11	2	–	–
29 (*a*) Acute Phthisis – – –	4	–	–	–	–	3	–	1	–	–	–	–	–
(*b*) Acute Miliary Tuberculosis –	1	–	–	–	–	1	–	–	–	–	–	–	–
30 Tuberculous Meningitis – –	14	3	7	4	–	–	–	–	–	–	–	–	–
31 Abdominal Tuberculosis – –	12	–	5	–	1	4	1	–	–	1	–	–	–
32 Tuberculosis of Spine – –	3	–	1	–	1	–	–	–	1	–	–	–	–
33 Tuberculosis of Joints – –	1	–	–	1	–	–	–	–	–	–	–	–	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	16	–	4	3	1	1	–	4	3	–	–	–	–
36 Rickets, Osteomalacia – –	–	–	–	–	–	–	–	–	–	–	–	–	–
37 Syphilis – – – – –	6	4	1	–	–	–	–	–	–	1	–	–	–
38 Other Venereal Diseases – –	–	–	–	–	–	–	–	–	–	–	–	–	–
45 (*a*) Carcinoma – – } 39-44	42	–	–	–	–	–	1	–	10	12	13	6	–
(*b*) Sarcoma – – } 39-44	2	–	–	–	–	1	–	–	1	–	–	–	–
(*c*) Malignant Disease, other or not defined } 39-44	26	1	–	–	–	–	–	3	9	6	4	3	–
46 Other Tumours (Situation undefined)	1	–	–	–	–	–	–	–	–	1	–	–	–
47 Rheumatic Fever – – –	2	–	–	–	1	1	–	–	–	–	–	–	–
48 (*a*) Chronic Rheumatism – –	7	–	–	–	–	1	–	–	–	2	3	1	–
(*b*) Osteo-arthritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Gout – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
49 Scurvy – – – – –	1	–	–	1	–	–	–	–	–	–	–	–	–
50 Diabetes – – – – –	6	–	–	–	–	–	–	2	1	2	1	–	–
51 Exophthalmic Goitre – – –	1	–	–	–	–	–	1	–	–	–	–	–	–
52 Addison's Disease – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
53 (*a*) Leucocythæmia – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Lymphadenoma – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
54 Anæmia, Chlorosis – – –	8	–	1	–	–	–	–	2	2	2	1	–	–
55 (*b*) Purpura – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Hæmophilia – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*) –	–	–	–	–	–	–	–	–	–	–	–	–	–
56 Alcoholism – – – –	5	–	–	–	–	–	2	1	1	1	–	–	–
57 Chronic Lead Poisoning – –	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings – –	–	–	–	–	–	–	–	–	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
61 (*a*) Cerebro-spinal Meningitis	2	–	1	–	1	–	–	–	–	–	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	32	14	12	1	1	3	1	–	–	–	–	–	–
62 Locomotor Ataxy	1	–	–	–	–	–	–	–	–	1	–	–	–
63 Other Diseases of Spinal Cord	5	–	–	–	–	–	–	2	1	–	1	1	–
64 Cerebral Hæmorrhage, Apoplexy	79	–	2	–	–	–	1	3	7	13	33	20	–
65 Softening of Brain	4	–	–	–	–	–	–	–	–	1	3	–	–
66 (*a*) Hemiplegia	8	–	–	–	–	–	–	–	–	–	4	4	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	6	–	–	–	–	–	–	–	2	–	3	1	–
67 General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–
68 Other Insanity	7	–	–	–	–	–	1	5	–	–	–	1	–
69 Epilepsy	4	–	–	–	1	1	–	–	1	1	–	–	–
71 Convulsions (not Puerperal) (70)	9	4	4	1	–	–	–	–	–	–	–	–	–
72 Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
73 Neuralgia, Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–
74 (*c*) Cerebral Tumour	2	–	–	–	–	–	–	–	2	–	–	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	–	–	–	–	–	–	–	–	–	–	–	–	–
75 Diseases of Eye and Annexa	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	2	–	–	–	–	–	2	–	–	–	–	–	–
(*b*) Diseases of Ear	4	–	1	–	–	1	1	–	1	–	–	–	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
78 Acute Endocarditis	10	–	–	–	1	1	–	2	1	3	1	1	–
79 (*a*) Valvular Disease	42	–	–	–	–	5	7	6	3	12	6	3	–
(*b*) Fatty Degeneration of Heart	5	–	–	–	–	–	–	–	–	2	3	–	–
(*c*) Other Organic Diseases of Heart	43	–	–	–	–	1	3	6	5	10	15	3	–
80 Angina Pectoris	4	–	–	–	–	–	–	–	1	2	1	–	–
81 (*a*) Aneurysm	6	–	–	–	–	–	–	1	1	3	1	–	–
(*b*) Arterio-sclerosis	3	–	–	–	–	–	–	–	–	–	1	2	–
(*c*) Other Diseases of Arteries	–	–	–	–	–	–	–	–	–	–	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	2	–	–	–	–	–	–	–	1	–	–	1	–
(*b*) Embolism and Thrombosis, not Cerebral	1	–	–	–	–	–	–	–	1	–	–	–	–
83 Diseases of Veins	–	–	–	–	–	–	–	–	–	–	–	–	–
84 (*a*) Lymphatism, Status Lymphaticus	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	–	–	–	–	–	–	–	–	–	–	–	–	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–
87 (*b*) Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–
(*c*) Other Diseases of Larynx (*a*)	1	–	–	1	–	–	–	–	–	–	–	–	–
88 Diseases of Thyroid	1	–	–	–	1	–	–	–	–	–	–	–	–
90 Bronchitis (89)	128	22	18	3	2	3	2	5	15	10	29	19	–
91 Broncho-pneumonia	31	15	11	2	–	1	–	1	–	–	1	–	–
92 Pneumonia	73	1	6	2	–	11	10	9	10	17	6	1	–
93 Pleurisy	3	–	–	–	–	1	–	1	–	1	–	–	–
94 (*a*) Pulmonary Apoplexy	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	4	–	1	1	–	–	–	–	–	1	–	1	–
95 Gangrene of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–
96 Asthma	1	–	–	–	–	–	–	1	–	–	–	–	–
97 Pulmonary Emphysema	1	–	–	–	–	–	–	–	–	–	1	–	–
98 (*a*) Fibroid Diseases of Lung	1	–	–	–	–	–	–	–	–	–	–	1	–
(*b*) Other Diseases of Respiratory System	1	–	1	–	–	–	–	–	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	1	-	-	-	-	-	-	-	-	1	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	-	-	-	-	-	-	-	-	-	-	1	-
102 Gastric Ulcer - - - -	9	-	-	-	-	2	1	2	1	2	1	-	-
103 Other Dis. of Stomach. Gastritis	12	5	3	-	-	1	-	1	-	-	1	1	-
104 Diarrhœa, Enteritis (under 2 years)	53	41	12	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	15	-	2	-	-	1	-	-	2	2	8	-	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	7	-	-	-	4	3	-	-	-	-	-	-	-
109 (*a*) Hernia - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-
(*b*) Intestinal Obstruction - -	1	-	-	-	-	-	-	-	-	-	1	-	-
110 Other Diseases of Intestine -	4	-	1	-	-	-	-	1	1	-	1	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	2	-	-	-	-	-	-	-	1	-	1	-	-
114 Gallstones - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
115 Other Diseases of Liver - -	4	-	-	-	-	-	-	-	1	1	-	2	-
116 Diseases of Spleen - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
117 Peritonitis, cause not specified -	3	-	-	1	-	-	-	2	-	-	-	-	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	4	-	-	-	1	1	1	-	-	-	1	-	-
120 (*a*) Bright's Disease - - -	21	-	-	-	1	3	2	2	4	3	5	1	-
(*b*) Uræmia - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	2	-	-	-	-	1	-	-	-	1	-	-	-
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - -	8	-	-	1	-	-	1	-	3	1	2	-	-
125 Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-
126 Diseases of Prostate - - -	2	-	-	-	-	-	-	-	-	1	-	1	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	1	-	-	-	-	-	-	-	1	-	-	-	-
131 Cysts and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	3	-	-	-	-	-	2	1	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	5	-	-	-	-	1	1	3	-	-	-	-	-
136 Other Accidents of Childbirth -	3	-	-	-	-	1	1	1	-	-	-	-	-
137 Puerperal Sepsis - - -	2	-	-	-	-	-	1	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	1	-	-	-	-	1	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	1	-	-	-	-	-	1	-	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	2	-	-	-	-	-	-	-	2	-	-	-	-
143 Carbuncle, Boil - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - -	2	-	1	-	-	-	-	-	-	-	1	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	1	-	-	-	-	-	-	-	-	1	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	–	–	–	–	–	–	–	–	–	–	–	–	–
147 Diseases of Joints – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	5	5	–	–	–	–	–	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	45	45	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	31	31	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	8	8	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	2	–	–	–	–	–	–	–	–	–	1	1	–
(*b*) Senile Decay – – –	58	–	–	–	–	–	–	–	–	–	23	35	–
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	6	–	–	–	–	–	1	1	1	3	–	–	–
164 Poisoning by Food – – –	1	–	–	1	–	–	–	–	–	–	–	–	–
165 Other Accidental Poisonings –	–	–	–	–	–	–	–	–	–	–	–	–	–
167 Burns and Scalds (166) – –	3	–	1	1	–	1	–	–	–	–	–	–	–
168 Exposure to Poisonous Vapours –	–	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning – – – – –	4	–	–	–	–	–	1	2	–	1	–	–	–
170 Accidents with Fire Arms – –	–	–	–	–	–	–	–	–	–	–	–	–	–
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–		–	–	–	–
172 Accidental Falls – – –	11	–	–	1	–	1	1	–	1	3	2	2	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	1	–	–	–	–	–	1	–	–	–	–	–	–
174 Accidents with Machinery –	2	–	–	–	1	–	1	–	–	–	–	–	–
175 (*a*) Accidents on Railways – –	4	–	–	–	–	1	–	1	1	1	–	–	–
(*b*) Acc. with Horses and Vehicles	1	–	–	–	–	–	–	–	–	1	–	–	–
(*c*) Accidents with Motor Vehicles	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Accidents with Tramways –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Crushing Accidents –	–	–	–	–	–	–	–	–	–	–	–	–	–
177 Hunger – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179) –	1	–	–	–	–	–	–	1	–	–	–	–	–
186 (*a*) Overlaying – – – –	–	–		–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Other Accidents (176, 181, 185)	4	–	–	–	–	–	–	–	–	1	2	1	–
184 Homicide (182, 183) – – –	1	1	–	–	–	–	–	–	–	–	–	–	–
190 Execution – – – – –	–	–	–	–	–		–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
188 (*a*) Syncope – – – – –	6	1	–	–	–	–	–	1	–	–	3	1	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–
189 (a) Heart Failure – – –	17	–	–	–	–	–	–	–	2	4	8	3	–
(*c*) Teething – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	1	–	1	–	–	–	–	–	–	–	–	–	–
(*f*) Dis. not Specified, Nat. Causes	1	1	–	–	–	–	–	–	–	–	–	–	–

Causes of Death in LEITH in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	1331	278	152	34	24	49	85	110	140	159	168	131	1
I. GENERAL DISEASES.													
1 Enteric Fever	3	-	-	1	-	-	-	1	1	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	19	5	12	1	-	-	-	-	1	-	-	-	-
7 Scarlet Fever	4	-	2	1	-	-	-	1	-	-	-	-	-
8 Whooping-cough	73	41	31	-	-	-	-	-	-	-	-	1	-
9 (*a*) Diphtheria	34	-	23	8	2	1	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	1	1	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	2	-	-	-	1	-	-	-	1	-	-	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	5	1	-	-	-	-	-	2	-	1	1	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	-	-	-	-	-	1	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	1	-	-	-	-	-	-	-	-	-	1	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	110	1	5	3	3	17	26	28	14	8	2	3	-
29 (*a*) Acute Phthisis	3	-	1	-	-	-	2	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	5	1	2	1	1	-	-	-	-	-	-	-	-
30 Tuberculous Meningitis	19	7	9	2	-	1	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	15	3	6	1	1	3	-	-	1	-	-	-	-
32 Tuberculosis of Spine	2	-	-	1	-	1	-	-	-	-	-	-	-
33 Tuberculosis of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	12	-	4	-	-	2	4	1	-	1	-	-	-
36 Rickets, Osteomalacia	3	2	1	-	-	-	-	-	-	-	-	-	-
37 Syphilis	3	2	-	-	-	-	-	1	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	54	-	-	-	-	-	-	11	7	16	13	7	-
(*b*) Sarcoma } 39-44	1	-	-	-	-	-	-	1	-	-	-	-	-
(*c*) Malignant Disease, other or not defined } 39-44	29	-	-	-	-	-	-	3	4	6	9	7	-
46 Other Tumours (Situation undefined)	1	-	-	-	-	-	-	-	-	-	1	-	-
47 Rheumatic Fever	6	1	-	-	1	-	2	-	2	-	-	-	-
48 (*a*) Chronic Rheumatism	3	-	-	-	-	-	-	1	-	-	-	2	-
(*b*) Osteo-arthritis	2	-	-	-	-	-	-	-	-	-	2	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	4	-	-	-	-	1	1	-	-	1	-	1	-
51 Exophthalmic Goitre	1	-	-	-	-	-	-	-	-	1	-	-	-
52 Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	14	-	-	-	1	-	-	-	2	6	4	1	-
55 (*b*) Purpura	1	-	-	-	-	-	-	-	-	1	-	-	-
(*b*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	4	-	-	-	-	-	-	2	2	-	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	8	6	-	-	-	-	-	1	-	-	1	-	-
62 Locomotor Ataxy	1	-	-	-	-	-	-	-	1	-	-	-	-
63 Other Diseases of Spinal Cord	3	-	-	-	-	-	-	-	1	-	-	2	-
64 Cerebral Hæmorrhage, Apoplexy	85	-	-	-	-	1	3	7	15	19	27	13	-
65 Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-
66 (*a*) Hemiplegia	7	-	-	-	-	-	-	1	1	1	4	-	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	-	-	-	-	-	-	-	-	1	-	-	-
67 General Paralysis of Insane	14	-	-	-	-	-	3	3	5	2	1	-	-
68 Other Insanity	1	-	-	-	-	-	-	1	-	-	-	-	-
69 Epilepsy	5	-	-	-	-	-	-	3	-	2	-	-	-
71 Convulsions (not Puerperal) (70)	11	8	2	1	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	2	-	1	-	-	-	-	1	-	-	-	-	-
74 (*c*) Cerebral Tumour	5	-	-	1	-	3	1	-	-	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	-	1	-	-	-	-	-	-	1	-	-	-
75 Diseases of Eye and Annexa	2	-	-	-	-	1	-	1	-	-	-	-	-
76 (*a*) Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	1	-	-	-	-	-	1	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	2	-	-	-	-	-	1	-	1	-	-	-	-
78 Acute Endocarditis	3	-	-	1	1	1	-	-	-	-	-	-	-
79 (*a*) Valvular Disease	51	-	-	-	2	2	-	4	11	16	11	5	-
(*b*) Fatty Degeneration of Heart	10	-	-	-	-	-	1	1	3	1	4	-	-
(*c*) Other Organic Diseases of Heart	49	-	-	1	2	-	1	3	12	13	7	10	-
80 Angina Pectoris	2	-	-	-	-	-	-	-	-	1	1	-	-
81 (*a*) Aneurysm	6	-	-	-	-	1	-	-	4	1	-	-	-
(*b*) Arterio-sclerosis	10	-	-	-	-	-	-	-	1	2	3	4	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	12	-	-	-	-	-	-	-	2	2	5	3	-
(*b*) Embolism and Thrombosis, not Cerebral	2	-	-	-	-	-	-	1	-	1	-	-	-
83 Diseases of Veins	2	-	-	-	-	-	1	1	-	-	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	1	-	-	-	1	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage. Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	3	-	3	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	2	1	1	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	1	-	-	-	-	-	-	1	-	-	-	-	-
90 Bronchitis (89)	88	16	5	-	-	2	1	1	5	10	22	26	-
91 Broncho-pneumonia	52	20	21	1	-	-	1	1	-	4	1	3	-
92 Pneumonia	80	22	7	3	-	4	6	5	16	5	5	7	-
93 Pleurisy	6	-	-	1	-	-	1	1	1	-	1	1	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	4	1	1	-	-	-	-	-	-	-	2	-	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-
97 Pulmonary Emphysema	2	-	-	-	-	-	-	-	1	1	-	-	-
98 (*a*) Fibroid Diseases of Lung	2	-	-	-	-	-	-	-	-	2	-	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	1	-	-	-	-	-	-	1	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	-	-	-	-	-	-	-	-	-	-	-	-	-
102 Gastric Ulcer - - - -	8	-	-	-	-	-	1	1	2	2	1	1	-
103 Other Dis. of Stomach. Gastritis	10	5	1	-	-	-	1	-	-	-	1	2	-
104 Diarrhœa, Enteritis (under 2 years)	32	28	4	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	7	-	-	-	1	-	1	1	-	1	2	1	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	9	-	-	-	3	2	1	1	1	1	-	-	-
109 (*a*) Hernia - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Intestinal Obstruction - -	4	2	1	-	-	-	1	-	-	-	-	-	-
110 Other Diseases of Intestine -	4	-	-	-	-	-	2	-	1	-	-	1	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	6	-	-	-	-	-	-	2	-	2	2	-	-
114 Gallstones - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-
115 Other Diseases of Liver - -	3	1	-	-	-	-	-	1	-	1	-	-	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	1	-	-	-	-	1	-	-	-	-	-	-	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	4	-	-	-	1	-	1	-	1	1	-	-	-
120 (*a*) Bright's Disease - - -	27	-	-	-	2	-	1	1	4	10	6	3	-
(*b*) Uræmia - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
122 Other Dis. of Kidney, Chyluria (121)	1	-	-	-	-	-	1	-	-	-	-	-	-
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - -	4	-	-	-	-	-	-	-	-	1	1	2	-
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	-	2	-	-	-
126 Diseases of Prostate - - -	8	-	-	-	-	-	-	-	-	1	5	2	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-		-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	1	-	-	-	-	-	-	-	1	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	1	-	-	-	-	-	-	1	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	2	-	-	-	-	-	1	1	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	1	-	-	-	-	-	1	-	-	-	-	-	-
(*d*) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	2	-	-	-	-	-	1	-	1	-	-	-	-
135 Puerperal Hæmorrhage - -	2	-	-	-	-	-	2	-	-	-	-	-	-
136 Other Accidents of Childbirth -	5	-	-	-	-	1	3	1	-	-	-	-	-
137 Puerperal Sepsis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	3	-	-	-	-	1	1	1	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	1	-	-	-	-	-	1	-	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	1	-	-	-	-	-	-	1	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	5	-	-	-	-	-	-	-	-	-	3	2	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	1	-	-	-	-	-	-	-	-	1	-	-	-
143 Carbuncle, Boil - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - -	4	2	-	-	-	-	-	-	-	-	1	1	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	-	-	-	-	-	-	-	1	-	-	-	-

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147 Diseases of Joints – – –	1	1	–	–	–	–	–	–	–	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.														
150 Congenital Malformations – –	17	15	1	–	–	–	1	–	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth – – –	47	47	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	18	18	–	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	5	5	–	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.														
154 (*a*) Senile Dementia – – –	1	–	–	–	–	–	–	–	–	–	–	–	1	–
(*b*) Senile Decay – – –	21	–	–	–	–	–	–	–	–	–	–	6	15	–
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) – – –	3	–	–	–	–	–	1	–	2	–	–	–	–	–
164 Poisoning by Food – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165 Other Accidental Poisonings –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
167 Burns and Scalds (166) – –	11	–	5	3	–	1	–	1	–	–	–	–	1	–
168 Exposure to Poisonous Vapours –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning – – – – –	8	–	–	–	–	–	2	1	2	2	1	–	–	–
170 Accidents with Fire Arms – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	11	–	–	1	–	–	2	4	2	–	1	1	–	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery – –	4	–	–	–	1	–	1	–	1	1	–	–	–	–
175 (*a*) Accidents on Railways – –	2	–	–	–	–	–	–	–	–	2	–	–	–	–
(*b*) Acc. with Horses and Vehicles	3	–	–	–	–	1	–	–	1	1	–	–	–	–
(*c*) Accidents with Motor Vehicles	3	–	1	1	–	1	–	–	–	–	–	–	–	–
(*d*) Accidents with Tramways –	1	–	–	–	–	–	–	–	1	–	–	–	–	–
(*e*) Other Crushing Accidents –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177 Hunger – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178-179) –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 (*a*) Overlaying – – – –	6	6	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	4	4	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Other Accidents (176, 181, 185)	7	–	–	1	–	–	–	–	–	–	4	2	–	–
184 Homicide (182, 183) – – –	1	–	–	–	–	–	1	–	–	–	–	–	–	–
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.														
187 Dropsy – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188 (*a*) Syncope – – – –	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 (*a*) Heart Failure – – –	12	1	–	–	–	–	–	–	4	3	4	–	–	–
(*c*) Teething – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*f*) Dis. not Specified, Nat. Causes	5	3	1	–	–	–	–	–	–	–	–	–	–	1

Causes of Death in GREENOCK in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	1384	260	168	38	26	76	85	86	114	168	228	135	-
I. GENERAL DISEASES.													
1 Enteric Fever	3	-	1	-	-	1	-	1	-	-	-	-	-
2 Typhus Fever	1	-	-	-	-	-	1	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) (*b*) (*c*) Smallpox — Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox — Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox — Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	14	3	11	-	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	14	1	8	3	2	-	-	-	-	-	-	-	-
8 Whooping-cough	33	13	18	1	1	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	5	1	3	1	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	2	-	1	1	-	-	-	-	-	-	-	-	-
10 Influenza	1	-	-	-	-	-	-	-	-	1	-	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	5	-	-	-	-	-	1	-	-	2	1	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	106	-	4	1	3	36	30	17	7	5	2	1	-
29 (*a*) Acute Phthisis	7	-	1	-	1	-	3	2	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	1	-	-	-	-	1	-	-	-	-	-	-	-
30 Tuberculous Meningitis	31	8	14	6	2	1	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	23	3	8	4	1	6	1	-	-	-	-	-	-
32 Tuberculosis of Spine	1	-	-	1	-	-	-	-	-	-	-	-	-
33 Tuberculosis of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	16	4	2	3	3	1	3	-	-	-	-	-	-
36 Rickets, Osteomalacia	1	-	1	-	-	-	-	-	-	-	-	-	-
37 Syphilis	7	5	1	-	1	-	-	-	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma	43	-	-	-	-	-	-	3	14	8	11	7	-
(*b*) Sarcoma } 39-44	3	-	-	-	-	1	-	-	-	-	2	-	-
(*c*) Malignant Disease, other or not defined } 39-44	39	-	-	-	-	-	-	3	6	12	13	5	-
46 Other Tumours (Situation undefined)	-	-	-	-	-	-	-	-	-	-	-	-	-
47 Rheumatic Fever	3	-	-	-	1	1	-	-	-	1	-	-	-
48 (*a*) Chronic Rheumatism	5	-	-	-	-	-	-	-	-	1	3	1	-
(*b*) Osteo-arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	1	-	-	-	-	-	-	-	-	1	-	-	-
50 Diabetes	5	-	-	-	-	1	1	-	-	1	2	-	-
51 Exophthalmic Goitre	1	-	-	-	-	-	1	-	-	-	-	-	-
52 Addison's Disease	1	-	-	-	-	1	-	-	-	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	9	-	-	-	-	-	-	1	3	1	4	-	-
55 (*b*) Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	5	-	-	-	-	1	-	1	2	1	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	1	-	-	-	-	-	-	1	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	1	-	1	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	18	5	5	2	2	1	1	1	-	1	-	-	-
62 Locomotor Ataxy	1	-	-	-	-	-	-	-	-	1	-	-	-
63 Other Diseases of Spinal Cord	4	1	-	-	-	-	1	-	-	-	2	-	-
64 Cerebral Hæmorrhage, Apoplexy	89	-	-	-	-	1	1	4	8	23	34	18	-
65 Softening of Brain	9	-	-	-	-	-	-	-	1	1	3	4	-
66 (*a*) Hemiplegia	21	-	-	-	-	-	1	1	2	4	9	4	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-
67 General Paralysis of Insane	3	-	-	-	-	-	-	2	1	-	-	-	-
68 Other Insanity	6	-	-	-	-	-	2	-	1	1	2	-	-
69 Epilepsy	3	-	-	-	-	-	2	-	1	-	-	-	-
71 Convulsions (not Puerperal) (70)	12	9	3	-	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-
74 (*c*) Cerebral Tumour	1	-	-	-	-	-	1	-	-	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	-	-	-	-	-	-	-	-	-	-	-	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	4	1	-	1	-	-	1	1	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	1	-	-	-	1	-	-	-	-	-	-	-	-
78 Acute Endocarditis	1	-	-	-	-	-	-	1	-	-	-	-	-
79 (*a*) Valvular Disease	38	-	-	-	-	2	1	2	6	12	9	6	-
(*b*) Fatty Degeneration of Heart	3	-	-	-	-	-	-	-	2	1	-	-	-
(*c*) Other Organic Diseases of Heart	71	-	-	1	1	-	-	6	11	17	24	11	-
80 Angina Pectoris	9	-	-	-	-	-	2	-	1	1	3	2	-
81 (*a*) Aneurysm	1	-	-	-	-	-	-	-	-	1	-	-	-
(*b*) Arterio-sclerosis	10	-	-	-	-	-	-	-	-	1	6	3	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	3	-	-	-	-	-	1	-	-	-	1	1	-
(*b*) Embolism and Thrombosis, not Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-
83 Diseases of Veins	2	-	-	-	-	-	-	-	1	1	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	1	-	-	-	-	-	-	-	-	-	-	1	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	103	24	12	-	-	-	-	3	7	19	28	10	-
91 Broncho-pneumonia	52	15	28	1	1	-	1	-	1	-	3	2	-
92 Pneumonia	89	10	16	3	-	6	8	5	12	14	6	9	-
93 Pleurisy	9	-	1	-	-	-	1	1	1	2	2	1	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	1	-	-	-	-	-	-	-	-	-	-	1	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	1	-	-	-	-	1	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	2	-	-	-	-	-	-	1	-	-	1	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	–	–	–	–	–	–	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	–	1	–	–	–	–	–	–	–	–	–	–
102 Gastric Ulcer – – – –	4	–	–	–	–	–	–	–	3	1	–	–	–
103 Other Dis. of Stomach. Gastritis	9	1	1	–	–	–	1	1	–	2	1	2	–
104 Diarrhœa, Enteritis (under 2 years)	57	47	10	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	13	–	4	2	–	–	–	–	1	2	3	1	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	6	–	–	1	1	2	–	–	2	–	–	–	–
109 (*a*) Hernia – – – –	2	–	–	–	–	–	–	1	–	–	–	1	–
(*b*) Intestinal Obstruction – –	3	1	–	–	–	–	–	–	1	1	–	–	–
110 Other Diseases of Intestine –	–	–	–	–	–	–	–	–	–	–	–	–	–
111 Acute Yellow Atrophy of Liver –	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	2	–	–	–	–	–	–	–	–	1	1	–	–
114 Gallstones – – – – –	3	–	–	–	–	–	1	–	–	1	1	–	–
115 Other Diseases of Liver – –	1	–	–	–	–	–	1	–	–	–	–	–	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	3	1	–	1	–	–	–	–	1	–	–	–	–
118 Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	10	–	3	–	–	–	1	2	1	2	1	–	–
120 (*a*) Bright's Disease – – –	16	–	–	1	1	–	1	2	2	6	2	1	–
(*b*) Uræmia – – – –	1	–	–	–	–	–	1	–	–	–	–	–	–
122 Other Dis. of Kidney, Chyluria (121)	2	–	–	–	–	–	–	1	–	–	1	–	–
123 Urinary Calculus – – –	1	–	–	–	–	–	–	–	–	–	1	–	–
124 Diseases of Bladder – – –	4	–	–	–	–	–	–	–	1	1	2	–	–
125 Dis. of Urethra, Urinary Abscess	1	–	–	–	–	–	–	1	–	–	–	–	–
126 Diseases of Prostate – – –	2	–	–	–	–	–	–	–	–	–	2	–	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	1	–	–	–	–	–	–	–	1	–	–	–	–
130 Other Diseases of Uterus – –	1	–	–	–	–	–	–	1	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–
132 Other Dis. of Female Genit. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	4	–	–	–	–	–	2	2	–	–	–	–	–
136 Other Accidents of Childbirth –	4	–	–	–	–	1	2	1	–	–	–	–	–
137 Puerperal Sepsis – – –	1	–	–	–	–	–	–	1	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	8	–	–	–	1	4	2	1	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	–	–	–	–	–	–	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	–	–	–	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	2	–	–	–	–	–	–	–	–	–	1	1	–
(*b*) Noma, Cancrum Oris – –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	–	–	–	–	–	–	–	–	–	–	–	–	–
143 Carbuncle, Boil – – – –	1	–	–	–	–	–	–	–	–	–	1	–	–
144 Phlegmon, Acute Abscess – –	4	1	–	–	–	–	–	–	–	2	1	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	–	–	–	–	–	–	–	–	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded) -	3	-	2	1	-	-	-	-	-	-	-	-	-
147 Diseases of Joints - - -	2	-	-	-	-	-	-	-	1	1	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	7	6	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	32	32	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	57	57	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	5	5	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	6	-	-	-	-	-	-	-	-	-	3	3	-
(*b*) Senile Decay - - -	53	-	-	-	-	-	-	-	-	-	18	35	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	9	-	-	-	-	-	3	3	1	1	1	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	1	-	-	-	-	-	-	1	-	-	-	-	-
167 Burns and Scalds (166) - -	9	-	2	1	1	-	2	2	-	-	1	-	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - - -	10	-	-	-	-	3	-	2	4	1	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	5	-	-	-	1	1	1	-	1	1	-	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	1	-	-	-	-	1	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	5	-	-	-	1	1	-	2	-	1	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	2	-	1	-	-	-	-	-	-	-	1	-	-
186 (*a*) Overlaying - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	3	-	-	-	-	-	-	-	1	-	2	-	-
(*c*) Other Accidents (176, 181, 185)	10	-	1	1	-	-	1	2	1	-	2	2	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	8	-	-	-	-	-	-	1	1	2	3	1	-
(*b*) Sudden Death (not otherwise defined)	2	1	-	-	-	-	1	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	18	-	-	1	-	-	-	2	2	6	7	-	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	2	-	2	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	8	2	1	-	-	1	-	-	1	2	1	-	-

Causes of Death in LANARK—MIDDLE WARD, in 1911.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	3015	784	462	92	59	176	183	187	229	307	334	202	-
I. GENERAL DISEASES.													
1 Enteric Fever	22	-	1	4	-	9	4	4	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	1	-	-	-	-	-	1	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	47	8	34	5	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	23	-	15	6	2	-	-	-	-	-	-	-	-
8 Whooping-cough	144	63	78	3	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	41	3	25	8	3	1	-	1	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	2	-	2	-	-	-	-	-	-	-	-	-	-
10 Influenza	8	1	1	-	1	-	-	1	-	-	4	-	-
13 Cholera Nostras	1	-	-	-	-	-	-	-	1	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	5	2	-	-	-	-	-	1	-	-	1	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	1	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	8	2	1	-	1	1	-	-	1	-	1	1	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	5	1	1	-	-	1	-	2	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	180	2	1	3	11	58	49	29	18	7	2	-	-
29 (*a*) Acute Phthisis	10	-	-	3	1	3	2	-	1	-	-	-	-
(*b*) Acute Miliary Tuberculosis	4	1	2	-	-	-	-	1	-	-	-	-	-
30 Tuberculous Meningitis	60	16	32	6	4	2	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	60	15	25	8	3	4	2	2	-	1	-	-	-
32 Tuberculosis of Spine	6	-	1	1	1	3	-	-	-	-	-	-	-
33 Tuberculosis of Joints	1	-	1	-	-	-	-	-	-	-	-	-	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	28	6	7	2	1	6	1	2	1	2	-	-	-
36 Rickets, Osteomalacia	2	-	2	-	-	-	-	-	-	-	-	-	-
37 Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma	89	-	-	-	-	-	4	7	17	30	20	11	-
(*b*) Sarcoma	6	-	1	1	-	-	1	-	-	2	1	-	-
(*c*) Malignant Disease, other or not defined } 39-44	37	-	-	-	-	-	1	2	8	11	12	3	-
46 Other Tumours (Situation undefined)	4	-	-	-	-	-	1	1	1	-	-	1	-
47 Rheumatic Fever	14	-	2	-	1	5	2	2	1	1	-	-	-
48 (*a*) Chronic Rheumatism	3	-	-	-	-	-	-	-	1	1	-	1	-
(*b*) Osteo-arthritis	3	-	-	-	-	-	-	-	1	-	1	1	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	16	-	-	-	1	-	2	-	2	5	6	-	-
51 Exophthalmic Goitre	1	-	-	-	-	-	-	1	-	-	-	-	-
52 Addison's Disease	2	-	-	-	-	-	1	1	-	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	2	-	-	-	-	1	-	-	-	1	-	-	-
54 Anæmia, Chlorosis	14	1	1	-	1	-	-	2	1	4	4	-	-
55 (*b*) Purpura	2	-	-	1	-	-	-	1	-	-	-	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	4	-	-	-	-	-	1	1	1	1	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	2	1	1	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-Spinal Meningitis	2	-	-	1	-	-	-	-	1	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	59	21	22	6	2	3	1	-	3	1	-	-	-
62 Locomotor Ataxy	4	-	-	-	-	-	1	1	-	2	-	-	-
63 Other Diseases of Spinal Cord	9	-	-	-	-	1	-	2	4	2	-	-	-
64 Cerebral Hæmorrhage, Apoplexy	128	-	-	-	-	-	3	9	17	28	42	29	-
65 Softening of Brain	10	-	-	-	-	-	-	1	-	4	5	-	-
66 (*a*) Hemiplegia	9	-	-	-	-	-	-	-	-	1	5	3	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	4	-	-	-	-	1	-	-	1	1	1	-	-
67 General Paralysis of Insane	5	-	-	-	-	-	-	2	2	1	-	-	-
68 Other Insanity	6	-	-	-	-	1	-	1	3	-	1	-	-
69 Epilepsy	13	1	3	-	-	1	3	4	-	-	1	-	-
71 Convulsions (not Puerperal) (70)	21	16	5	-	-	-	-	-	-	-	-	-	-
72 Chorea	1	-	-	1	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	3	-	-	-	-	-	-	-	2	1	-	-	-
74 (*c*) Cerebral Tumour	4	-	-	1	-	1	1	1	-	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	3	-	-	-	-	-	-	-	2	-	-	1	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	-	-	-	-	1	-	-	-	-	-	-	-
(*b*) Diseases of Ear	5	2	2	-	1	-	-	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	3	-	-	1	-	1	1	-	-	-	-	-	-
78 Acute Endocarditis	5	-	-	1	1	2	-	-	1	-	-	-	-
79 (*a*) Valvular Disease	92	-	2	2	1	5	7	14	14	18	21	8	-
(*b*) Fatty Degeneration of Heart	7	-	-	-	-	-	-	-	-	2	4	1	-
(*c*) Other Organic Diseases of Heart	69	1	1	1	1	3	4	4	9	13	19	13	-
80 Angina Pectoris	11	-	-	-	-	1	-	-	2	5	3	-	-
81 (*a*) Aneurysm	5	-	-	-	-	1	-	-	3	-	1	-	-
(*b*) Arterio-sclerosis	14	-	-	-	-	-	-	1	-	1	5	7	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	11	-	-	-	1	1	-	-	-	2	4	3	-
(*b*) Embolism and Thrombosis, not Cerebral	1	-	-	-	-	-	-	-	-	-	1	-	-
83 Diseases of Veins	1	-	-	-	-	-	-	-	-	-	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	1	-	-	-	1	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	3	-	2	1	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	2	1	1	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	185	45	17	-	-	1	3	4	16	42	41	16	-
91 Broncho-pneumonia	149	72	53	3	1	-	3	2	2	4	5	4	-
92 Pneumonia	186	21	27	3	5	11	13	18	23	26	32	7	-
93 Pleurisy	13	1	1	2	-	-	-	-	3	5	1	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	11	3	3	1	-	-	1	-	1	-	-	2	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	2	-	-	-	-	-	-	-	-	-	2	-	-
97 Pulmonary Emphysema	1	-	-	-	-	-	-	-	1	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	2	-	-	-	-	-	-	-	1	1	-	-	-
(*b*) Other Diseases of Respiratory System	2	-	-	-	-	-	-	-	1	-	1	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	1	–	–	–	–	1	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	5	1	–	1	–	2	–	–	–	–	1	–	–
102 Gastric Ulcer	10	–	–	–	–	1	4	1	1	1	1	1	–
103 Other Dis. of Stomach. Gastritis	31	18	3	1	–	–	1	2	1	1	3	1	–
104 Diarrhœa, Enteritis (under 2 years)	197	148	49	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	37	–	6	1	–	–	2	2	1	11	7	7	–
107 Intestinal Parasites (106)	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis	20	–	–	1	2	7	5	3	1	1	–	–	–
109 (*a*) Hernia	6	–	–	–	–	–	–	–	1	4	–	1	–
(*b*) Intestinal Obstruction	13	2	2	–	1	3	–	1	1	3	–	–	–
110 Other Diseases of Intestine	3	–	1	–	–	1	–	–	–	1	–	–	–
111 Acute Yellow Atrophy of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver	6	–	–	–	–	1	–	–	2	1	1	1	–
114 Gallstones	5	–	–	–	–	–	–	1	–	2	1	1	–
115 Other Diseases of Liver	3	–	–	–	–	–	–	1	–	–	1	1	–
116 Diseases of Spleen	2	–	–	–	–	–	–	1	1	–	–	–	–
117 Peritonitis, cause not specified	5	1	1	1	–	–	–	2	–	–	–	–	–
118 Other Diseases of Digestive System	2	–	–	–	–	–	1	–	1	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis	19	3	2	1	–	–	2	2	5	1	2	1	–
120 (*a*) Bright's Disease	57	–	–	1	1	3	1	6	16	15	12	2	–
(*b*) Uræmia	3	–	–	–	–	–	–	–	1	1	1	–	–
122 Other Dis. of Kidney, Chyluria (121)	1	–	–	–	–	–	–	–	1	–	–	–	–
123 Urinary Calculus	1	–	–	–	–	–	–	–	1	–	–	–	–
124 Diseases of Bladder	6	–	–	–	–	–	1	1	–	1	1	2	–
125 Dis. of Urethra, Urinary Abscess	4	–	–	–	–	–	–	1	2	–	1	–	–
126 Diseases of Prostate	5	–	–	–	–	–	–	–	–	1	1	3	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	4	–	–	–	–	–	–	3	1	–	–	–	–
130 Other Diseases of Uterus	1	–	–	–	–	–	1	–	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	1	–	–	–	–	–	–	–	–	1	–	–	–
132 Other Dis. of Female Genit. Organs	1	–	–	–	–	–	1	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage	5	–	–	–	–	–	3	2	–	–	–	–	–
(*c*) Uncontrollable Vomiting	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	2	–	–	–	–	1	1	–	–	–	–	–	–
135 Puerperal Hæmorrhage	7	–	–	–	–	–	4	3	–	–	–	–	–
136 Other Accidents of Childbirth	7	–	–	–	–	1	3	3	–	–	–	–	–
137 Puerperal Sepsis	7	–	–	–	–	1	6	–	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	7	–	–	–	–	3	2	2	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	2	–	–	–	–	–	2	–	–	–	–	–	–
140 (*a*) Puerperal Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
141 Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene	4	–	–	–	–	–	–	–	–	–	1	3	–
(*b*) Noma, Cancrum Oris	1	1	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*)	1	–	–	–	–	–	–	1	–	–	–	–	–
143 Carbuncle, Boil	2	–	–	–	–	–	1	–	–	1	–	–	–
144 Phlegmon, Acute Abscess	4	1	2	–	–	–	–	–	–	–	–	1	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	2	–	–	–	–	–	–	–	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	4	-	-	1	-	1	1	-	-	1	-	-	-
147 Diseases of Joints - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	40	39	-	1	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	121	121	-	-		-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	92	92	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	35	35	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	4	-	-	-	-	-	-	-	-	-	3	1	-
(*b*) Senile Decay - -	77	-	-	-	-	-	-	-	-	-	26	51	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	4	-	-	-	-	-	1	2	-	1	-	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	3	-	-	-	1	-	-	-	-	1	1	-	-
167 Burns and Scalds (166) - -	21	-	12	2	1	1	2	1	-	-	1	1	-
168 Exposure to Poisonous Vapours -	1	-	-	-	-	-	-	-	1	-	-	-	-
169 Drowning - - - - - -	14	-	2	1	2	1	3	-	1	3	1	-	-
170 Accidents with Fire Arms - -	2	-	-	-	-	-	-	2	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-		-	-	-	-	-	-	-	-
172 Accidental Falls - - -	6	-	-	-	-	-	-	1	-	2	2	1	-
173 (*a*) Accidents in Coal Mines -	54	-	-	-	1	13	14	11	8	6	1	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	4	-		-		2	1	1	-	-	-	-	-
175 (*a*) Accidents on Railways - -	9	-	-	-	1	3	1	-	2	-	-	2	-
(*b*) Acc. with Horses and Vehicles	2	-	-	-	-	-	-	2	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	1	-	-	1	-	-	-	-	-	-	-		-
(*d*) Accidents with Tramways -	-	-	-		-	-	-	-	-	-	-		-
(*e*) Other Crushing Accidents -	1	-	-	1	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179)	2	-	1	-	-	-	-	-	-	-	1	-	-
186 (*a*) Overlaying - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	6	3	-	1	1	-	-	-	1	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	21	1	3	1	2	1	3	1	4	2	2	1	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	17	1	-	-	-	-	1	-	3	6	2	4	-
(*b*) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	26	-	-	1	-	-	1	1	2	8	10	3	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b, d*)	6	-	3	-	-	-	-	-	-	3	-	-	-
(*f*) Dis. not Specified, Nat. Causes	18	6	2	-	-		1	2	3	2	2	-	-

YEAR 1911.

COUNTIES—**Aberdeen and Kincardine.**

PUBLIC HEALTH DISTRICT—**Aberdeen** (Burgh).

Population—Census 1901, - - 153,503.
Do. Do. 1911, - - 163,891.
Do. estimated to middle of 1911, 163,567.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	4027	70	52	4009	2038	1971
Illegitimate Births -	443	59	34	418	211	207
Deaths - - -	2455	158	198	2495	1246	1249

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·6	24·5	-
Death-rate—All Causes - - -	15·0	15·3	15·5
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—139.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	-	-	-	-	1	-	-	2	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	120	43	71	6	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	26	1	11	8	2	2	-	1	-	1	-	-
*Whooping-cough - - - - -	77	43	32	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	24	5	15	3	-	-	-	1	-	-	-	-
Influenza - - - - - - -	6	1	-	-	-	1	-	-	-	2	-	2
Erysipelas - - - - - -	3	-	-	-	-	-	-	-	1	-	2	-
Phthisis, Pulmonary Tuberculosis -	199	3	5	5	10	55	41	26	32	18	2	2
Tuberculous Meningitis - - -	38	9	21	4	1	-	1	1	1	-	-	-
Abdominal Tuberculosis - - -	15	7	4	1	1	-	1	-	1	-	-	-
Other Tuberculous Diseases - -	31	3	5	8	3	3	3	3	-	-	2	1
Cancer, Malignant Disease - -	176	-	-	1	-	1	3	10	31	48	48	34
Rheumatic Fever - - - -	10	-	-	3	3	-	1	1	-	-	1	1
Meningitis - - - - - -	20	9	7	1	2	-	-	1	-	-	-	-
Organic Heart Disease - - -	249	-	-	1	4	11	7	18	40	50	64	54
Bronchitis - - - - - -	159	44	8	1	1	-	3	4	9	19	34	36
Pneumonia (all forms) - - -	207	54	50	7	3	6	6	14	10	15	28	14
Other Diseases of Respiratory Organs	25	1	2	1	-	-	1	3	3	6	4	4
*Diarrhœa and Enteritis (under 2 years)	57	49	8	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	21	1	-	3	2	4	-	4	1	4	2	-
All Liver Diseases (not Malignant) -	13	-	-	-	-	-	1	2	-	3	5	2
Other Diseases of Digestive System (under 2 years)	16	12	4	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	66	1	1	2	-	3	7	6	11	15	12	8
Puerperal Sepsis - - - -	7	-	-	-	-	-	3	4	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	15	-	-	-	-	5	5	5	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	178	177	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	80	7	13	6	-	12	6	10	9	8	4	5
Suicide - - - - - - -	12	-	-	-	-	1	2	3	4	2	-	-
Other Defined Diseases - - -	602	80	21	14	7	13	23	30	44	77	119	174
Diseases Ill-defined or Unknown -	40	6	4	1	1	4	3	1	3	3	6	8
Total - - - -	2495	556	282	78	40	123	117	148	202	271	333	345

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Ballater** (Burgh).

Population—Census 1901, – – 1,247.
Do. Do. 1911, – – 1,240.
Do. estimated to middle of 1911, 1,236.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	27	0	0	27	15	12
Illegitimate Births –	0	0	0	0	0	0
Deaths – –	11	1	3	13	4	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate – – – – – –	21·8	21·8	–
Death-rate—All Causes – – – –	8·9	10·5	9·3
Do. —Phthisis – – – –	–	0·0	–
Do. —All Tuberculosis – –	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—37.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Measles – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough – – – – –	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis –	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis – – –	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases – –	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease – –	2	–	–	–	–	–	–	–	–	1	–	1
Rheumatic Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis – – – – – –	1	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis – –	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease – –	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide –	1	–	–	–	–	–	–	1	–	–	–	–
Suicide – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases – – –	5	–	–	–	–	–	–	1	–	2	1	1
Diseases Ill-defined or Unknown –	2	–	–	–	–	–	–	–	–	–	2	–
Total - – – –	13	1	1	–	–	1	–	2	–	3	3	2

YEAR 1911.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Ellon** (Burgh).

Population—Census 1901, - - - 1,527.
Do. Do. 1911, - - - 1,307.
Do. estimated to middle of 1911, 1,296.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births, - - -	27	0	0	27	11	16
Illegitimate Births, -	5	0	0	5	3	2
Deaths, - - -	13	0	0	13	6	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	20·8	–
Death-rate—All Causes - - - -	10·0	10·0	8·2
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–		–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - - -	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	2	1	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	–	–	1	–	–	–	–	–	1	–	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	13	2	2	1	–	–	–	–	–	1	2	5

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Fraserburgh** (Burgh).

Population—Census 1901, - - - 9,109.
Do. Do. 1911, - - - 10,574.
Do. estimated to middle of 1911, 10,573.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	327	2	5	330	178	152
Illegitimate Births -	28	1	0	27	11	16
Deaths - - -	151	2	12	161	76	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·9	31·2	–
Death-rate—All Causes - - - -	14·3	15·2	15·8
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—115.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over
*Enteric Fever - - - - -	2	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	–	1	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	6	3	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	–	1	–	–	4	3	2	–	–	–	–
Tuberculous Meningitis - - -	5	–	3	1	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	10	–	–	–	–	–	–	1	2	3	1	3
Rheumatic Fever - - - -	2	–	–	–	1	–	–	–	1	–	–	–
Meningitis - - - - -	2	1	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease - - -	10	–	–	–	–	–	1	–	1	2	5	1
Bronchitis - - - - -	7	2	1	–	–	–	–	1	–	–	1	2
Pneumonia (all forms) - - -	14	6	4	–	–	–	–	–	1	2	1	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	5	3	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	4	2	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	14	13	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	9	–	1	1	1	1	1	1	1	1	–	1
Suicide - - - - - - -	3	–	–	–	–	1	–	1	–	1	–	–
Other Defined Diseases - - -	44	7	1	–	–	–	4	2	3	4	14	9
Diseases Ill-defined or Unknown -	3	–	–	–	–	–	–	–	–	1	1	1
Total - - - -	161	38	21	2	4	9	11	9	10	16	24	17

YEAR 1911.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Huntly** (Burgh).

Population—Census 1901, - - - 4,136.
Do. Do. 1911, - - - 4,229.
Do. estimated to middle of 1911, 4,216.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	105	3	1	103	52	51
Illegitimate Births -	29	3	0	26	11	15
Deaths - - -	62	0	1	63	29	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·9	24·4	-
Death-rate—All Causes - - - -	14·7	14·9	12·7
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—25·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	-	2	3	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	1	-	1	-	1	-	3
Bronchitis - - - - - -	8	2	-	-	-	1	-	-	1	1	1	2
Pneumonia (all forms) - - -	3	-	-	-	-	-	1	1	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	1	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	1	1	-	-	-	-	-	-	5	5	9
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	63	8	3	1	1	6	2	2	1	10	11	18

YEAR 1911.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Inverurie** (Burgh).

Population—Census 1901 - - - 3,058.
Do. Do. 1911, - - - 3,960.
Do. estimated to middle of 1911, 3,969.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	3	4	92	43	49
Illegitimate Births -	14	2	4	16	9	7
Deaths - - -	65	2	7	70	32	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·9	23·2	–
Death-rate—All Causes - - - -	16·4	17·6	15·8
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	2·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children under One Year per 1000 Births), corrected for Transfers—152.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·4

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	4	4	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	–	1	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	–	–	–	–	–	2	3	1	–	–	–
Tuberculous Meningitis - - -	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	1	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	–	–	–	–	–	–	–	1	2	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	–	–	1	–	–	–	–	–	1	–	2
Bronchitis - - - - -	9	3	–	–	1	–	–	–	–	1	1	3
Pneumonia (all forms) - - -	9	1	–	–	–	–	–	–	2	1	3	2
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	1	–	1	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	1	–	–	–	–	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	14	–	–	–	–	–	–	1	2	–	5	6
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	–	–
Total - - - -	70	14	3	3	4	–	3	5	6	6	10	16

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Kintore** (Burgh).

Population—Census 1901, - - - 789.
Do. Do. 1911, - - - 818.
Do. estimated to middle of 1911, 816.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	0	16	5	11
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	14	0	4	18	6	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·6	19·6	–
Death-rate—All Causes - - - -	17·2	22·1	18·2
Do. —Phthisis - - - -	–	2·5	–
Do. —All Tuberculosis - -	–	3·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–		–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	2	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	–	–	–	–	3	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	–	–	–	–	–	–	–	–	–	–	6
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	18	2	–	–	2	1	1	1	1	–	4	6

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Old Meldrum** (Burgh).

Population—Census 1901, - - - 1,197.
Do. Do. 1911, - - - 1,110.
Do. estimated to middle of 1911, 1,104.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	0	2	28	12	16
Illegitimate Births -	8	0	2	10	5	5
Deaths - - -	16	1	2	17	9	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·6	25·4	-
Death-rate—All Causes - - - -	14·5	15·4	11·2
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—36.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—35·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-		-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-		-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	5	-	-	-	-	1	-	-	-	-	3	1
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	17	1	2	1	-	2	-	-	-	1	7	3

YEAR 1911.

COUNTY—**Aberdeen**.

Population—Census 1901, - - - 11,794.
Do. Do. 1911, - - - 13,613.
Do. estimated to middle of 1911, 13,610.

PUBLIC HEALTH DISTRICT—**Peterhead** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	435	6	9	438	237	201
Illegitimate Births -	37	0	5	42	24	18
Deaths - - -	216	4	17	229	107	122

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·0	32·2	–
Death-rate—All Causes - - - -	15·9	16·8	16·7
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—139.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	–	–	–	–	–	–	1	–	–	1	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	–	3	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	6	3	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	–	1	1	–	1	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–		–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	17	–	–	1	1	7	2	3	2	1	–	–
Tuberculous Meningitis - - -	9	2	6	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	1	2	–	–	–	1	–	1	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	16	–	–	–	–	1	–	–	1	3	8	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	19	–	–	–	–	–	2	2	1	2	8	4
Bronchitis - - - - -	10	5	1	–	–	1	–	–	–	1	1	1
Pneumonia (all forms) - - -	15	5	4	1	–	–	1	1	1	2	–	–
Other Diseases of Respiratory Organs	7	1	2	–	–	1	–	–	–	1	2	–
*Diarrhœa and Enteritis (under 2 years)	11	10	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	1	–	–	–	–	–	–	1	–
All Liver Diseases (not Malignant) -	5	–	–	–	–	–	–	–	2	1	2	–
Other Diseases of Digestive System (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	11	–	–	–	–	–	–	–	1	3	4	3
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	19	18	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	1	–	–	–	2	1	–	–	1	1	1
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	50	9	3	1	–	2	–	1	6	2	12	14
Diseases Ill-defined or Unknown -	4	3	–	–	–	–	–	–	–	–	–	1
Total - - - -	229	61	29	6	1	15	9	8	16	17	40	27

YEAR 1911.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Rosehearty** (Burgh).

Population—Census 1901, - - - 1,185.
Do. Do. 1911, - - - 1,308.
Do. estimated to middle of 1911, 1,306.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	47	2	1	46	22	24
Illegitimate Births -	9	0	1	10	3	7
Deaths - - -	18	0	2	20	7	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	36·0	35·2	–
Death-rate—All Causes - - - -	13·8	15·3	12·8
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—21·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–		–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	–	–	–	3	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	–	–	–	–	–	–	1	–	–	1	–
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	2	–	–	–	–	–	–	–	–	1	5
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	20	4	–	–	–	–	–	1	1	5	2	7

YEAR 1911.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Turriff** (Burgh).

Population—Census 1901, - - - 2,273.
Do. Do. 1911, - - - 2,346.
Do. estimated to middle of 1911, 2,340.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	62	2	6	66	35	31
Illegitimate Births -	16	2	3	17	6	11
Deaths - - -	55	1	3	57	25	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·5	28·2	–
Death-rate—All Causes - - - -	23·5	24·4	18·8
Do. —Phthisis - - - -	–	2·1	–
Do. —All Tuberculosis - -	–	2·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—121.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—25·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65 -	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	–	2	1	–	1	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	5	1	–	–	–	–	–	–	1	1	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	–	–	–	1	–	–	1	2	2	1	3
Bronchitis - - - - - -	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	2	1	–	–	1	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	1	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	1	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	1	–	1	–	–	–	–	–	–	–
Suicide - - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	18	1	–	–	–	–	–	1	1	2	4	9
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	57	8	1	–	6	2	1	4	5	7	9	14

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Aberdeen** (County District).

Population—Census 1901, - - - 21,716.
Do. Do. 1911, - - - 22,876.
Do. estimated to middle of 1911, 22,823.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	524	44	14	494	237	257
Illegitimate Births -	92	36	10	66	38	28
Deaths - - -	457	180	20	297	138	159

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·0	21·1	–
Death-rate—All Causes - - - -	20·0	13·0	11·4
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	–	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	–	1	–	1	1	–	–	1	–	–	–
*Whooping-cough - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	1	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	17	–	–	1	1	2	2	5	3	2	1	–
Tuberculous Meningitis - - -	2	1	–	–	–	–	–	–	1	–	–	–
Abdominal Tuberculosis - - -	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	5	–	1	2	–	1	1	–	–	–	–	–
Cancer, Malignant Disease - -	26	–	–	–	–	–	–	1	4	9	6	6
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	2	1	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	35	–	–	–	–	1	–	3	2	9	14	6
Bronchitis - - - - -	15	4	–	–	–	–	–	–	1	–	4	6
Pneumonia (all forms) - - -	21	4	1	–	–	–	2	–	3	1	2	8
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	1	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	1	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	–	–	–	–	–	–	2	–	1	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	–	–	–	2	1	1	–	2	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	19	19	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	9	1	2	–	1	1	–	1	1	1	–	1
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	104	6	2	–	–	2	5	4	3	12	23	47
Diseases Ill-defined or Unknown -	8	2	–	–	–	–	–	2	–	1	1	2
Total - - - -	297	44	12	4	5	11	14	19	22	36	52	78

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Alford** (County District).

Population—Census 1901, - - - 10,280.
Do. Do. 1911, - - - 9,495.
Do. estimated to middle of 1911, 9,441.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	217	6	3	214	117	97
Illegitimate Births -	33	4	2	31	14	17
Deaths - - -	95	1	10	104	50	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·0	22·7	-
Death-rate—All Causes - - - -	10·1	11·0	9·6
Do. —Phthisis - - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 100) Births), corrected for Transfers—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·5

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	-	2	-	-	-	-	-	-	-		-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	1	-	-	1	-	1
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	15	-	-	-	-	-	1	-	3	5	1	5
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	-	1	3	2
Bronchitis - - - - - -	6	2	-	-	-	-	-	-	1	-	1	2
Pneumonia (all forms) - - -	9	1	1	-	-	1	-	-	1	1	2	2
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	1	-	-	2
*Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	1	-	-	-	1	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	1	-	2	1	-
Suicide - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	36	4	1	-	-	1	1	1	2	2	7	17
Diseases Ill-defined or Unknown -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - -	104	14	6	1	1	3	5	3	9	13	16	33

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Deer** (County District).

Population—Census 1901, - - - 29,847
Do. Do. 1911, - - - 28,439
Do. estimated to middle of 1911, 28,303

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	703	10	8	701	355	346
Illegitimate Births -	113	5	8	116	65	51
Deaths - - -	377	7	18	388	203	185

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·8	24·8	-
Death-rate—All Causes - - - -	13·3	13·7	11·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—84.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	6	-	-	-	-	1	1	1	3	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Erysipelas - - - - - -	3	1	-	-	-	-	-	-	-	-	2	-
Phthisis, Pulmonary Tuberculosis -	27	1	1	-	-	7	10	4	2	1	1	-
Tuberculous Meningitis - - -	4	1	1	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	1	-	-	-	1	-	1	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	42	-	-	-	-	1	-	4	6	8	14	9
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	5	1	1	-	2	-	-	1	-	-	-	-
Organic Heart Disease - - -	46	-	-	-	3	1	-	1	3	10	13	15
Bronchitis - - - - - -	20	5	1	-	-	-	-	2	1	1	3	7
Pneumonia (all forms) - - -	26	7	2	2	-	2	-	1	1	3	4	4
Other Diseases of Respiratory Organs	12	2	-	-	1	2	-	1	-	-	1	5
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	1	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	6	6	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	11	-	-	-	-	-	-	-	1	1	4	5
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	23	22	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	17	4	1	2	-	1	1	-	2	3	3	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	113	2	1	1	2	2	1	6	7	8	26	57
Diseases Ill-defined or Unknown -	3	1	-	1	-	-	-	-	-	-	-	1
Total - - - -	388	60	11	8	11	21	16	21	28	35	74	103

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Deeside** (County District).

Population—Census 1901, - - - 12,683.
Do. Do. 1911, - - - 12,218.
Do. estimated to middle of 1911, 12,163.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	257	2	11	266	134	132
Illegitimate Births -	43	1	10	52	25	27
Deaths - - -	162	6	12	168	90	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	21·9	-
Death-rate—All Causes - - - -	13·3	13·8	11·7
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—19·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	3	-	-	-	-	1	-	-	-	-	-	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	21	-	-	-	-	6	5	4	1	4	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-		-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	12	-	-	-	1	-	-	-	2	1	4	4
Rheumatic Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	19	1	-	-	-	-	-	1	2	1	9	5
Bronchitis - - - - -	10	2	-	-	-	-	-	-	-	-	4	4
Pneumonia (all forms) - - -	12	2	-	-	-	-	1	1	1	1	3	3
Other Diseases of Respiratory Organs	3	-	-	-	-	-	1	-	-	-	-	2
*Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	-	-	-	-	1	1	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	-	-	-	2	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	9	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	1	-	-	1	-	-	-	1	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	59	2	2	-	-	1	2	2	4	10	5	31
Diseases Ill-defined or Unknown -	3	1	-	-	-	-	-	-	1	1	-	-
Total - - - -	168	18	4	1	1	10	12	9	11	18	30	54

YEAR 1911.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Ellon** (County District).

Population—Census 1901, - - - 14,915.
Do. Do. 1911, - - - 13,917.
Do. estimated to middle of 1911, 13,842

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	375	10	15	380	214	166
Illegitimate Births -	65	9	12	68	39	29
Deaths - - -	156	2	11	165	83	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - - -	27·1	27·5	-
Death-rate—All Causes - - - -	11·3	11·9	10·4
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·9	-
Do- —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—55.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	-	-	1	4	2	2	2	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	15	-	-	-	-	-	-	1	1	4	6	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	-	-	-	-	-	2	-	1	4	4	7
Bronchitis - - - - -	5	1	-	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	14	3	1	-	-	-	-	-	-	1	3	6
Other Diseases of Respiratory Organs	5	-	-	-	-	-	-	-	-		1	4
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	-	1
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	-	3	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	-	-	2	3	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	64	3	-	-	-	1	1	3	4	8	18	26
Diseases Ill-defined or Unknown -	2	1	1	-	-	-	-	-	-	-	-	-
Total - - - -	165	21	6	-	2	8	8	6	11	18	36	49

YEAR 1911.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Garioch** (County District).

Population—Census 1901, - - - 14,710.
Do. Do. 1911, - - - 13,980.
Do. estimated to midde of 1911, 13,912.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	353	12	15	356	191	165
Illegitimate Births -	74	9	14	79	42	37
Deaths - - -	162	2	18	178	86	92

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·4	25·6	–
Death-rate—All Causes - - - -	11·6	12·8	11·2
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—81.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—22·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	4	2	1	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	13	–	–	–	2	1	6	1	1	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	–	–	–	–	–	2	1	–	–	–	–
Cancer, Malignant Disease - -	14	–	–	–	–	–	–	–	–	6	8	–
Rheumatic Fever - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	18	–	–	–	–	–	2	–	–	3	4	9
Bronchitis - - - - - -	15	–	–	–	–	–	–	–	–	2	6	7
Pneumonia (all forms) - - -	9	1	–	–	1	–	–	1	–	1	2	3
Other Diseases of Respiratory Organs	2	–	–	1	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	7	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	–	–	–	–	2	–	–	1	1	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	15	14	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	3	–	–	–	–	–	–	1	–	–
Suicide - - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	55	3	1	–	–	1	5	1	6	3	9	26
Diseases Ill-defined or Unknown -	4	1	–	–	–	1	–	1	–	1	–	–
Total - - - -	178	29	7	4	3	9	15	5	8	20	32	46

YEAR 1911.

COUNTY—**Aberdeen**.

PUBLIC HEALTH DISTRICT—**Huntly** (County District).

Population—Census 1901, - - - 7,618.
Do. Do. 1911, - - - 6,953.
Do. estimated to middle of 1911, 6,911.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	165	3	6	168	82	86
Illegitimate Births -	35	2	5	38	19	19
Deaths - - -	85	1	1	85	35	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·9	24·3	–
Death-rate—All Causes - - - -	12·3	12·3	10·4
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—22·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
*Whooping-cough - - - -	3	2	-	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	3	1	-	-	1	-	-
Tuberculous Meningitis - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	1	2	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	1	1	1
Bronchitis - - - - -	7	3	-	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	11	3	1	-	-	-	1	-	2	-	2	2
Other Diseases of Respiratory Organs	2	-	1	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	2	-	-	-	2	-	-	-	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	27	-	-	-	1	1	1	-	2	2	4	16
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	-	1	2
Total - - - -	85	14	6	1	1	4	6	3	5	6	12	27

YEAR 1911.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Turriff** (County District).

Population—Census 1901 - - 12,238.
Do. Do. 1911, - - - 11,331
Do. estimated to middle of 1911, 11,268.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	294	6	6	294	151	143
Illegitimate Births -	47	3	5	49	21	28
Deaths - - -	120	1	11	130	60	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·1	26·1	-
Death-rate—All Causes - - - -	10·6	11·5	10·9
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—34.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	3	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	13	-	-	-	-	-	-	2	1	5	2	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	-	1	-	-	1	-	1	-	-	-	-
Organic Heart Disease - - -	13	-	-	-	-	-	-	-	1	2	6	4
Bronchitis - - - - - -	6	2	-	-	-	-	-	-	1	-	2	1
Pneumonia (all forms) - - -	7	1	-	-	-	1	-	1	-	2	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	-	1	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	1	-	-	-	2	-	1	1	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	53	-	1	-	1	1	1	1	3	6	6	33
Diseases Ill-defined or Unknown -	3	-	-	-	1	-	-	1	-	-	-	1
Total - - - -	130	10	5	-	2	8	5	9	10	17	19	45

YEAR 1911.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Campbeltown** (Burgh).

Population—Census 1901, - - - 8,286.
Do. Do. 1911, - - - 7,625.
Do. estimated to middle of 1911, 7,581.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	189	6	2	185	89	96
Illegitimate Births -	27	0	1	28	13	15
Deaths - - -	122	1	5	126	64	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - - -	24·9	24·4	-
Death-rate—All Causes - - - -	16·1	16·6	15·3
Do. —Phthisis - - - -	-	2·6	-
Do. —All Tuberculosis - -	-	3·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—97.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—15·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	20	-	1	-	1	6	3	3	1	5	-	-
Tuberculous Meningitis - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	2	1	2	1	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	9	-	-	-	-	-	1	-	-	-	3	5
Bronchitis - - - - - -	11	3	3	-	-	-	-	1	1	1	1	1
Pneumonia (all forms) - - -	7	3	1	-	-	-	-	-	-	1	1	1
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	1	-	1	-	1	1	-	-	2
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	40	2	1	1	-	2	-	1	4	7	7	15
Diseases Ill-defined or Unknown -	6	2	-	-	-	-	-	-	-	-	4	
Total - - - -	126	18	10	6	2	9	6	8	8	17	17	25

YEAR 1911.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Dunoon** (Burgh).

Population—Census 1901, - - - 6,779.
Do. Do. 1911, - - - 6,859.
Do. estimated to middle of 1911, 6,837.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	7	3	99	53	46
Illegitimate Births -	10	3	3	10	4	6
Deaths - - -	111	13	5	103	53	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·1	14·5	-
Death-rate—All Causes - - - -	16·2	15·1	12·4
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—121.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	-	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	-	1	3	1
Rheumatic Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	1	-	1	2	3	5
Bronchitis - - - - - -	5	-	-	-	-	-	-	-	-	-	3	2
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	4	-	-	-	-	1	-	-	-	-	2	1
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	1	1	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	1	1	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	46	1	-	1	-	2	1	3	3	6	15	14
Diseases Ill-defined or Unknown -	6	1	-	-	-	-	-	1	1	-	1	2
Total - - - -	103	12	-	2	-	5	4	6	9	11	28	26

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Inveraray** (Burgh).

Population—Census 1901, - - - 678.
Do. Do. 1911, - - - 533.
Do. estimated to middle of 1911 527.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	0	8	4	4
Illegitimate Births -	1	0	0	1	0	1
Deaths - - -	10	0	1	11	5	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·2	15·2	-
Death-rate—All Causes - - -	19·0	20·9	14·8
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-		-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	-	-	-	-	-	-	-	-	-	1	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	11	1	-	-	-	1	-	1	-	-	2	6

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Lochgilphead** (Burgh).

Population—Census 1901, - - 1,313.
Do. Do. 1911, - - - 921.
Do. estimated to middle of 1911, 908.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	1	13	7	6
Illegitimate Births -	0	0	1	1	1	0
Deaths - - -	17	0	0	17	7	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·2	13·2	-
Death-rate—All Causes - - -	18·7	18·7	14·0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	1	2	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	-	-	-	-	-	-	-	-	1	-	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	17	1	-	-	-	-	-	-	2	3	5	6

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Oban** (Burgh).

Population—Census 1901, - - - 5,427.
Do. Do. 1911, - - - 5,557.
Do. estimated to middle of 1911, 5,540.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	115	6	2	111	51	60
Illegitimate Births -	17	5	0	12	7	5
Deaths - - -	109	20	0	89	41	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	20·0	-
Death-rate—All Causes - - -	19·7	16·1	15·6
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	5	2	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	1	1	2	-	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	2	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	8	1	-	-	-	-	-	-	-	1	4	2
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	1	1	1	2	1
Bronchitis - - - - -	7	-	-	-	-	-	-	-	1	1	2	3
Pneumonia (all forms) - - -	7	1	2	-	1	-	-	-	1	-	1	1
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	-	1	1	-	3	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	1	-	-	-	2	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	32	1	-	-	-	2	-	1	2	4	7	15
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	89	7	5	5	2	4	1	6	9	9	19	22

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Tobermory** (Burgh).

Population—Census 1901, - - - 1,175.
Do. Do. 1911, - - - 988.
Do. estimated to middle of 1911, 979.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	0	0	18	10	8
Illegitimate Births -	1	0	0	1	0	1
Deaths - - -	19	2	1	18	7	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·4	18·4	-
Death-rate—All Causes - - -	19·4	18·4	13·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	3	-
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	-		-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	-	-	-	-	-	-	1	-	-	-	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	18	1	-	-	-	-	1	2	-	2	5	7

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Ardnamurchan** (County District).

Population—Census 1901, - - - 3,231.
Do. Do. 1911, - - - 2,822.
Do. estimated to middle of 1911, 2,802.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	1	1	46	22	24
Illegitimate Births -	3	0	1	4	1	3
Deaths - - -	34	0	2	36	14	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·4	-
Death-rate—All Causes - - -	12·1	12·8	9·3
Do. —Phthisis - - - -	-	2·1	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—22.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	-	-	-	-	1	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	-	2	-	3	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	4	-	-	-	-	1	-	1	-	1	1	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	-	-	-	-	-	1	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	2	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	1	-	-	-	-	-	-	-	2	1	10
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	36	1	1	-	-	1	2	3	6	4	6	12

YEAR 1911.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Cowal** (County District).

Population—Census 1901, - - - 7,730.
Do. Do. 1911, . - - 8,194.
Do. estimated to middle of 1911, 8,177.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	111	1	5	115	63	52
Illegitimate Births -	6	0	2	8	4	4
Deaths - - -	104	7	10	107	59	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·6	14·1	-
Death-rate—All Causes - - -	12·7	13·1	11·9
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	-	-	-	6	4	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	1	2	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	-	-	-	1	-	-	-	1	2	4	6
Bronchitis - - - - -	9	1	1	-	-	-	-	-	-	1	1	5
Pneumonia (all forms) - - -	5	2	2	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	1	1	1	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	1	-	1	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	39	2	-	-	-	-	1	4	2	3	11	16
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	1	-	-	3	1	-
Total - - - -	107	9	4	1	1	8	7	8	6	12	21	30

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Islay** (County District).

Population—Census 1901, - - - 7,805.
Do. Do. 1911, - - - 7,130.
Do. estimated to middle of 1911, 7,088.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	1	7	149	74	75
Illegitimate Births -	18	0	4	22	12	10
Deaths - - -	99	3	8	104	58	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	21·0	–
Death-rate—All Causes - - -	14·0	14·7	11·8
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·7	–
Do —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—54.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	3	2	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	8	–	–	–	–	5	2	–	–	–	1	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	1	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	9	–	–	–	–	–	–	2	1	2	1	3
Rheumatic Fever - - - -	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	3	2	–	–	–	–	–	–	–	1	–	–
Organic Heart Disease - - -	12	–	–	–	–	–	–	–	2	3	4	3
Bronchitis - - - - -	6	–	1	–	–	–	–	–	–	1	3	1
Pneumonia (all forms) - - -	4	–	–	–	–	–	–	–	1	–	2	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	8	3	–	–	–	–	1	–	3	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	39	–	1	–	–	1	–	–	1	6	11	19
Diseases Ill-defined or Unknown -	3	–	1	–	–	–	–	–	–	1	1	–
Total - - - -	104	8	5	2	1	7	4	3	8	15	23	28

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Kintyre** (County District).

Population—Census 1901, - - - 7,136.
Do. Do. 1911, - - - 6,660.
Do. estimated to middle of 1911, 6,624.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	130	1	5	134	71	63
Illegitimate Births -	14	0	2	16	7	9
Deaths - - -	81	2	6	85	41	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·6	20·2	-
Death-rate—All Causes - - -	12·2	12·8	11·4
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	1	3	1	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	1	2	1
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	-	-	-	-	-	-	2	-	-	9	2
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	10	2	-	-	-	-	1	-	1	1	4	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	-	-	-	-	2	1	1	-	1	-	3
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	24	-	1	-	-	-	-	1	1	1	11	9
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	-	-	-	1	2	2
Total - - - -	85	6	5	-	-	6	5	5	2	5	31	20

Year 1911.
County—Argyll.
Public Health District—Lorn (County District).

Population—Census 1901, - - - 10,220.
Do. Do. 1911, - - - 11,087.
Do. estimated to middle of 1911, 11,069.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	187	0	8	195	110	85
Illegitimate Births -	17	0	2	19	11	8
Deaths - - -	127	0	23	150	86	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·9	17·6	–
Death-rate—All Causes - - -	11·5	13·6	12·2
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	–	–	–	1	1	–	–	1	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	–	–	–	–	–	–	–	–	–	1	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	–	–	1	3	1	–	–	–	–
Tuberculous Meningitis - - -	3	1	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	9	–	–	–	–	–	1	1	1	3	3	–
Rheumatic Fever - - - -	3	–	–	–	–	–	1	–	1	–	–	1
Meningitis - - - - -	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	12	–	–	–	–	–	–	–	1	–	5	6
Bronchitis - - - - -	11	–	–	–	–	–	–	–	–	2	4	5
Pneumonia (all forms) - - -	10	2	–	–	–	1	1	–	2	–	4	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	1	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	9	1	–	1	–	1	2	1	1	1	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	62	4	2	–	–	4	1	3	4	7	6	31
Diseases Ill-defined or Unknown -	3	–	–	–	–	–	–	–	–	1	–	2
Total - - - -	150	17	6	2	1	10	9	6	12	14	25	48

YEAR 1911.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Mid-Argyll** (County District).

Population—Census 1901, - - - 7,698.
Do. Do. 1911, - - - 7,127.
Do. estimated to middle of 1911, 7,088.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	100	2	1	99	46	53
Illegitimate Births -	8	1	0	7	4	3
Deaths - - -	100	22	3	81	45	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·1	14·1	-
Death-rate—All Causes - - -	14·1	11·4	9·3
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	-	2	3	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	8	-	-	-	-	-	-	-	-	2	2	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	11	-	-	-	-	-	-	-	1	5	1	4
Bronchitis - - - - -	5	-	-	-	-	-	-	-	1	-	2	2
Pneumonia (all forms) - - -	6	-	-	-	-	-	-	-	-	2	2	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	1	-	-	3	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	3	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	1	-	1	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	24	1	-	-	-	-	-	2	-	3	6	12
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	81	6	1	-	-	5	5	4	4	16	15	25

YEAR 1911.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Mull** (County District).

Population—Census 1901, - - - 6,164.
Do. Do. 1911, - - - 5,399.
Do. estimated to middle of 1911, 5,361.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	2	1	74	34	40
Illegitimate Births -	5	0	0	5	4	1
Deaths - - -	82	0	6	88	39	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·0	13·8	-
Death-rate—All Causes - - -	15·3	16·4	11·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—27.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	2	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	1	3	-	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	13	1	-	-	-	-	-	1	1	-	5	5
Bronchitis - - - - -	3	-	1	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	5	-	-	-	-	-	-	-	-	-	1	4
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	1	-	-	1
Puerperal Sepsis - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	1	-	-	-	1	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	38	1	1	-	-	-	-	3	-	2	10	21
Diseases Ill-defined or Unknown -	4	-	-	-	-	1	-	-	1	-	-	2
Total - - - -	88	2	3	-	1	4	5	6	6	7	18	36

YEAR 1911.

COUNTY—**Ayr**.

PUBLIC HEALTH DISTRICT—**Ardrossan** (Burgh).

Population—Census 1901, - - - 6,077.
Do. Do. 1911, - - - 5,760.
Do. estimated to middle of 1911, 5,731.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	154	4	3	153	71	82
Illegitimate Births -	13	1	3	15	9	6
Deaths - - -	89	0	9	98	45	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·9	26·7	–
Death-rate—All Causes - - -	15·5	17·1	18·0
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—157.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	–	–	–	–	–	1	–	–	1	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	–	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	1	–	1	1	1	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	8	–	–	–	–	–	–	1	2	1	1	3
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	4	3	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	–	–	–	–	–	1	2	–	4	2	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	12	2	2	–	–	2	2	–	–	1	1	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	4	–	–	–	–	–	–	2	2	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	1	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	14	13	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	2	–	–	–	2	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	22	4	–	–	–	1	–	2	1	5	4	5
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	98	24	6	2	–	7	8	8	7	14	8	14

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Ayr** (Burgh).

Population—Census 1901, - - - 28,697.
Do. Do 1911, - - - 32,986.
Do. estimated to middle of 1911, 32,975.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	860	7	10	863	457	406
Illegitimate Births -	87	1	6	92	53	39
Deaths - - -	575	71	21	525	270	255

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·1	26·2	-
Death-rate—All Causes - - -	17·4	15·9	16·1
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—134.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	-1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	7	3	3	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	13	6	7	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	8	-	4	4	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	40	1	-	-	1	11	12	7	6	2	-	-
Tuberculous Meningitis - - -	3	-	2	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	2	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	6	1	2	-	-	-	2	1	-	-	-	-
Cancer, Malignant Disease - -	36	-	-	-	-	-	1	6	5	5	13	6
Rheumatic Fever - - - -	2	-	-	-	1	-	1	-	-	-	-	-
Meningitis - - - - - -	10	3	1	-	1	1	-	2	2	-	-	-
Organic Heart Disease - - -	36	-	1	-	1	-	2	3	5	8	10	6
Bronchitis - - - - -	29	7	6	-	-	-	-	-	1	7	3	5
Pneumonia (all forms) - - -	42	8	8	-	1	1	2	5	3	5	7	2
Other Diseases of Respiratory Organs	10	2	-	-	-	-	-	1	1	1	1	4
*Diarrhœa and Enteritis (under 2 years)	32	26	6	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	5	-	-	-	-	-	1	-	-	1	2	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	20	1	-	1	1	1	-	3	2	6	5	-
Puerperal Sepsis - - - -	3	-	-	-	-	-	2	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	-	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	40	38	-	1	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	19	1	6	1	1	-	3	3	2	1	1	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	131	9	4	2	-	4	7	12	7	17	30	39
Diseases Ill-defined or Unknown -	21	7	1	-	-	-	-	-	3	4	2	4
Total - - - -	525	116	52	9	8	22	35	47	37	57	75	67

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Cumnock and Holmhead** (Burgh).

Population—Census 1901, - - - - 3,088.
Do. Do. 1911, - - - - 3,417.
Do. estimated to middle of 1911, 3,413.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	93	4	2	91	60	31
Illegitimate Births -	7	2	1	6	2	4
Deaths - - -	38	0	6	44	25	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·2	26·7	–
Death-rate—All Causes - - -	11·1	12·9	11·9
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—165.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	1	–	–	1	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	10	6	2	–	–	–	1	–	–	1	–	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	1	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	13	–	–	–	–	–	–	–	–	2	3	8
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	44	15	5	–	–	–	2	2	1	5	5	9

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Darvel** (Burgh).

Population—Census 1901, - - - 3,070.
Do. Do. 1911, - - - 3,590.
Do. estimated to middle of 1911, 3,590.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	1	1	74	40	34
Illegitimate Births -	6	0	0	6	4	2
Deaths - - -	49	0	6	55	21	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·6	20·6	–
Death-rate—All Causes - - -	13·6	15·3	17·1
Do. —Phthisis - - - -	–	2·2	–
Do. —All Tuberculosis - -	–	2·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	8	–	–	1	1	4	–	2	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	–	–	–	–	–	–	1	1	1	–	1
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - -	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	–	–	–	–	–	–	1	–	1	3	–
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	4	–	1	–	–	–	–	–	–	2	–	1
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	1	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	1	1	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	15	–	–	2	–	–	–	1	2	2	3	5
Diseases Ill-defined or Unknown -	3	–	–	–	–	–	–	–	–	2	1	–
Total - - - -	55	6	3	3	1	4	–	7	5	11	7	8

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Galston** (Burgh).

Population—Census 1901, - - - 4,876.
Do. Do. 1911, - - - 5,296.
Do. estimated to middle of 1911, 5,288.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	156	0	3	159	84	75
Illegitimate Births -	3	0	1	4	3	1
Deaths - - -	64	0	11	75	39	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·5	30·1	-
Death-rate—All Causes - - -	12·1	14·2	15·6
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—157.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	1	-	-	1	-	2	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	1	-	-	-	-	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	1	-	1	-	-	-	2
Bronchitis - - - - -	6	2	-	-	-	-	-	-	-	2	2	-
Pneumonia (all forms) - - -	9	3	4	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	1	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	2	-	1	-	-	3	1	3	1	3	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	75	25	7	1	3	1	7	5	4	4	7	11

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Girvan** (Burgh).

Population—Census 1901, - - - 4,024.
Do. Do. 1911, - - - 4,473.
Do. estimated to middle of 1911, 4,470.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	101	8	4	97	50	47
Illegitimate Births -	11	2	2	11	7	4
Deaths - - -	64	9	5	60	28	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·6	21·7	-
Death-rate—All Causes - - -	14·3	13·4	11·7
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	-	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	-	2	3	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	3	2	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	1	-	1	1	-
Other Diseases of Digestive System (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	-	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	-	-	-	1	-	-	-	1	-	6	15
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	-	2
Total - - - -	60	10	3	-	2	1	-	2	4	4	13	21

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Irvine** (Burgh).

Population—Census 1901, - - - 9,618.
Do. Do. 1911, - - - 10,179.
Do. estimated to middle of 1911, 10,157.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	286	3	2	285	140	145
Illegitimate Births -	19	1	1	19	9	10
Deaths - - -	139	1	14	152	78	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·2	28·1	-
Death-rate—All Causes - - -	13·7	15·1	15·3
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)		2·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—105.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Age.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	-	1	-	-	1	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	9	4	5	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	16	-	-	-	1	7	5	1	1	-	1	-
Tuberculous Meningitis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	1	-	-	-	-	-	-	1	2	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	1	-	1	4	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	1	2	2	3	2
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - -	7	2	-	-	-	1	-	1	2	1	-	-
Other Diseases of Respiratory Organs	2	1	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	1	-	1	-	-	-
All Liver Diseases (not Malignant) -	3	-	1	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	1	-	1	-	1	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	-	1	2	1	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Defined Diseases - - -	40	4	2	-	-	2	5	2	6	6	6	7
Diseases Ill-defined or Unknown -	9	1	1	-	-	1	-	-	1	-	5	-
Total - - - -	152	30	16	-	1	12	14	9	17	16	22	15

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Kilmarnock** (Burgh).

Population—Census 1901, - - - 34,165.
Do. Do. 1911, - - - 34,728.
Do. estimated to middle of 1911, 34,618.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	837	9	20	848	450	398
Illegitimate Births -	69	3	7	73	30	43
Deaths - - -	468	46	44	466	214	252

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·2	24·5	–
Death-rate—All Causes - - -	13·5	13·5	14·7
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·6.

CAUSES OF DEATH (corrected for Transfers.

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	2	–	1	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	4	2	–	1	–	–	1	–	–	–	–	–
*Diphtheria and Croup - - - -	3	–	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	43	–	2	–	–	9	6	14	8	2	2	–
Tuberculous Meningitis - - - -	5	3	–	1	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - - -	7	3	2	–	1	1	–	–	–	–	–	–
Other Tuberculous Diseases - - -	6	–	1	1	2	–	2	–	–	–	–	–
Cancer, Malignant Disease - - -	33	–	–	–	–	–	1	5	9	8	7	3
Rheumatic Fever - - - - -	3	–	–	–	1	–	–	1	1	–	–	–
Meningitis - - - - - -	4	1	1	1	–	1	–	–	–	–	–	–
Organic Heart Disease - - - -	28	–	–	–	1	2	1	1	2	11	6	4
Bronchitis - - - - - -	26	5	–	1	–	–	–	–	1	5	8	6
Pneumonia (all forms) - - - -	28	6	3	1	2	–	1	4	2	8	–	1
Other Diseases of Respiratory Organs	13	1	–	–	–	–	1	3	2	–	5	1
*Diarrhœa and Enteritis (under 2 years)	22	20	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - - -	4	–	–	1	–	1	1	–	1	–	–	–
All Liver Diseases (not Malignant) -	3	–	2	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	19	1	1	–	–	–	–	1	4	5	6	1
Puerperal Sepsis - - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	4	–	–	–	–	2	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	28	26	1	–	–	–	1	–	–	–	–	–
Violent Deaths, excluding Suicide -	18	1	1	3	3	1	1	4	2	1	1	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - - -	145	10	3	1	3	4	5	10	17	16	41	35
Diseases Ill-defined or Unknown -	13	3	1	–	–	–	–	–	4	4	1	–
Total - - - - -	466	82	25	14	13	22	21	46	54	60	77	52

YEAR 1911.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Kilwinning** (Burgh).

Population—Census 1901, - - - 4,566.
Do. Do. 1911, - - - 4,945.
Do. estimated to middle of 1911, 4,936.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	159	0	1	160	82	78
Illegitimate Births -	8	0	0	8	3	5
Deaths - - -	77	0	10	87	51	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·2	32·4	–
Death-rate—All Causes - - -	15·6	17·6	18·3
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	2·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—119.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	5	–	–	–	3	1	–	–	1	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	–	–	–	–	4	–	1	2	–	–	–
Tuberculous Meningitis - - -	3	–	1	–	–	1	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	4	–	1	–	–	–	2	–	1	–	–	–
Cancer, Malignant Disease - -	5	–	–	–	–	–	–	–	1	2	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	5	–	–	–	–	1	–	–	2	–	2	–
Bronchitis - - - - -	8	1	1	–	–	–	–	–	2	2	1	1
Pneumonia (all forms) - - -	3	1	–	–	–	–	–	–	1	–	–	1
Other Diseases of Respiratory Organs	2	1	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	1	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	1	–	–	–	–	–	1	1	–	–
Puerperal Sepsis - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	–	1	1	1	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	18	2	–	1	–	2	1	–	1	–	3	8
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	87	19	5	1	3	11	4	4	14	6	9	11

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Largs** (Burgh).

Population—Census 1901, - - - 3,344.
Do. Do. 1911, - - - 3,724.
Do. estimated to middle of 1911, 3,721.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	53	2	0	51	27	24
Illegitimate Births -	4	0	0	4	3	1
Deaths - - -	49	4	11	56	21	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	14·2	13·7	–
Death-rate—All Causes - - -	13·2	15·0	13·0
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—39.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	–	–	–	–	–	–	–	1	–	3	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	–	–	–	–	2	1
Bronchitis - - - - - -	8	–	2	–	–	–	–	–	1	–	2	3
Pneumonia (all forms) - - -	3	–	–	–	–	1	1	–	–	1	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	8	–	–	–	–	–	1	–	2	2	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	1	–	–	1	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	18	1	–	–	–	–	–	1	3	3	5	5
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	1	–	1
Total - - - -	56	2	3	–	1	2	3	3	7	8	14	13

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Maybole** (Burgh).

Population—Census 1901, - - - 5,892.
Do. Do. 1911, - - - 4,889.
Do. estimated to middle of 1911, 4,846.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	6	1	118	61	57
Illegitimate Births -	12	2	1	11	5	6
Deaths - - -	71	7	12	76	38	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·4	24·3	-
Death-rate—All Causes - - -	14·7	15·7	15·2
Do. —Phthisis - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	3·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	8	-	7	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	-	2	4	1	1	-	1	-
Tuberculous Meningitis - - -	5	1	3	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	1	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	2	-	1	1	1	1
Bronchitis - - - - -	7	1	1	-	-	-	-	-	-	4	-	1
Pneumonia (all forms) - - -	5	-	1	1	-	-	-	-	1	-	1	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	2	-
*Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	1	-	-	-	-	1	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	1	1	-	-	1	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	-	-	-	-	1	-	-	1	3	1	4
Diseases Ill-defined or Unknown -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - -	76	10	17	3	-	3	9	2	5	10	10	7

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Newmilns and Greenholm** (Burgh).

Population—Census 1901, - - - 4,467.
Do. Do. 1911, - - - 4,806.
Do. estimated to middle of 1911, 4,797.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	3	0	89	46	43
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	35	1	3	37	16	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	18·6	-
Death-rate—All Causes - - -	7·3	7·7	8·2
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	1	-	-	-	-	1	-	-	-	-	-	-
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	4	-	1	-	-	-	-	-	1	-	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	-	-	-	-	1	-	1	1	2	5	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	37	5	2	-	1	3	1	1	3	4	10	7

YEAR 1911.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Prestwick** (Burgh).

Population—Census 1901, - - - 3,211.
Do. Do. 1911, - - - 4,879.
Do. estimated to middle of 1911, 4,902.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	80	4	2	78	33	45
Illegitimate Births -	5	1	1	5	3	2
Deaths - - -	65	3	9	71	29	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·3	15·9	-
Death-rate—All Causes - - -	13·3	14·5	13·8
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—64.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	1	-	1	-	1	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	1	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	1	-	-	5	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	1	2	2
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	1	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	1	-	-	-	-	1	-	-	1	3
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	-	-	-	-	-	1	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	-	-	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	29	-	1	-	-	-	1	2	4	2	8	11
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	71	5	3	-	3	-	2	8	6	4	20	20

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Saltcoats** (Burgh).

Population—Census 1901, - - - 8,120.
Do. Do. 1911, - - - 8,585.
Do. estimated to middle of 1911, 8,566.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	216	4	5	217	113	104
Illegitimate Births -	15	1	2	16	6	10
Deaths - - -	113	9	16	120	46	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·2	25·3	-
Death-rate—All Causes - - -	13·2	14·0	13·8
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Sexes.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	1	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	2	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	-	1	4	1	2	1	-	-
Tuberculous Meningitis - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	-	-	1	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	-	3	2	2
Rheumatic Fever - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	-	-	-	-	-	3	1	5	3	4	2
Bronchitis - - - - -	6	-	-	-	-	-	-	-	-	1	3	2
Pneumonia (all forms) - - -	6	-	3	-	-	1	1	1	-	-	-	-
Other Diseases of Respiratory Organs	2	-	1	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	-	-	-	3	3	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	1	1	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	37	4	-	1	1	2	2	3	1	3	8	12
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	1	-	-	2
Total - - - -	120	14	8	3	3	5	12	8	11	16	20	20

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Stewarton** (Burgh).

Population—Census 1901, - - - 2,919.
Do. Do. 1911, - - - 2,841.
Do. estimated to middle of-1911, 2,829.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	67	0	0	67	27	40
Illegitimate Births -	10	0	0	10	2	8
Deaths - - -	39	0	9	48	26	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·7	23·7	-
Death-rate—All Causes - - -	13·8	17·0	16·2
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—119.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	1	-	-	2	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	1	-	-	-	1	2	1	3
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	5	1	1	1	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	-	-	-	-	-	-	1	2	1	5	5
Diseases Ill-defined or Unknown -	4	-	1	-	-	-	-	-	-	-	2	1
Total - - - -	48	8	2	1	1	-	2	3	3	6	13	9

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Troon** (Burgh).

Population—Census 1901, - - - 4,764.
Do. Do. 1911, - - - 6,628.
Do. estimated to middle of 1911, 6,651.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	137	3	1	135	70	65
Illegitimate Births -	5	0	1	6	3	3
Deaths - - -	63	1	24	86	47	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·6	20·3	-
Death-rate—All Causes - - -	9·5	12·9	14·0
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	1	1	1	-	1	2	-	1	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	1	2	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	1	2	1	2
Bronchitis - - - - - -	4	2	-	-	-	-	-	1	-	-	1	-
Pneumonia (all forms) - - -	9	1	-	-	-	1	2	2	-	3	-	-
Other Diseases of Respiratory Organs	3	-	-	-	-	1	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	-	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	1	-	-	-	-	1	-	1	3
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	25	1	3	1	-	-	-	2	1	4	7	6
Diseases Ill-defined or Unknown -	5	-	1	-	-	-	-	-	-	1	-	3
Total - - - -	86	13	6	4	1	4	2	8	7	14	12	15

YEAR 1911.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Ayr** (County District).

Population—Census 1901, - - - 39,260.
Do. Do. 1911, - - - 42,233.
Do. estimated to middle of 1911, - 42,156.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1340	16	18	1342	681	661
Illegitimate Births -	120	1	13	132	69	63
Deaths - - -	530	58	44	516	271	245

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·8	31·8	-
Death-rate—All Causes - - -	12·6	12·2	12·6
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-
		1·4	-

Infantile Mortality Rate (Deaths of Children of under one Year per 1000 Births), corrected for Transfers—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	11	6	5	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	3	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis. Pulmonary Tuberculosis -	18	-	1	1	2	5	3	5	-	1	-	-
Tuberculous Meningitis - - -	5	2	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	2	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	9	1	2	-	-	2	2	-	-	2	-	-
Cancer, Malignant Disease - -	23	-	-	-	-	-	-	1	7	8	3	4
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	8	3	3	-	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	50	-	-	2	4	1	-	5	5	3	15	15
Bronchitis - - - - -	44	10	7	1	-	-	-	2	1	4	9	10
Pneumonia (all forms) - - -	57	18	11	-	1	2	3	2	5	3	8	4
Other Diseases of Respiratory Organs	9	2	1	-	1	-	-	1	1	1	-	2
*Diarrhœa and Enteritis (under 2 years)	35	31	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	7	-	-	-	3	2	-	-	1	1	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	6	6	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	15	-	-	1	-	1	1	1	4	2	3	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	5	-	-	-	-	-	2	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	51	51	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	23	-	2	-	-	5	2	2	5	1	2	4
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	98	3	3	3	4	7	4	7	9	10	20	28
Diseases Ill-defined or Unknown -	21	2	1	-	1	1	1	-	1	8	4	2
Total - - - -	516	139	51	9	19	29	19	29	40	44	64	73

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Carrick** (County District).

Population—Census 1901, - - - 12,570.
Do. Do. 1911, - - - 12,996.
Do. estimated to middle of 1911, 12,961.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	287	6	11	292	160	132
Illegitimate Births -	25	3	4	26	14	12
Deaths - - -	146	6	15	155	88	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	22·5	-
Death-rate—All Causes - - -	11·3	12·0	11·4
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·2	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	2	4	1	-	-	-	2	-
Tuberculous Meningitis - - -	2	-	1	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	-	-	1	-	-	1
Cancer, Malignant Disease - -	12	-	-	-	-	-	-	-	-	5	4	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	4	1	1	-	1	-	-	-	1	-	-	-
Organic Heart Disease - - -	14	-	1	-	-	-	2	-	1	2	4	4
Bronchitis - - - - - -	3	-	1	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	9	1	2	1	-	-	1	1	2	-	-	1
Other Diseases of Respiratory Organs	4	1	-	1	-	-	-	1	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	1	-	-	-	1	-	1	1	-	2
Puerperal Sepsis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	-	1	-	-	2	-	-	-	1	-	3
Suicide - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	51	2	1	1	-	-	-	5	2	2	16	22
Diseases Ill-defined or Unknown -	5	1	-	-	-	-	-	1	-	-	2	1
Total - - - -	155	22	14	3	3	7	9	10	8	11	30	38

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

Population—Census 1901, - - - 24,397.
Do. Do. 1911, - - - 23,979.
Do. estimated to middle of 1911, 23,884.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	613	8	6	611	313	298
Illegitimate Births -	37	4	2	35	14	21
Deaths - - -	283	13	28	298	154	144

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·7	25·6	-
Death-rate—All Causes - - -	11·8	12·5	12·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - -	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	1	-	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	3	-	-	-	1	-	-	-	-	-	1	1
Phthisis, Pulmonary Tuberculosis -	28	-	-	-	1	12	3	4	3	2	2	1
Tuberculous Meningitis - - -	4	-	-	1	3	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	-	4	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	8	-	1	-	-	2	4	-	-	1	-	-
Cancer, Malignant Disease - -	20	1	-	-	-	-	-	2	3	8	4	2
Rheumatic Fever - - - -	3	-	-	1	1	-	-	1	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	25	-	-	-	-	-	-	-	2	4	10	9
Bronchitis - - - - -	17	3	1	1	-	-	-	2	-	2	5	3
Pneumonia (all forms) - - -	23	7	6	-	-	-	1	1	3	2	2	1
Other Diseases of Respiratory Organs	5	-	-	-	-	1	-	1	-	1	1	1
*Diarrhœa and Enteritis (under 2 years)	10	9	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	-	2	1	-
Other Diseases of Digestive System (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	-	2	-	-	-	2	-	-	2	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	-	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	27	27	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	-	1	-	1	1	-	-	2	1	2	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Defined Diseases - - -	73	7	2	1	-	3	4	2	8	10	17	19
Diseases Ill-defined or Unknown -	12	-	-	-	-	1	-	-	2	1	6	2
Total - - - -	298	59	21	6	7	22	14	16	23	36	51	43

YEAR 1911.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Northern Ayr** (County District).

Population—Census 1901, - - - - 47,343.
Do. Do. 1911, - - - 47,403.
Do. estimated to middle of 1911, 47,236.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1243	9	13	1247	640	607
Illegitimate Births -	77	2	2	77	35	42
Deaths - - -	679	57	42	664	342	322

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·3	26·4	-
Death-rate—All Causes - - -	14·4	14·1	14·2
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	4	-	1	-	-	3	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	5	-	2	3	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	20	10	9	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	7	1	5	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Erysipelas - - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	54	-	1	1	2	15	16	8	8	3	-	-
Tuberculous Meningitis - - -	8	1	4	2	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	6	-	1	1	-	4	-	-	-	-	-	-
Other Tuberculous Diseases - -	9	-	2	-	-	2	2	1	-	-	1	1
Cancer, Malignant Disease - -	43	-	-	-	-	-	-	3	7	12	15	6
Rheumatic Fever - - - -	3	-	-	1	-	-	1	-	1	-	-	-
Meningitis - - - - -	10	4	6	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	59	1	-	-	1	-	1	4	6	19	20	7
Bronchitis - - - - -	37	7	1	-	-	-	1	1	2	7	10	8
Pneumonia (all forms) - - -	50	8	13	-	1	4	2	1	3	6	8	4
Other Diseases of Respiratory Organs	14	5	2	-	-	1	1	-	1	-	-	4
*Diarrhœa and Enteritis (under 2 years)	29	24	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	-	-	-	1	1	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	9	-	-	-	-	1	-	-	2	3	3	-
Other Diseases of Digestive System (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	-	-	-	-	-	1	2	1	4	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	8	-	-	-	-	2	5	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	58	57	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	21	1	1	-	-	5	1	6	1	4	-	2
Suicide - - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Other Defined Diseases - - -	169	9	5	3	-	3	8	7	17	21	40	56
Diseases Ill-defined or Unknown -	15	1	-	-	-	-	-	3	-	1	6	4
Total - - - -	664	133	61	13	5	42	41	38	51	81	106	93

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

Population—Census 1901, - - - 1,141.
Do. Do. 1911, - - - 1,048.
Do. estimated to middle of 1911, 1,042.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	2	0	39	24	15
Illegitimate Births -	15	2	0	13	9	4
Deaths - - -	16	1	1	16	6	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	39·3	37·4	-
Death-rate—All Causes - - -	15·4	15·4	11·8
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—128.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—33·3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	1	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	1	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	16	5	1	1	-	-	2	-	-	2	3	2

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

Population—Census 1901, - - - 3,732.
Do. Do. 1911, - - - 3,821.
Do. estimated to middle of 1911, 3,809.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	3	2	95	48	47
Illegitimate Births -	7	2	2	7	2	5
Deaths - - -	88	14	5	79	31	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·2	24·9	-
Death-rate—All Causes - - -	23·1	20·7	18·0
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—168.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-NIL	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	-	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	1	-	-	1	3	1	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	-	-	-	1	5	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	1	-	-	-	-	5	6
Bronchitis - - - - - -	5	1	-	-	-	-	-	-	1	1	-	2
Pneumonia (all forms) - - -	5	-	-	-	-	-	1	-	1	-	1	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	-	1	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	13	2	-	-	-	-	-	-	-	2	4	5
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	-	1	-	-
Total - - - -	79	16	6	-	-	2	6	2	2	8	15	22

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Buckie** (Burgh).

Population—Census 1901, - - - 7,483.
Do. Do. 1911, - - - 8,897.
Do. estimated to middle of 1911, 8,900.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	261	2	4	263	132	131
Illegitimate Births -	22	0	1	23	11	12
Deaths - - -	89	2	4	91	41	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·3	29·6	-
Death-rate—All Causes - - -	10·0	10·2	10·1
Do. —Phthisis - - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	13	-	-	-	1	2	4	2	2	2	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	2	1	1	-
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	3	-	2	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	1	-	1	-	2	1	1
Bronchitis - - - - - -	8	3	-	-	-	-	-	-	-	-	1	4
Pneumonia (all forms) - - -	6	2	-	1	-	-	1	-	1	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	-	-	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	1	-	-	-	-	-	1	1	5	5	8
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	91	21	6	3	1	3	7	6	7	10	10	17

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Charlestown of Aberlour** (Burgh).

Population—Census 1901, - - - 1,176.
Do. Do. 1911, - - - 1,272.
Do. estimated to middle of 1911, 1,269.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	1	1	15	6	9
Illegitimate Births -	1	0	0	1	0	1
Deaths - - -	18	1	2	19	8	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	11·8	11·8	-
Death-rate—All Causes - - -	14·2	15·0	16·2
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	1	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	1	2
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	-	-	-	1	-	1	-	2	1	1
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	19	-	-	2	1	1	-	2	-	4	4	5

YEAR—1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

Population—Census 1901, - - - 1,936.
Do. Do. 1911, - - - 1,992.
Do. estimated to middle of 1911, 1,986.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	37	0	1	38	18	20
Illegitimate Births -	2	0	1	3	2	1
Deaths - - -	34	1	1	34	16	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·6	19·1	–
Death-rate—All Causes - - -	17·1	17·1	14·4
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—184.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	1	–	–	–	–	1	1	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	–	–	–	–	–	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - -	4	1	–	–	–	1	–	–	–	–	–	2
Pneumonia (all forms) - - -	4	2	2	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	10	–	1	–	–	–	1	–	–	1	3	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	34	7	5	–	–	1	4	1	1	1	3	11

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

Population—Census 1901, - - - 1,823
Do. Do. 1911, - - - 1,626.
Do. estimated to middle of 1911, 1,615.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	37	3	2	36	17	19
Illegitimate Births -	4	0	2	6	3	3
Deaths - - -	32	2	2	32	17	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·9	22·3	-
Death-rate—All Causes - - -	19·8	19·8	14·5
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	1	-	1	-	3
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	-	1	1	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	3	-	-	-	-	1	-	-	-	1	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - -	32	3	-	-	-	2	2	3	3	2	5	12

YEAR 1911.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Keith** (Burgh).

Population—Census 1901, - - - 4,753.
Do. Do. 1911, - - - 4,499.
Do. estimated to middle of 1911, 4,477.

REGISTRATION RETURNS.

	Number Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	12	2	83	49	34
Illegitimate Births -	18	4	2	16	6	10
Deaths - - -	71	0	5	76	35	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·8	18·5	-
Death-rate—All Causes - - -	15·9	17·0	14·4
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers--19·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	1	5	-	-	1	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	-	2	3	5	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	-	-	-	3	4
Bronchitis - - - - -	3	2	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	6	2	1	-	-	-	-	-	-	1	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	1	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	-	1	1	-	-	1	-	-	5	3	12
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	76	10	4	1	1	8	2	2	4	10	12	22

YEAR 1911.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

Population—Census 1901, - - - 3,429.
Do. Do. 1911, - - - 3,411.
Do. estimated to middle of 1911, 3,399.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	2	3	82	42	40
Illegitimate Births -	15	1	1	15	9	6
Deaths - - -	35	0	10	45	22	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·8	24·1	-
Death-rate—All Causes - - -	10·3	13·2	10·6
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	1	-	-	-	2
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	1	-	-	-	-	-	2	-	6	6	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	45	9	1	-	-	-	1	4	-	10	10	10

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Portsoy** (Burgh).

Population—Census 1901, - - - 1,878.
Do. Do. 1911, - - - 1,951.
Do. estimated to middle of 1911, 1,946.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	0	2	44	21	23
Illegitimate Births -	3	0	1	4	0	4
Deaths - - -	39	1	3	41	18	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·6	22·6	-
Death-rate—All Causes - - -	20·0	21·1	16·9
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	1	1	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	1	2	1	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	2	-	-	2	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	1	-	-	-	-	-	2	3	2
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	1	-	-	-
Total - - - -	41	5	3	4	-	1	1	5	2	6	7	7

YEAR 1911.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Banff** (County District).

Population—Census 1901, - - - 20,392.
Do. Do. 1911, - - - 20,432.
Do. estimated to middle of 1911, 20,361.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	535	7	13	541	282	259
Illegitimate Births -	65	2	6	69	31	38
Deaths - - -	252	16	8	244	126	118

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·3	26·6	-
Death-rate—All Causes - - -	12·4	12·0	10·9
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	1	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	4	-	-	-	-	-	1	-	-	1	1	1
Erysipelas - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	23	3	-	-	-	6	8	2	-	4	-	-
Tuberculous Meningitis - - -	6	-	3	1	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	-	-	1	-	-	2	-	-	-
Cancer, Malignant Disease - -	23	-	-	-	-	-	-	-	3	5	5	10
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	1	1	-	-	1	-	-	1	-	-	-
Organic Heart Disease - - -	33	-	-	-	-	1	1	-	2	3	12	14
Bronchitis - - - - -	13	3	1	-	-	-	-	-	1	3	3	2
Pneumonia (all forms) - - -	12	3	5	-	1	1	-	-	-	-	2	-
Other Diseases of Respiratory Organs	4	1	2	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	7	7	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	-	-	-	-	-	-	1	-	1	2	3
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	1	-	-	2	-	1	-	-	-	-
Suicide - - - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Other Defined Diseases - - -	70	6	1	2	1	2	3	2	4	8	11	30
Diseases Ill-defined or Unknown -	5	1	-	-	-	-	-	-	-	-	3	1
Total - - - -	244	38	16	5	3	16	15	10	13	26	40	62

YEAR 1911.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Keith** (County District).

Population—Census 1901, - - - 13,745.
Do. Do. 1911, - - - 12,453.
Do. estimated to middle of 1911, 12,377.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	280	3	4	281	152	129
Illegitimate Births -	52	1	2	53	32	21
Deaths - - -	139	2	6	143	73	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·6	22·7	-
Death-rate—All Causes - - -	11·2	11·6	9·7
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	15	-	-	-	3	7	3	1	1	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	1	-	3	2	1	2
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Organic Heart Disease - - -	21	-	-	-	-	4	-	1	1	3	3	9
Bronchitis - - - - -	9	1	-	-	-	-	-	-	1	1	1	5
Pneumonia (all forms) - - -	13	2	1	-	-	1	-	2	3	2	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	2	-	2	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	1	-	1	-	-	-	-	3
Suicide - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	42	4	-	1	-	1	1	-	3	3	9	20
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	143	20	1	2	4	17	8	5	16	12	18	40

YEAR 1911.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Coldstream** (Burgh).

Population—Census 1901, - - - 1,482.
Do. Do. 1911, - - - 1,375.
Do. estimated to middle of 1911, - 1,367.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	0	0	21	10	11
Illegitimate Births -	3	0	0	3	1	2
Deaths - - -	15	1	1	15	6	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·4	15·4	–
Death-rate—All Causes - - -	11·0	11·0	8·9
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·3

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	1	–	–	–	–	2
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	6	1	–	–	–	–	1	–	1	–	1	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	–	–	–	–	–	–	1	–	–	–	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	15	1	–	–	–	–	2	1	1	–	3	7

YEAR 1911.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Duns** (Burgh).

Population—Census 1901, - - - 2,206.
Do. Do. 1911, - - - 2,069.
Do. estimated to middle of 1911, 2,059.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	2	2	28	12	16
Illegitimate Births -	4	0	0	4	3	1
Deaths - - -	31	1	2	32	10	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·6	13·6	-
Death-rate—All Causes - - -	15·1	15·5	12·6
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	1	-	-	5	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	2	1	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	3	1	-	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	1	-	-	-	-	-	1	-	1	1	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	32	3	-	2	-	2	1	2	1	3	8	10

YEAR 1911.

COUNTY—**Berwick**.

PUBLIC HEALTH DISTRICT—**Eyemouth** (Burgh).

Population—Census 1901, - - - 2,389.
Do. Do. 1911, - - - 2,453.
Do. estimated to middle of 1911, 2,446.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	0	0	75	38	37
Illegitimate Births -	6	0	0	6	3	3
Deaths - - -	24	0	3	27	15	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·7	30·7	–
Death-rate—All Causes - - -	9·8	11·0	10·8
Do. —Phthisis - - - -	–	1·6	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	–	–	–	–	–	3	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease - - -	4	–	–	–	–	–	–	–	2	–	–	2
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	2	–	–	–	–	–	–	–	–	–	2	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	1	–	–	–	–	–	1	–	–	4	2
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	27	5	1	–	–	–	3	3	3	1	7	4

YEAR 1911.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Lauder** (Burgh).

Population—Census 1901, - - - 724.
Do. Do. 1911, - - - 659.
Do. estimated to middle of 1911, 655.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	22	0	0	22	11	11
Illegitimate Births -	4	0	0	4	0	4
Deaths - - -	11	1	2	12	5	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	33·6	33·6	-
Death-rate—All Causes - - -	16·8	18·3	14·6
Do. —Phthisis - - - -	-	3·1	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	-	-	-	-	-	1	-	1	-	1	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	12	1	1	-	-	-	2	-	3	1	3	1

YEAR 1911.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**East Berwick** (County District).

Population—Census 1901, - - - 9,364.
Do. Do. 1911, - - - 9,017.
Do. estimated to middle of 1911, 8,975.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	173	3	8	178	85	93
Illegitimate Births -	16	0	5	21	12	9
Deaths - - -	116	3	5	118	61	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·3	19·8	-
Death-rate—All Causes - - -	12·9	13·1	11·5
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	1	1	-	-	1	3	2	-	-	2	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	-	3	6	4	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	17	-	-	-	-	-	1	-	2	4	4	6
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	1	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	1	-	-	-	-	-	-	-	2	-
Suicide - - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - -	53	4	-	-	-	1	2	-	2	8	12	24
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	118	14	2	1	-	3	7	4	10	18	27	32

YEAR 1911.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

Population—Census 1901, - - - 8,648.
Do. Do. 1911, - - - 8,365.
Do. estimated to middle of 1911, 8,328.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	143	5	6	144	63	81
Illegitimate Births -	18	2	0	16	9	7
Deaths - - -	110	1	4	113	50	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·2	17·3	-
Death-rate—All Causes - - -	13·2	13·6	12·2
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	-	-	-	-	1	5	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	-	2	3	6	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	16	-	-	-	-	1	1	-	1	2	5	6
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	5	1	1	-	-	-	-	-	1	1	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	1	2	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	2	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	46	3	-	-	-	1	1	1	1	7	7	25
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	1	-	2
Total - - - -	113	12	2	-	-	3	8	3	9	17	18	41

YEAR 1911.

COUNTY—**Berwick.**

PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

Population—Census 1901, - - - 6,011.
Do. Do. 1911, - - - 5,705.
Do. estimated to middle of 1911, 5,677.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	110	1	3	112	59	53
Illegitimate Births -	11	0	1	12	8	4
Deaths - - -	61	0	3	64	27	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·4	19·7	-
Death-rate—All Causes - - -	10·7	11·3	10·3
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	-	1	3	2	-	3	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	2	1	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	-	-	-	-	-	-	-	1	2	5	1
Bronchitis - - - - - -	7	1	-	-	-	-	-	-	-	-	3	3
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	1	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	1	-	-	-	-	1	2	-	1	7	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	64	6	1	-	2	2	4	6	2	8	16	17

YEAR 1911.
COUNTY—**Bute**.
PUBLIC HEALTH DISTRICT—**Millport** (Burgh).

Population—Census 1901, - - - 1,670.
Do. Do. 1911, - - - 1,614.
Do. estimated to middle of 1911, 1,607.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	1	17	8	9
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	24	4	1	21	11	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	10·0	10·6	-
Death-rate—All Causes - - -	14·9	13·1	10·7
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	-	5	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	1	-	-	-	-	2
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	-	-	-	-	-	-	-	-	-	2	2
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	21	1	1	-	-	-	1	-	1	6	6	5

YEAR 1911.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Rothesay** (Burgh).

Population—Census 1901, - - - - 9,378.
Do. Do. 1911, - - - 9,299.
Do. estimated to middle of 1911, 9,263.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	151	8	4	147	75	72
Illegitimate Births -	10	1	2	11	5	6
Deaths - - -	171	20	8	159	73	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·3	15·9	-
Death-rate—All Causes - - -	18·5	17·2	15·4
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	-	2	3	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	16	-	1	2	3	2	3	3	-	1	1	-
Tuberculous Meningitis - - -	5	4	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	1	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	15	-	-	-	-	-	-	-	4	1	4	6
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	15	-	-	-	1	1	-	-	-	6	3	4
Bronchitis - - - - - -	8	-	-	-	-	-	-	-	-	2	2	4
Pneumonia (all forms) - - -	11	1	-	-	-	1	2	-	2	2	1	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	1	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	-	-	-	1	-	-	-	3
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	48	1	1	-	1	-	-	2	2	5	17	19
Diseases Ill-defined or Unknown -	8	-	-	-	-	-	-	-	-	2	4	2
Total - - - -	159	14		7	5	5	7	7	8	22	36	41

YEAR 1911.
COUNTY—**Bute**.
PUBLIC HEALTH DISTRICT—**Arran** (County District).

Population—Census 1901, - - - 4,837.
Do. Do. 1911, - - - 4,628.
Do. estimated to middle of 1911, 4,607.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	1	4	47	25	22
Illegitimate Births -	4	1	1	4	1	3
Deaths - - -	76	6	4	74	34	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9·6	10·2	-
Death-rate—All Causes - - -	16·5	16·1	12·6
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—21·3.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	1	3	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	2	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	-	-	1	3	3	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	1	-	1	-	6	4
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	-	2	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	1	-	-	2	-	1	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	28	-	-	-	-	1	1	-	2	1	8	15
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	74	1	1	-	1	4	8	1	5	5	21	27

YEAR 1911.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Bute** (County District).

Population—Census 1901, - - - 2,803.
Do. Do. 1911, - - - 2,552.
Do. estimated to middle of 1911, 2,537.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	1	2	36	12	24
Illegitimate Births -	2	0	1	3	1	2
Deaths - - -	38	6	5	37	18	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·8	14·2	-
Death-rate—All Causes - - -	15·0	14·6	12·6
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-		-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	1	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	1	2	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	2	2	1
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	3	-	-	-	-	1	-	-	-	2	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	1	-	-	-	-	-	-	-	-	4	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	37	2	3	-	-	2	2	3	2	6	9	8

YEAR 1911.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Cumbrae** (County District).

Population—Census 1901, - - - 99.
Do. Do. 1911, - - - 93.
Do. estimated to middle of 1911, 92.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4	0	0	4	3	1
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	1	0	0	1	1	0

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.*

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	-	-	-
Death-rate—All Causes - - -	-	-	-
Do. —Phthisis - - - -	-	-	-
Do. —All Tuberculosis - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	1	1	-	-	-	-	-	-	-	-	-	-

* The Population of this District is too small for the calculation of significant rates.

YEAR 1911.
COUNTY—**Caithness.**
PUBLIC HEALTH DISTRICT.—**Thurso** (Burgh).

Population—Census 1901, - - - 3,723.
Do. Do. 1911, - - - 3,335.
Do. estimated to middle of 1911, 3,313.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	5	2	82	51	31
Illegitimate Births -	13	1	2	14	10	4
Deaths - - -	55	0	4	59	31	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·7	24·8	-
Death-rate—All Causes - - -	16·6	17·8	14·0
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	1	-	3	2
Bronchitis - - - - - -	6	-	-	-	-	-	-	-	1	1	-	4
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	-	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	27	1	-	-	1	2	-	1	2	2	7	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	59	7	-	1	2	2	2	3	6	3	13	20

YEAR 1911.
COUNTY.—**Caithness.**
PUBLIC HEALTH DISTRICT—**Wick** (Burgh).

Population—Census 1901, - - - 8,199.
Do. Do. 1911, - - - 9,086.
Do. estimated to middle of 1911, - 9,076.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	281	1	4	284	140	144
Illegitimate Births -	24	0	2	26	16	10
Deaths - - -	144	0	7	151	85	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·0	31·3	-
Death-rate—All Causes - - -	15·9	16.6	15·2
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—134.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	-	-	1	2	2	-	2	2	-	-
Tuberculous Meningitis - - -	2	1	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	2	3	1	6	2
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	-	-	-	-	-	-	2	3	1	4	5
Bronchitis - - - - - -	6	4	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - -	13	4	5	1	-	-	-	1	-	-	2	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	11	10	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	1	1	-	-	3	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	40	4	1	-	-	1	2	4	3	5	5	15
Diseases Ill-defined or Unknown -	11	3	1	-	-	-	-	-	-	-	2	5
Total - - - -	151	38	13	2	2	6	9	11	13	9	19	29

YEAR 1911.

COUNTY—**Caithness.**

PUBLIC HEALTH DISTRICT—**Caithness** (County District).

Population—Census 1901, - - - 21,948.
Do. Do. 1911, - - - 19,589.
Do. estimated to middle of 1911, 19,460.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	411	5	8	414	212	202
Illegitimate Births -	56	1	6	61	35	26
Deaths - - -	274	9	8	273	123	150

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	21·3	-
Death-rate—All Causes - - -	14·1	14·0	9·9
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—43.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	19	-	-	1	1	6	5	3	2	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	33	-	-	-	-	-	-	1	6	3	5	8
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	3	-	1	1	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	34	-	-	-	1	-	-	3	1	-	6	23
Bronchitis - - - - -	18	1	-	1	-	-	2	1	1	1	4	7
Pneumonia (all forms) - - -	11	1	1	-	-	-	1	2	1	1	-	4
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	1	-	-	2
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	-	-	-	-	-	-	-	1	4	2	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	1	-	1	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	108	4	2	1	-	-	1	3	2	8	8	79
Diseases Ill-defined or Unknown -	14	2	-	-	-	-	1	-	1	1	3	6
Total - - - -	273	18	5	4	2	9	11	16	17	19	39	133

YEAR 1911.

COUNTY—**Clackmannan.**

PUBLIC HEALTH DISTRICT—**Alloa** (Burgh).

Population—Census 1901, - - - 11,555.
Do. Do. 1911, - - - 11,893.
Do. estimated to middle of 1911, 11,859.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	283	0	5	288	156	132
Illegitimate Births -	15	0	2	17	7	10
Deaths - - -	161	1	15	175	86	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·9	24·2	-
Death-rate—All Causes - - -	13·6	14·8	15·9
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·1.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	-	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	21	-	-	1	2	3	9	4	1	1	-	-
Tuberculous Meningitis - - -	2	-	-	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	-	3	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	-	-	2	-	-	1	-	-	-
Cancer, Malignant Disease - -	13	-	-	-	-	1	1	1	-	4	5	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	1	-	-	-	-	-	-	1	2	1	-
Bronchitis - - - - -	9	1	1	-	-	-	-	-	1	2	2	2
Pneumonia (all forms) - - -	14	1	1	-	-	-	4	2	2	2	2	-
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	2	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	-	-	-	-	1	1	-	2	3	3	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	1	-	-	1	-	1	-	2	1	-
Suicide - - - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Other Defined Diseases - - -	43	-	2	-	1	2	1	3	7	7	6	14
Diseases Ill-defined or Unknown -	11	3	-	-	1	-	-	-	4	-	3	-
Total - - - -	175	24	14	4	5	10	17	15	20	25	24	17

YEAR 1911.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Alva** (Burgh).

Population—Census 1901, - - - - 4,624.
Do. Do. 1911, - - - - 4,332.
Do. estimated to middle of 1911, 4,309.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	89	4	1	86	42	44
Illegitimate Births -	8	0	0	8	4	4
Deaths - - -	68	1	7	74	35	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·7	20·0	-
Death-rate—All Causes - - -	15·8	17·2	15·9
Do. —Phthisis - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	-	-	-	-	4	1	-	1	2	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	2	-	2	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	1	2	1	1	-
Bronchitis - - - - -	11	2	-	-	-	-	-	1	1	-	3	4
Pneumonia (all forms) - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa aud Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	1	-	-	-	2	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	1	-	2	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	26	2	-	2	-	1	1	1	1	2	6	10
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	74	8	-	3	1	7	5	5	7	10	13	15

YEAR 1911.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Dollar** (Burgh).

Population—Census 1901, - - - 1,619.
Do. Do. 1911, - - - 1,497.
Do. estimated to middle of 1911, 1,489.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	21	0	0	21	8	13
Illegitimate Births -	2	0	0	2	0	2
Deaths - - -	19	1	5	23	10	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·1	14·1	-
Death-rate—All Causes - - -	12·8	15·4	13·5
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	1	1	1	3	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	-	1	-	1	-	-	-	1	2	1	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	23	-	1	1	1	1	-	1	3	4	4	7

YEAR 1911.

COUNTY—**Clackmannan.**

PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

Population—Census 1901, - - - 3,338.
Do. Do. 1911, - - - 3,105.
Do. estimated to middle of 1911, 3,088.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	59	0	1	60	30	30
Illegitimate Births -	6	0	0	6	4	2
Deaths - - -	39	2	6	43	22	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·1	19·4	-
Death-rate—All Causes - - -	12·6	13·9	12·5
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—50.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria anh Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	-	-	1	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	2	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	1	1	1	-	2
Bronchitis - - - - -	6	1	-	-	-	-	-	-	1	1	-	3
Pneumonia (all forms) - - -	3	-	1	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	1	1	1	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	-	-	-	-	-	1	2	1	1	3	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	43	3	2	-	1	1	4	4	7	6	4	11

YEAR 1911.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

Population—Census 1901, - - 10.893.
Do. Do. 1911, - - - 10,294.
Do. estimated to middle of 1911, 10,242.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	262	5	2	259	109	150
Illegitimate Births -	15	0	1	16	7	9
Deaths - - -	157	9	10	158	80	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·6	25·3	-
Death-rate—All Causes - - -	15·3	15·4	15·5
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	12	-	1	-	2	4	3	1	-	1	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	4	-	-	1	1	-	-	1	1	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	1	3	1	1	3	1
Rheumatic Fever - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	4	1	1	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	2	-	1	4	5	-
Bronchitis - - - - - -	6	-	-	-	-	-	-	-	1	1	1	3
Pneumonia (all forms) - - -	13	1	2	-	-	2	1	1	1	1	2	2
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	2	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	-	1	-	-	1	-	1	3	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	1	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	11	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	-	-	-	-	2	3	-	2	2	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	43	4	2	-	-	1	1	5	1	5	11	13
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	2	-
Total - - - - -	158	24	10	2	5	11	13	17	12	17	28	19

YEAR 1911.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Clydebank** (Burgh).

Population—Census 1901, - - - 20,898.
Do. Do. 1911, - - - 37,548.
Do. estimated to middle of 1911, 37,828.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1228	6	15	1237	638	599
Illegitimate Births -	25	3	7	29	21	8
Deaths - - -	428	6	110	532	287	245

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·5	32·7	-
Death-rate—All Causes - - -	11·3	14·1	16·3
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	4	-	1	-	-	-	2	-	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	28	6	21	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	6	-	2	2	1	1	-	-	-	-	-	-
*Whooping-cough - - - -	17	7	9	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	13	2	10	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	48	1	2	1	3	9	17	8	4	1	2	-
Tuberculous Meningitis - - -	18	3	11	3	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	13	6	5	1	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	10	1	-	-	-	2	4	3	-	-	-	-
Cancer, Malignant Disease - -	24	-	-	-	-	1	-	6	7	6	2	2
Rheumatic Fever - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Meningitis - - - - - -	14	11	1	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	22	-	-	2	1	2	3	1	7	3	3	-
Bronchitis - - - - - -	17	6	1	-	-	-	1	1	3	2	3	-
Pneumonia (all forms) - - -	56	16	17	1	-	1	5	5	3	5	3	-
Other Diseases of Respiratory Organs	8	1	1	1	-	-	1	2	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	13	11	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	6	-	-	-	-	-	-	2	2	2	-	-
Other Diseases of Digestive System (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	11	-	1	-	-	1	1	2	1	1	2	2
Puerperal Sepsis - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	11	-	-	-	-	1	7	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	43	43	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	30	3	1	4	2	3	4	5	3	4	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	88	16	5	3	1	2	2	9	9	13	16	12
Diseases Ill-defined or Unknown -	20	3	1	-	-	-	2	3	2	1	6	2
Total - - - -	532	140	91	22	11	23	54	50	43	39	41	18

YEAR 1911.
COUNTY—**Dumbarton**
PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan** (Burgh).

Population—Census 1901, - - - 942.
Do. Do. 1911, - - - 861.
Do. estimated to middle of 1911, 856.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	0	8	5	3
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	18	0	0	18	9	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	8·3	9·3	–
Death-rate—All Causes - - -	21·0	21·0	17·0
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—250.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	–	–	2	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms) - - -	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	–	–	1	–	–	–	–	–	1	1	4
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	18	2	–	3	–	–	1	–	–	2	2	8

YEAR 1911.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Dumbarton** (Burgh).

Population—Census 1901. - - - 19,985.
Do. Do. 1911, - - - 21,989.
Do. estimated to middle of 1911, 21,960.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	679	8	9	680	339	341
Illegitimate Births -	37	3	6	40	17	23
Deaths - - -	363	41	15	337	167	170

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·9	31·0	-
Death-rate—All Causes - - -	16·5	15·3	16·4
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	-	-	1	-	-	1	-	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	36	10	25	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	31	1	-	-	-	7	8	6	5	4	-	-
Tuberculous Meningitis - - -	7	2	4	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	5	3	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	13	-	-	-	1	-	-	-	2	3	4	3
Rheumatic Fever - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Meningitis - - - - -	5	3	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	24	-	1	-	-	2	2	3	2	5	6	3
Bronchitis - - - - -	28	9	2	-	-	-	1	-	2	4	5	5
Pneumonia (all forms) - - -	26	11	5	-	-	1	1	1	1	3	1	2
Other Diseases of Respiratory Organs	6	1	1	-	-	1	-	1	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	4	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	7	1	-	-	-	-	-	-	1	2	3	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	-	-	-	1	2	-	1	2	2	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	4	-	-	-	-	-	2	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	18	17	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	1	2	-	-	2	2	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	76	10	2	-	1	4	3	7	5	10	18	16
Diseases Ill-defined or Unknown -	13	1	1	-	-	-	-	-	-	2	5	4
Total - - - -	337	73	53	5	4	21	23	21	21	39	42	35

YEAR 1911.

COUNTY—**Dumbarton**.

PUBLIC HEALTH DISTRICT—**Helensburgh** (Burgh).

Population—Census 1901, - - - 8,554.
Do. Do. 1911, - - - 8,529.
Do. estimated to middle of 1911, 8,498.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	163	6	5	162	84	78
Illegitimate Births -	13	3	3	13	6	7
Deaths - - -	122	4	12	130	57	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	19·1	-
Death-rate—All Causes - - -	14·4	15·3	14·1
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—117.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	9	2	6	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	7	5	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	1	1	-	1	-	1	2	3	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	1	-	-	-	-	-	-	1
Cancer, Malignant Disease - -	13	-	-	-	-	-	-	2	2	-	6	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	17	-	-	-	-	-	-	4	1	5	7	-
Bronchitis - - - - -	8	2	1	-	-	-	-	-	1	-	2	2
Pneumonia (all forms) - - -	5	-	1	1	-	-	1	-	-	1	1	-
Other Diseases of Respiratory Organs	6	-	-	1	-	-	-	-	2	1	-	2
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	-	1	-	2	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	-	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	32	2	-	1	1	1	-	-	3	6	7	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	130	19	11	5	3	1	4	11	12	16	25	23

YEAR 1911.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Kirkintilloch** (Burgh).

Population—Census 1901, - - - 10,502.
Do. Do. 1911, - - - 11,932.
Do. estimated to middle of 1911, 11,925.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	374	3	10	381	189	192
Illegitimate Births -	12	1	6	17	8	9
Deaths - - -	208	21	17	204	90	114

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·4	31·9	-
Death-rate—All Causes - - -	17·4	17·1	17·6
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—139.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	16	7	9	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	18	-	1	1	3	4	5	1	2	1	-	-
Tuberculous Meningitis - - -	6	2	4	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	2	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	17	-	1	-	-	-	-	4	3	4	4	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	4	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	1	-	4	2	3	2	-
Bronchitis - - - - -	14	6	2	-	-	-	-	-	1	2	2	1
Pneumonia (all forms) - - -	17	6	6	-	-	-	1	1	1	1	-	1
Other Diseases of Respiratory Organs	3	2	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	8	7	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	1	-	1	-	3	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	12	-	1	-	-	3	3	1	3	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	39	6	1	-	1	1	2	5	3	6	9	5
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	2	1	1	-
Total - - - - -	204	53	34	1	4	11	14	17	21	20	21	8

YEAR 1911.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Milngavie** (Burgh).

Population—Census 1901, - - - 3,683.
Do. Do. 1911, - - - 4,530.
Do. estimated to middle of 1911, 4,535.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	0	1	92	51	41
Illegitimate Births -	2	0	1	3	3	0
Deaths - - -	49	1	7	55	31	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·1	20·3	-
Death-rate—All Causes - - -	10·8	12·1	12·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	-	4	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	3	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	1	2	2	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	1	-	3	1
Bronchitis - - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	1	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	1	1	-	-	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	1	-	-	-	1	1	1	-	2	4	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	55	8	7	2	1	1	4	5	6	7	9	5

YEAR 1911.
COUNTY—**Dumbarton**.
PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

Population—Census 1901, - - - 22,349.
Do. Do. 1911, - - - 26,349.
Do. estimated to middle of 1911, 26,355.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	695	14	18	699	364	335
Illegitimate Births -	36	8	9	37	20	17
Deaths - - -	384	127	42	299	160	139

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·4	26·5	-
Death-rate—All Causes - - -	14·6	11·3	11·7
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	13	6	7	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	17	1	-	-	1	6	2	2	2	3	-	-
Tuberculous Meningitis - - -	8	3	3	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	1	1	-	2	-	1	1	-	-	-	-
Other Tuberculous Diseases - -	6	2	1	-	-	3	-	-	-	-	-	-
Cancer, Malignant Disease - -	25	-	-	-	-	-	-	3	3	10	8	1
Rheumatic Fever - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Meningitis - - - - - -	6	2	4	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	-	1	-	-	1	-	1	1	5	4	1
Bronchitis - - - - - -	14	3	-	1	-	-	-	-	-	1	6	3
Pneumonia (all forms) - - -	20	7	2	2	1	-	2	2	1	1	2	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	16	14	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	-	-	1	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	4	-	-	-	-	-	-	1	-	1	1	1
Other Diseases of Digestive System (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	14	-	1	-	-	-	-	4	2	5	2	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	23	23	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	15	-	2	-	2	5	1	-	1	2	2	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	66	4	3	2	1	1	4	9	3	8	21	10
Diseases Ill-defined or Unknown -	11	3	-	-	1	-	-	-	1	-	1	5
Total - - - -	299	73	33	11	9	16	12	26	14	36	47	22

YEAR 1911.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Western Dumbarton** (County District).

Population—Census 1901, - - - 26,952.
Do. Do. 1911, - - - 28,093.
Do. estimated to middle of 1911, 28,022.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	646	3	10	653	339	314
Illegitimate Births -	34	1	5	38	17	21
Deaths - - -	340	8	31	363	176	187

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·1	23·3	–
Death-rate—All Causes - - -	12·1	13·0	13·7
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	–	1	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	24	11	12	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	–	3	1	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	32	–	–	–	2	8	10	4	7	1	–	–
Tuberculous Meningitis - - -	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	6	1	1	2	1	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	10	1	–	1	1	3	–	2	2	–	–	–
Cancer, Malignant Disease - -	32	–	–	–	–	1	–	2	8	5	11	5
Rheumatic Fever - - - -	2	–	–	–	–	2	–	–	–	–	–	–
Meningitis - - - - -	14	4	7	2	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	29	2	–	–	–	1	2	2	3	7	6	6
Bronchitis - - - - -	21	2	–	–	–	–	–	1	2	1	11	4
Pneumonia (all forms) - - -	24	9	1	–	–	–	1	2	1	6	4	–
Other Diseases of Respiratory Organs	9	2	–	–	–	–	–	–	–	–	4	3
*Diarrhœa and Enteritis (under 2 years)	6	4	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	4	–	–	–	–	–	–	–	2	–	2	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	14	–	–	1	–	1	–	1	2	6	1	2
Puerperal Sepsis - - - -	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	4	–	–	–	–	1	1	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	24	23	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	–	–	–	–	1	2	1	1	–	2	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	84	1	–	2	1	–	2	4	11	14	18	31
Diseases Ill-defined or Unknown -	5	3	–	–	–	–	–	–	–	1	–	1
Total - - - -	363	64	29	11	6	20	20	22	39	41	59	52

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Annan** (Burgh).

Population—Census 1901, - - - 4 309.
Do. Do. 1911, - - - 4 219.
Do. estimated to middle of 1911, - 4,202.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	0	1	96	41	55
Illegitimate Births -	11	0	1	12	4	8
Deaths - - -	64	1	6	69	30	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·6	22·8	–
Death-rate—All Causes - - -	15·2	16·4	15·8
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—177.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE.										
		-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	2	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	–	–	–	–	1	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	1	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	–	–	1	–	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	11	–	–	–	–	–	2	–	–	3	3	3
Bronchitis - - - - - -	4	1	2	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	6	2	2	–	–	–	–		–	1	–	1
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	5	4	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	–	1	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	–	1	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	–	2	1	–	–	–	1	1	3	3	3
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	69	17	12	1	1	1	3	3	3	8	13	7

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Dumfries** (Burgh).

Population—Census 1901, - - - 15,516.
Do. Do. 1911, - - - 16,011.
Do. estimated to middle of 1911, - 15,966.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	354	5	2	351	194	157
Illegitimate Births -	33	1	0	32	14	18
Deaths - - -	309	38	2	273	130	143

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·2	22·0	–
Death-rate—All Causes - - -	19·4	17·1	17·6
Do. —Phthisis - - - -	–	1·9	–
Do. —All Tuberculosis - -	–	3·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—145.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	3	–	–	–	–	–	–	–	–	–	–	3
Erysipelas - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	30	–	3	1	–	7	5	8	4	2	–	–
Tuberculous Meningitis - - -	4	2	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	7	1	1	–	2	1	–	–	1	–	1	–
Other Tuberculous Diseases - -	7	1	1	–	1	2	1	–	1	–	–	–
Cancer, Malignant Disease - -	20	–	–	–	–	–	1	2	1	9	6	1
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - -	2	–	1	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	26	–	–	–	–	1	–	2	5	5	9	4
Bronchitis - - - - -	24	9	6	–	–	–	–	1	1	3	1	3
Pneumonia (all forms) - - -	14	3	1	–	1	1	–	2	2	1	1	2
Other Diseases of Respiratory Organs	4	1	–	–	–	1	–	1	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	8	5	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	5	–	–	3	–	1	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	–	–	–	–	–	1	–	1	2	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	19	18	–	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	1	–	–	–	1	–	–	2	–
Suicide - - - - - -	2	–	–	–	–	1	–	1	–	–	–	–
Other Defined Diseases - - -	76	9	2	–	–	3	3	3	5	10	15	26
Diseases Ill-defined or Unknown -	5	1	–	–	–	–	–	1	1	–	2	–
Total - - - -	273	51	20	7	5	19	12	23	24	32	40	40

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Langholm** (Burgh).

Population—Census 1901, - - - 3,142.
Do. Do. 1911, - - - 2,930.
Do. estimated to middle of 1911, - 2,915.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	3	0	38	16	22
Illegitimate Births -	5	0	0	5	1	4
Deaths - - -	48	0	2	50	24	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·1	13·0	-
Death-rate—All Causes - - -	16·5	17·2	15·0
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—13·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	-	1	1	-	-
Tuberculous Meningitis - - -	2	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	2	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	-	2	1	2	5	2
Bronchitis - - - - -	7	-	1	-	-	-	-	-	1	1	2	2
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	-	-	-	-	-	-	1	2	2	3	8
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	50	2	3	2	-	-	-	3	8	8	11	13

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lochmaben** (Burgh).

Population—Census 1901, - - - 1,051.
Do. Do. 1911, - - - 1,056.
Do. estimated to middle of 1911, 1,052.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	18	12
Illegitimate Births -	4	0	0	4	3	1
Deaths - - -	23	0	2	25	16	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·5	28·5	-
Death-rate—All Causes - - -	21·9	23·8	19·3
Do. —Phthisis - - - -	-	2·9	-
Do. —All Tuberculosis - -	-	3·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—167.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15	25-	35-	45-	55-	65 -	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	1	-	1	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	3	2	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	-	-	-	-	-	-	1	6	1
Diseases Ill-defined or Unknown -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - -	25	5	2	-	-	2	-	1	-	4	7	4

YEAR 1911.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Lockerbie** (Burgh).

Population—Census 1901, - - - 2,358.
Do. Do. 1911, - - - 2,455.
Do. estimated to middle of 1911, 2,449.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	0	1	52	29	23
Illegitimate Births -	8	0	0	8	5	3
Deaths - - -	29	0	2	31	14	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·8	21·2	-
Death-rate—All Causes - - -	11·8	12·7	11·3
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—15·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	1	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	1	1	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Defined Diseases - - -	13	-	1	-	-	-	-	-	2	-	2	8
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - -	31	4	1	1	-	1	1	2	4	3	4	10

YEAR 1911.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Moffat** (Burgh).

Population—Census 1901, - - - 2,153.
Do. Do. 1911, - - . 2,079.
Do. estimated to middle of 1911, 2,070.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	0	3	34	24	10
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	21	0	3	24	10	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·0	16·4	-
Death-rate—All Causes - - -	10·1	11·6	9·8
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	2	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	-	-	1	-	-	-	1	1	-	1	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	24	-	-	1	-	-	-	4	3	5	3	8

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Sanquhar** (Burgh).

Population—Census 1901, - - - 1,375.
Do. Do. 1911, - - - 1,508.
Do. estimated to middle of 1911, 1,506.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	0	2	40	18	22
Illegitimate Births -	5	0	0	5	3	2
Deaths - - -	31	1	1	31	13	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·2	26·6	-
Death-rate—All Causes - - -	20·6	20·6	20·2
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—200.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	1	-	-	-	-	1	1	1
Bronchitis - - - - -	5	1	-	-	-	-	-	-	1	-	1	2
Pneumonia (all forms) - - -	3	2	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	-	-	-	-	-	-	-	2	2	3	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	31	8	-	-	1	1	-	1	5	3	5	7

YEAR 1911.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Annan** (County District).

Population—Census 1901, - - - 10,818.
Do. Do. 1911, - - - 10,515.
Do. estimated to middle of 1911, 10,470.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Deaths - - -	213	2	3	214	111	103
Births - - -	35	0	0	35	18	17
Illegitimate Births -	134	1	5	138	72	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·3	20·4	-
Death-rate—All Causes - - -	12·8	13·2	12·1
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—93.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	3	-	1	2	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	1	-	-	-	-	5	1	-	2	-	-
Tuberculous Meningitis - - -	3	-	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	-	-	1	-	-
Cancer, Malignant Disease - -	8	-	-	-	-	-	-	-	1	2	4	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	-	-	-	-	1	-	-	1	-	6	5
Bronchitis - - - - - -	10	4	2	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	18	3	2	-	-	1	1	3	1	2	3	2
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	2	-	1
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	6	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	48	1	1	1	-	1	1	2	3	6	11	21
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	1	-	-	1	1	-
Total - - - -	138	20	10	3	-	3	9	8	7	17	29	32

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Dumfries** (County District).

Population—Census 1901, - - - 8,258.
Do. Do. 1911, - - - 8,555.
Do. estimated to middle of 1911, - 8,531.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	188	3	4	189	99	90
Illegitimate Births -	28	0	1	29	16	13
Deaths - - -	144	23	3	124	60	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·0	22·2	–
Death-rate—All Causes - - -	16·9	14·5	12·2
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—15·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - - -	4	3	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	2	–	–	–	–	–	–	–	–	1	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	–	–	–	–	3	1	2	3	–	1	–
Tuberculous Meningitis - - -	2	–	–	1	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	1	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	11	–	–	–	–	–	–	–	3	2	4	2
Rheumatic Fever - - - - -	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - - -	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	15	–	–	–	–	–	1	–	–	3	7	4
Bronchitis - - - - - -	9	–	2	–	–	–	–	–	–	–	5	2
Pneumonia (all forms) - - -	12	2	–	–	–	1	–	–	2	1	3	3
Other Diseases of Respiratory Organs	4	–	1	–	–	–	1	–	–	–	2	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	1	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	6	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	–	1	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	35	2	1	–	–	1	–	2	6	5	7	11
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	124	14	9	2	2	8	4	4	15	13	30	23

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Langholm** (County District).

Population—Census 1901, - - - 3,434.
Do. Do. 1911, - - - 3,242.
Do. estimated to middle of 1911, 3,225.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	0	4	76	40	36
Illegitimate Births -	11	0	0	11	7	4
Deaths - - -	43	1	0	42	19	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·3	23·6	-
Death-rate—All Causes - - -	13·3	13·0	11·0
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—26.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	1	3	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	1	-	2	4	3
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	1	-	-	-	-	-	-	1	1	2	5
Diseases Ill-defined or Unknown -	3	-	2	-	-	-	-	-	-	-	-	1
Total - - - -	42	2	2	1	-	1	4	2	3	5	11	11

YEAR 1911.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lockerbie** (County District).

Population—Census 1901, - - - 8,892.
Do. Do. 1911, - - - 8,545.
Do. estimated to middle of 1911, 8,506.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	171	7	2	166	84	82
Illegitimate Births -	15	0	0	15	5	10
Deaths - - -	110	3	7	114	66	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·1	19·5	-
Death-rate—All Causes - - -	12·9	13·4	12·2
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	12	-	1	-	-	1	6	1	-	2	1	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	15	-	-	-	-	-	2	1	3	3	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	-	-	2	3	5
Bronchitis - - - - -	4	-	-	-	-	-	1	-	-	1	1	1
Pneumonia (all forms) - - -	4	1	-	-	-	-	-	-	-	1	1	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	1	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	4	-	-	-	-	-	-	1	-	-	2	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	6	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	-	1	-	-	-	3	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	42	2	2	-	1	1	1	-	2	2	14	17
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - -	114	16	4	-	2	3	11	3	8	13	26	28

YEAR 1911.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Thornhill** (County District).

Population—Census 1901, - - - 11,265.
Do. Do. 1911, - - - 11,710.
Do. estimated to middle of 1911, 11,679.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	281	3	6	284	144	140
Illegitimate Births -	32	0	3	35	20	15
Deaths - - -	181	2	9	188	93	95

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·1	24·3	-
Death-rate—All Causes - - -	15·5	16·1	14·6
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	5	3	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	17	-	-	-	-	5	4	3	2	2	1	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	21	-	-	-	-	-	-	2	2	8	4	5
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	22	-	-	-	-	-	-	-	1	5	4	12
Bronchitis - - - - -	14	-	1	-	-	-	-	-	-	1	3	9
Pneumonia (all forms) - - -	19	4	2	1	-	1	-	1	2	2	5	1
Other Diseases of Respiratory Organs	3	-	1	-	-	-	-	-	1	-	1	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	1	-	-	1	-	2	1
Puerperal Sepsis - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	1	4	-	-	1	2	1	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	41	2	1	-	-	2	2	2	1	9	8	14
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	1	-	-	-	2	2
Total - - - -	188	25	12	5	1	10	11	10	10	28	31	45

YEAR 1911.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Bonnyrigg** (Burgh).

Population—Census 1901, - - - 2,924.
Do. Do. 1911, - - - 2,955.
Do. estimated to middle of Year, 2,945.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	71	2	3	72	44	28
Illegitimate Births -	4	2	0	2	0	2
Deaths - - -	35	1	2	36	16	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·1	24·4	-
Death-rate—All Causes - - -	11·9	12·2	12·0
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	-	2	1	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	1	-	-	-	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	1	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	2	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	-	-	-	-	-	-	-	-	1	4	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	36	5	5	1	-	4	1	3	2	2	9	4

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Dalkeith** (Burgh).

Population—Census 1901, – – – 6,797.
Do. Do. 1911, – – – 7,019.
Do. estimated to middle of Year, 6,999.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births – – –	194	3	8	199	104	95
Illegitimate Births –	11	2	3	12	7	5
Deaths – – –	115	16	19	118	56	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate – – – – – –	27·7	28·4	–
Death-rate—All Causes – – –	16·4	16·9	16·2
Do. —Phthisis – – – –	–	1·7	–
Do. —All Tuberculosis – –	–	2·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—136.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever – – – – –	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Measles – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough – – – –	9	4	4	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup – – –	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – – –	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis –	12	–	–	1	–	3	3	–	2	2	1	–
Tuberculous Meningitis – – –	2	–	–	–	–	1	1	–	–	–	–	–
Abdominal Tuberculosis – – –	3	–	2	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases – –	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease – –	9	–	–	–	–	–	–	1	1	3	3	1
Rheumatic Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis – – – – –	2	1	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease – – –	9	–	–	–	–		–	1	–	2	4	2
Bronchitis – – – – –	11	3	–	–	–	1	–	–	–	2	3	2
Pneumonia (all forms) – – –	4	–	2	–	1	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	7	4	3	–		–	–	–	–	–	–	–
Appendicitis and Typhlitis – –	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease – –	3	–	–	–	–	–	–	–	–	3	–	–
Puerperal Sepsis – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	12	11	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide –	2	–	–	–	–	–	–	–	1	–	–	1
Suicide – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases – – –	27	4	2	1	–	–	–	2	4	1	6	7
Diseases Ill-defined or Unknown –	4	–	–	–	–	–	–	1	–	1	2	–
Total – – – –	118	27	14	3	1	7	4	6	8	15	20	13

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Edinburgh** (Burgh).

Population—Census 1901, - - - 317,459.
Do. Do. 1911, - - - 320,318.
Do. estimated to middle of 1911, 319,247.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6820	273	63	6610	3222	3388
Illegitimate Births -	676	165	32	543	255	288
Deaths - - -	5122	671	282	4733	2278	2455

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·4	20·7	-
Death-rate—All Causes - - -	16·0	14·8	15·4
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—114.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	64	16	45	1	-	1	1	-	-	-	-	-
*Scarlet Fever - - - - - -	28	4	10	12	-	1	-	-	1	-	-	-
*Whooping-cough - - - - -	115	51	62	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	53	1	32	15	2	2	-	1	-	-	-	-
Influenza - - - - - - -	10	-	-	-	-	-	-	2	-	-	1	7
Erysipelas - - - - - - -	11	5	-	-	-	-	-	-	2	2	1	1
Phthisis, Pulmonary Tuberculosis -	396	4	7	2	5	68	94	90	69	40	15	2
Tuberculous Meningitis - - -	67	14	35	12	1	2	1	2	-	-	-	-
Abdominal Tuberculosis - - -	38	10	8	2	2	3	3	3	5	1	1	-
Other Tuberculous Diseases - -	87	9	13	10	7	8	15	8	8	5	4	-
Cancer, Malignant Disease - -	429	-	-	-	-	3	10	37	80	116	123	60
Rheumatic Fever - - - - -	17	-	-	2	-	8	2	3	1	1	-	-
Meningitis - - - - - -	45	8	17	3	1	2	2	5	2	4	1	-
Organic Heart Disease - - -	481	2	-	3	5	11	19	34	61	105	154	87
Bronchitis - - - - - -	259	47	7	2	1	-	1	9	15	36	72	69
Pneumonia (all forms) - - -	421	96	71	6	5	12	22	26	35	46	48	54
Other Diseases of Respiratory Organs	72	9	9	-	1	3	5	4	5	11	15	10
*Diarrhœa and Enteritis (under 2 years)	95	84	11	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	30	-	1	3	3	8	5	2	4	1	3	-
All Liver Diseases (not Malignant) -	29	1	-	-	-	2	-	3	7	5	10	1
Other Diseases of Digestive System (under 2 years)	22	21	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	166	-	4	1	-	3	10	23	34	39	35	17
Puerperal Sepsis - - - -	7	-	-	-	-	2	4	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	38	-	-	-	-	9	16	13	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	255	250	2	2	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	139	13	15	7	5	8	22	14	13	16	13	13
Suicide - - - - - - -	16	-	-	-	-	-	3	3	6	1	3	-
Other Defined Diseases - - -	1299	107	32	9	6	29	57	79	146	191	305	338
Diseases Ill-defined or Unknown -	42	2	5	-	-	-	-	1	5	2	14	13
Total - - - -	4733	754	387	94	45	185	294	363	499	622	818	672

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Lasswade** (Burgh).

Population—Census 1901, - - - 869.
Do. Do. 1911, - - - 880
Do. estimated to middle of 1911, 877

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	0	1	16	9	7
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	15	0	2	17	4	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·1	18·2	–
Death-rate—All Causes - - -	17·1	19·4	19·9
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	–	–	–	–	–	–	1	–	–	1	–
Bronchitis - - - - -	3	–	–	–	–	–	–	–	–	1	–	2
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	–	–	–	–	1	–	–	2	–	1	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	17	2	–	–	–	2	–	1	2	3	2	5

YEAR 1911.
COUNTY—**Edinburgh (Midlothian.).**
PUBLIC HEALTH DISTRICT—**Leith** (Burgh).

Population—Census 1901, - - - 77,439.
Do. Do. 1911, - - - 80,488.
Do. estimated to middle of 1911, 80,277.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2071	28	54	2097	1107	990
Illegitimate Births -	107	10	23	120	63	57
Deaths - - -	1223	9	117	1331	687	644

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·8	26·1	-
Death-rate—All Causes - - -	15·2	16·6	17·3
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	-	-	1	-	-	-	1	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	19	5	12	1	-	-	-	-	1	-	-	-
*Scarlet Fever - - - - - -	4	-	2	1	-	-	-	1	-	-	-	-
*Whooping-cough - - - - -	73	41	31	-	-	-	-	-	-	-	-	1
*Diphtheria and Croup - - -	35	1	23	8	2	1	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Erysipelas - - - - - -	5	1	-	-	-	-	-	2	-	1	1	-
Phthisis, Pulmonary Tuberculosis -	113	1	6	3	3	17	28	28	14	8	2	3
Tuberculous Meningitis - - -	19	7	9	2	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	15	3	6	1	1	3	-	-	1	-	-	-
Other Tuberculous Diseases - -	19	1	6	2	1	3	4	1	-	1	-	-
Cancer, Malignant Disease - -	84	-	-	-	-	-	-	15	11	22	22	14
Rheumatic Fever - - - - -	6	1	-	-	1	-	2	-	2	-	-	-
Meningitis - - - - - -	8	6	-	-	-	-	-	1	-	-	1	-
Organic Heart Disease - - -	117	-	-	2	5	3	3	8	27	31	23	15
Bronchitis - - - - - -	88	16	5	-	-	2	1	1	5	10	22	26
Pneumonia (all forms) - - -	132	42	28	4	-	4	7	6	16	9	6	10
Other Diseases of Respiratory Organs	20	2	5	1	-	-	1	2	2	3	3	1
*Diarrhœa and Enteritis (under 2 years)	32	28	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	9	-	-	-	3	2	1	1	1	1	-	-
All Liver Diseases (not Malignant) -	11	1	-	-	-	-	-	3	-	4	3	-
Other Diseases of Digestive System (under 2 years)	10	8	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	32	-	-	-	3	-	2	1	5	11	7	3
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	15	-	-	-	-	2	9	3	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	82	80	1	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	61	10	6	6	1	3	6	6	7	6	6	4
Suicide - - - - - - -	3	-	-	-	-	-	1	-	2	-	-	-
Other Defined Diseases - - -	295	20	5	2	3	8	19	28	39	49	68	54
Diseases Ill-defined or Unknown -	*18	4	1	-	-	-	-	1	4	3	4	-
Total - - - -	*1331	278	152	34	24	49	85	110	140	159	138	131

* Including 1 of unstated age.

YEAR 1911.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Loanhead** (Burgh).

Population—Census 1901, - - - 3,011.
Do. Do. 1911, - - - 3,483.
Do. estimated to middle of 1911, 3,483.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	112	0	0	112	61	51
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	57	1	7	63	35	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·2	32·2	–
Death-rate—All Causes - - -	16·4	18·1	19·4
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—143.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—1·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	4	1	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	–	–	–	–	1	2	–	–	–	–	–
Tuberculous Meningitis - - -	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	–	1	–	–	–	–	–	1	–	3	–
Bronchitis - - - - -	5	2	1	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	4	1	1	–	–	2	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	1	–	–	–	1	–	1	–	1	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	18	3	2	1	–	–	–	2	2	1	2	5
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	1	1	–	–	–
Total - - - -	63	16	12	1	–	4	2	5	5	3	9	6

YEAR 1911.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Musselburgh** (Burgh).

Population—Census 1901, - - - 11,868.
Do. Do. 1911, - - - 15,938.
Do. estimated to middle of 1911, 15,983.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	449	2	11	458	236	222
Illegitimate Births -	18	1	6	23	11	12
Deaths - - -	211	6	27	232	119	113

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·1	28·7	-
Death-rate—All Causes - - -	13·2	14·5	15·4
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	3	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	20	-	1	-	-	8	3	3	2	3	-	-
Tuberculous Meningitis - - -	-	-	-	-		-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	17	-	-	-	-	-	-	1	6	5	3	2
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	-	1	-	-	-	1	-	1	-	-	-
Organic Heart Disease - - -	20	-	-	-	-	-	-	1	4	1	8	6
Bronchitis - - - - -	18	6	-	-	-	-	-	1	1	1	3	6
Pneumonia (all forms) - - -	13	2	4	-	-	2	-	-	1	1	3	-
Other Diseases of Respiratory Organs	5	1	-	-	-	-	-	-	1	2	-	1
*Diarrhœa and Enteritis (under 2 years)	15	10	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	1	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	4	-	-	-	-	1	3	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	1	3	-	1	-	2	-	-	2	1	1
Suicide - - - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Other Defined Diseases - - -	61	4	3	2	1	2	4	3	4	7	15	16
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	-	-	-	-	1	2
Total - - - -	232	45	22	4	2	14	18	13	22	23	35	34

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Penicuik** (Burgh).

Population—Census 1901, - - - 2,803.
Do. Do. 1911, - - - 2,736.
Do. estimated to middle of 1911, 2,725.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	2	2	67	34	33
Illegitimate Births -	4	0	1	5	4	1
Deaths - - -	49	0	2	51	21	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·6	24·6	-
Death-rate—All Causes - - -	18·0	18·7	18·5
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—134.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1		1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	3	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	1	3	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	1	1	2	1
Bronchitis - - - - - -	3	1	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	-	-	1	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	4	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	2	-	-	-	-	-	-	1	3	6	4
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	-	1
Total - - - -	51	9	1	1	-	1	5	-	3	12	12	7

YEAR 1911.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Calder** (County District).

Population—Census 1901, - - - 19,639.
Do. Do. 1911, - - - 19,071.
Do. estimated to middle of 1911, 18,989.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	537	9	12	540	278	262
Illegitimate Births -	22	4	5	23	18	5
Deaths - - -	234	3	34	265	141	124

PRINCIPAL RATES PER 1000 OF ESTIMATED AOPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·3	28·4	-
Death-rate—All Causes - - -	12·3	14·0	14·6
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	2·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	8	4	4	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	2	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	23	-	-	-	-	5	7	5	4	1	1	-
Tuberculous Meningitis - - -	16	4	7	3	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	2	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	6	-	-	-	1	2	1	1	-	1	-	-
Cancer, Malignant Disease - -	17	-	-	-	-	-	-	2	4	4	3	4
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	24	-	-	1	-	1	-	2	5	6	4	5
Bronchitis - - - - - -	15	4	1	1	-	-	-	-	2	4	1	2
Pneumonia (all forms) - - -	16	7	3	-	-	-	2	1	2	-	1	-
Other Diseases of Respiratory Organs	4	2	-	-	-	1	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	12	10	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	2	1	-	-	1	1
Puerperal Sepsis - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	17	17	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	18	-	2	-	-	3	3	3	4	2	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	63	5	-	-	1	3	2	4	7	10	18	13
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - -	265	58	23	5	5	16	21	21	28	31	32	25

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

Population—Census 1901, - - - 7,100.
Do. Do. 1911, - - - 6,917.
Do. estimated to middle of 1911, - 6,887.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	165	1	4	168	97	71
Illegitimate Births -	17	1	1	17	12	5
Deaths - - -	80	1	14	93	51	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·0	24·4	-
Death-rate—All Causes - - -	11·6	13·5	12·9
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	-	2	3	1	1	-	-	-
Tuberculous Meningitis - - -	5	1	2	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	1	-	1	4	3	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	1	1	1	2	1	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	5	1	1	-		-	1	1	-	-	-	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	1	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	-	1	-	-	1	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	1	-	-	-	-	-	1	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	-	1	1	-	1	1	1	-
Suicide - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	26	1	-	-	-	-	1	1	-	4	6	13
Diseases Ill-defined or Unknown -	6	-	-	-	-	-	-	-	2	1	-	3
Total - - - -	93	7	3	4	1	5	9	7	8	12	16	21

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Lasswade** (County District).

Population—Census 1901, - - - 19,749.
Do. Do. 1911, - - - 24,047.
Do. estimated to middle of 1911, - 24,068.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	719	9	8	718	403	315
Illegitimate Births -	30	0	2	32	15	17
Deaths - - -	307	32	40	315	160	155

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·9	29·8	–
Death-rate—All Causes - - -	12·6	13·0	13·1
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	5	1	4	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	2	–	–	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	14	2	11	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	–	4	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	16	–	–	–	–	6	4	3	3	–	–	–
Tuberculous Meningitis - - -	5	1	3	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	6	–	1	–	–	2	1	–	–	2	–	–
Cancer, Malignant Disease - -	20	–	–	–	–	–	–	2	5	2	7	4
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	8	2	3	–	–	2	–	–	–	1	–	–
Organic Heart Disease - - -	26	–	–	–	–	1	–	1	4	9	8	3
Bronchitis - - - - - -	23	7	1	2	–	–	–	2	–	1	6	4
Pneumonia (all forms) - - -	20	8	5	–	–	1	1	2	1	–	1	–
Other Diseases of Respiratory Organs	8	3	–	–	–	–	1	–	2	1	–	1
*Diarrhœa and Enteritis (under 2 years)	17	15	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	6	6	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	1	–	1	–	–	1	–	1	–	2	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	24	24	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	13	1	3	2	–	1	2	1	2	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	85	9	3	–	1	1	2	7	2	5	24	31
Diseases Ill-defined or Unknown -	3	1	–	–	–	–	–	–	–	2	–	–
Total - - - -	315	81	41	9	1	15	13	18	20	26	48	43

YEAR 1911.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Suburban** (County District).

Population—Census 1901, - - - 19,138.
Do. Do. 1911, - - - 23,814.
Do. estimated to middle of 1911, - 23,847.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	508	9	25	524	258	266
Illegitimate Births -	36	3	9	42	19	23
Deaths - - -	416	178	48	286	130	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·3	22·0	–
Death-rate—All Causes - - -	17·4	12·0	11·9
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—95,

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	6	4	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	–	1	2	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	23	–	–	–	1	4	5	6	4	2	1	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	–	2	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases - -	2	–	1	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	23	–	–	–	–	–	–	1	7	5	7	3
Rheumatic Fever - - - - -	2	–	–	–	–	–	1	–	–	1	–	–
Meningitis - - - - - -	3	1	–	–	–	–	–	–	–	–	2	–
Organic Heart Disease - - -	33	–	–	–	–	–	2	5	4	8	10	4
Bronchitis - - - - - -	9	4	–	–	–	–	–	1	–	–	3	1
Pneumonia (all forms) - - -	21	2	3	–	–	1	–	4	–	2	6	3
Other Diseases of Respiratory Organs	4	1	–	–	–	–	–	–	–	–	–	3
*Diarrhœa and Enteritis (under 2 years)	7	5	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	4	–	–	–	–	–	–	1	1	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	11	–	–	–	–	1	1	2	2	2	1	2
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	30	29	–	–	1	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	18	–	1	–	–	5	2	3	4	3	1	2
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	77	3	–	1	1	–	4	6	6	7	22	27
Diseases Ill-defined or Unknown -	2	–	–	1	–	–	–	–	–	1	–	–
Total - - - -	286	50	13	4	3	11	16	30	26	33	54	46

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Burghead** (Burgh).

Population—Census 1901, - - - 1,595.
Do. Do. 1911, - - - 1,595.
Do. estimated to middle of 1911, 1,589.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	0	3	46	27	19
Illegitimate Births -	1	0	3	4	4	0
Deaths - - -	26	0	1	27	12	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·1	28·9	-
Death-rate—All Causes - - -	16·4	17·0	15·5
Do. —Phthisis - - - -	-	2·5	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	1	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	1	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	1	-	2	3
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	-	-	-	-	-	1	1	5	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	27	-	2	1	1	-	1	2	4	4	8	4

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Elgin** (Burgh).

Population—Census 1901, - - - 8,407.
Do. Do. 1911, - - - 8,656.
Do. estimated to middle of 1911, 8,631.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	206	6	8	208	109	99
Illegitimate Births -	36	2	4	38	16	22
Deaths - - -	180	23	7	164	79	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·9	24·1	-
Death-rate—All Causes - - -	20·9	19·0	16·6
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	14	-	-	-	-	3	3	2	2	4	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	1	-	1	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	2	-	-	-	2	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	-	3	-	5	1
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	16	-	-	-	-	-	-	2	1	3	6	4
Bronchitis - - - - - -	10	-	-	-	-	-	-	1	-	-	4	5
Pneumonia (all forms) - - -	9	2	1	1	-	-	1	-	-	-	2	2
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	1	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	-	-	-	-	1	1	-	3	-	3	2
Puerperal Sepsis - - - - -	-	-	-		-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	3	-	-	-	1	1	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	43	2	-	-	-	-	1	1	8	6	12	13
Diseases Ill-defined or Unknown -	9	-	2	1	-	-	-	1	-	1	1	3
Total - - - - -	164	23	13	4	4	6	10	7	17	16	34	30

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Forres** (Burgh).

Population—Census 1901, - - - 4,663.
Do. Do. 1911, - - - 4,421.
Do. estimated to middle of 1911, 4,399.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	4	2	83	35	48
Illegitimate Births -	16	3	2	15	7	8
Deaths - - -	73	1	4	76	28	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·3	18·9	-
Death-rate—All Causes - - -	16·6	17·3	14·4
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	1	1	2	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	-	-	2	7	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	-	2	2	5	1
Bronchitis - - - - -	3	2	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	4	-	1	-	-	-	-	2	-	-	1	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	1	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	30	2	2	-	-	-	-	-	2	4	7	13
Diseases Ill-defined or Unknown -	5	-	-	-	-	1	-	-	1	1	1	1
Total - - - -	76	8	4	1	1	3	2	2	7	9	23	16

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Grantown-on-Spey** (Burgh).

Population—Census 1901, - - - 1,568.
Do. Do. 1911, - - - 1,451.
Do. estimated to middle of 1911, 1,443.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	26	0	3	29	15	14
Illegitimate Births -	2	0	2	4	2	2
Deaths - - -	21	1	0	20	9	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·0	20·1	-
Death-rate—All Causes - - -	14·6	13·9	13·7
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—13·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	1	-	-	2	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	1	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	-	-	-	-	-	-	-	1	1	1	4
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - -	20	2	-	-	-	-	3	1	3	4	1	6

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Lossiemouth** (Burgh).

Population—Census 1901, - - - 3,904.
Do. Do. 1911, - - - 4,207.
Do. estimated to middle of 1911, 4,200.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	110	1	5	114	53	61
Illegitimate Births -	5	0	4	9	3	6
Deaths - - -	48	2	5	51	27	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·2	27·1	-
Death-rate—All Causes - - -	11·4	12·1	11·6
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	3	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	2	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	2	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	5	-	1	-	1	-	-	-	1	1	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	1	1	-	-	-	-	-	4	4	8	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	51	9	3	-	1	1	3	-	7	6	13	8

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Rothes** (Burgh).

Population—Census 1901, - - - 1,621.
Do. Do. 1911, - - 1,350.
Do. estimated to middle of 1911, 1,338.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	39	3	4	40	20	20
Illegitimate Births -	7	0	3	10	4	6
Deaths - - -	31	0	2	33	16	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·1	29·9	-
Death-rate—All Causes - - -	23·2	24·7	19·6
Do. —Phthisis - - - -	-	3·0	-
Do. —All Tuberculosis - -	-	3·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—25·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	2	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	1	-	-	-	-	-	1
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	1	2	1
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	1	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	-	-	-	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	2	-	-	-	-	1	-	-	-	3	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	33	3	1	-	-	4	4	2	1	1	7	10

YEAR 1911.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Elgin** (County District).

Population—Census 1901, - - - 23,042.
Do. Do. 1911, - - - 21,747.
Do. estimated to middle of 1911, 21,638.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	489	12	11	488	269	219
Illegitimate Births -	76	6	8	78	48	30
Deaths - - -	292	7	17	302	153	149

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·6	22·6	-
Death-rate—All Causes - - -	13·5	14·0	12·0
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	26	-	-	-	-	8	8	5	3	1	-	1
Tuberculous Meningitis - - -	2	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	2	3	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	-	2	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	21	-	-	-	-	-	-	-	6	2	6	7
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Organic Heart Disease - - -	36	-	-	-	1	1	2	-	6	2	9	15
Bronchitis - - - - -	18	2	-	-	1	-	-	-	1	1	5	8
Pneumonia (all forms) - - -	16	3	1	1	-	1	-	-	2	2	3	3
Other Diseases of Respiratory Organs	7	-	1	1	-	-	1	-	1	1	2	-
*Diarrhœa and Enteritis (under 2 years)	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	-	1	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	-	-	-	-	1	-	-	1	2	-	3
Puerperal Sepsis - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	20	19	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	-	-	-	-	2	-	-	1	1	5	1
Suicide - - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	87	5	2	1	-	2	-	5	6	8	11	47
Diseases Ill-defined or Unknown -	18	5	-	2	-	-	1	-	2	5	1	2
Total - - - -	302	47	12	7	5	18	13	13	30	27	43	87

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

Population—Census 1901, - - - 1,190.
Do. Do. 1911, - - - 1,147.
Do. estimated to middle of 1911, 1,142.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	1	0	16	6	10
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	15	0	5	20	8	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·9	14·0	–
Death-rate—All Causes - - -	13·1	17·5	16·5
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	6	–	–	–	–	–	–	1	–	–	1	4
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	–	1	–	1	1	–	–	–	–	–	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	20	2	3	1	1	2	1	2	–	1	1	6

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Anstruther-Wester** (Burgh).

Population—Census 1901, - - - 501.
Do. Do. 1911, - - - 552.
Do. estimated to middle of 1911, 551.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	1	1	15	8	7
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	6	0	1	7	6	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·2	27·2	-
Death-rate—All Causes - - -	10·9	12·7	10·7
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	-	-	-	-	-	-	-	1	-	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	1	-	-	-	-	-	-	2	-	1	3

YEAR 1911.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

Population—Census 1901, - - - 1,382.
Do. Do. 1911, - - - 1,396.
Do. estimated to middle of 1911, 1,391.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	0	0	17	7	10
Illegitimate Births -	1	0	0	1	0	1
Deaths - - -	23	2	2	23	7	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·2	12·2	-
Death-rate—All Causes - - -	16·5	16·5	11·8
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—59.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	-	1	2	1	3
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	-	-	-	-	-	1	-	-	1	3	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	23	1	-	-	1	1	1	-	1	4	6	8

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Buckhaven, Methil, & Innerleven** (Burgh).

Population—Census 1901, - - - 8,621.
Do. Do. 1911, - - - 15,149.
Do. estimated to middle of 1911, 15,257.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	477	7	7	477	248	229
Illegitimate Births -	22	0	4	26	15	11
Deaths - - -	164	9	12	167	78	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·3	31·3	-
Death-rate—All Causes - - -	10·7	10·9	12·1
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—105.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	-	-	1	1	2	4	2	-	-	-
Tuberculous Meningitis - - -	3	-	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	1	-	1	2	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	11	-	-	-	-	1	-	2	6	-	2	-
Rheumatic Fever - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	5	4	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	-	-	-	-	2	1	1	2	3	1	5
Bronchitis - - - - -	9	4	-	-	-	-	-	-	-	1	3	1
Pneumonia (all forms) - - -	10	3	3	-	-	1	-	-	1	2	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	11	11	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	6	-	-	-	-	1	2	2	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	14	-	-	1	2	2	3	2	4	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	36	7	2	-	1	2	-	2	3	4	5	10
Diseases Ill-defined or Unknown -	5	-	1	-	-	-	1	-	-	1	2	-
Total - - - -	167	50	10	3	8	10	10	14	19	12	14	17

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Burntisland** (Burgh).

Population—Census 1901, - - - 4,846.
Do. Do. 1911, - - - 4,708.
Do. estimitated to middle of 1911, 4,687.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	1	2	92	48	44
Illegitimate Births -	4	0	0	4	3	1
Deaths - - -	52	0	11	63	33	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·4	19·6	-
Death-rate—All Causes - - -	11·1	13·4	13·3
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—54.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	1	1	-	1	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	1	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	1	-	-	2	2	1	-
Bronchitis - - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	3	-	1	-	1	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	3	1	1	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	2	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	26	-	-	-	-	-	1	2	1	6	8	8
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	63	5	7	2	3	1	4	3	5	10	15	8

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cowdenbeath** (Burgh).

Population—Census 1901, - - - 8,329.
Do. Do. 1911, - - - 14,029.
Do. estimated to middle of 1911, 14,121.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	481	3	10	488	250	238
Illegitimate Births -	18	0	4	22	7	15
Deaths - - -	129	4	27	152	82	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	34·1	34·6	-
Death-rate—All Causes - - -	9·1	10·8	12·0
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·4	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	7	2	5	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	-	1	-	-	4	1	1	-	1	-	-
Tuberculous Meningitis - - -	8	2	4	-	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	3	2	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	2	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	-	4	3	3	-
Bronchitis - - - - -	13	7	1	-	-	-	-	-	1	1	3	-
Pneumonia (all forms) - - -	13	7	1	-	-	-	1	-	2	2	-	-
Other Diseases of Respiratory Organs	2	-	1	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	2	-	-	2	1	-	-	-	-	-
Puerperal Sepsis - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	21	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	-	2	1	-	2	-	1	-	-	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	27	3	1	1	-	-	1	2	2	3	6	8
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	2	1	-
Total - - - -	152	49	21	4	1	10	9	6	12	15	15	10

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Crail** (Burgh).

Population—Census 1901, - - - 1,077.
Do. Do. 1911, - - - 1,060.
Do. estimated to middle of 1911, 1,056.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	0	1	20	8	12
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	18	0	0	18	10	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·0	18·9	–
Death-rate—All Causes - - -	17·0	17·0	13·5
Do. —Phthisis - - - -	–	5·7	–
Do. —All Tuberculosis - -	–	7·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	–	–	–	–	2	3	–	–	1	–	–
Tuberculous Meningitis - - -	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	–	–	–	–	–	–	–	–	–	1	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	–	–	–	–	–	–	1	–	1	2	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	18	–	–	–	1	3	3	1	–	2	5	3

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Culross** (Burgh).

Population—Census 1901, - - - 348.
Do. Do. 1911, - - - 456.
Do. estimated to middle of 1911, 457.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	1	13	6	7
Illegitimate Births -	0	0	1	1	1	0
Deaths - - -	6	0	3	9	5	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·3	28·4	–
Death-rate—All Causes - - -	13·1	19·7	13·6
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–		–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	1	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	–	–	–	–	–	–	–	–	1	3	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	9	1	1	–	–	–	–	1	–	2	3	1

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cupar** (Burgh).

Population—Census 1901, - - - 4,511.
Do. Do. 1911, - - - 4,380.
Do. estimated to middle of 1911, 4,361.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	83	1	3	85	48	37
Illegitimate Births -	9	0	2	11	5	6
Deaths - - -	75	0	3	78	30	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·0	19·5	-
Death-rate—All Causes - - -	17·2	17·9	14·1
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	-	1	2	3	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	-	2	1	3	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	11	-	-	1	-	1	-	1	1	1	2	4
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	6	-	1	-	-	1	-	1	-	1	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	-	-	2	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	29	-	-	-	-	-	1	1	1	7	4	15
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	78	1	2	1	-	3	5	6	10	12	13	25

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dunfermline** (Burgh).

Population—Census 1901, - - - 25,250.
Do. Do. 1911, - - - 28,103.
Do. estimated to middle of 1911, 28,074.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	655	5	15	665	360	305
Illegitimate Births -	31	3	7	35	14	21
Deaths - - -	445	65	14	394	188	206

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·3	23·7	-
Death-rate—All Causes - - -	15·9	14·0	14·3
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	5	-	3	1	-	-	-	1	-	-	-	-
*Whooping-cough - - - - -	9	1	8	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	7	1	2	2	-	-	-	1	-	-	-	1
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	26	-	-	-	-	5	8	8	3	2	-	-
Tuberculous Meningitis - - -	5	3	1	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	4	2	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	-	-	1	1	1	-	-	-	-
Cancer, Malignant Disease - -	31	-	-	1	-	1	-	3	2	6	12	6
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	6	3	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	42	-	-	-	-	1	1	2	8	9	12	9
Bronchitis - - - - - -	11	2	-	-	-	-	-	2	-	-	2	5
Pneumonia (all forms) - - -	33	12	3	-	-	3	2	-	5	2	1	5
Other Diseases of Respiratory Organs	6	1	1	-	-	-	1	-	1	-	1	1
*Diarrhœa and Enteritis (under 2 years)	11	8	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	6	-	-	2	-	1	1	1	-	1	-	-
All Liver Diseases (not Malignant) -	6	-	-	-	-	1	1	1	1	1	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	-	2	1	2	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	4	-	-	-	-	1	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	28	27	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	12	1	1	1	-	2	1	3	-	1	2	-
Suicide - - - - - - -	3	-	-	-	-	-	1	2	-	-	-	-
Other Defined Diseases - - -	113	7	4	-	1	3	3	7	11	18	26	33
Diseases Ill-defined or Unknown -	11	-	-	-	-	-	-	-	2	3	3	3
Total - - - -	394	69	32	7	2	19	22	38	34	47	60	64

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

Population—Census 1901, – – – 3,562.
Do. Do. 1911, – – – 4,197.
Do. estimated to middle of 1911, 4,198.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births – – –	140	2	1	139	71	68
Illegitimate Births –	5	0	1	6	5	1
Deaths – – –	46	2	9	53	24	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate – – – – – –	33·3	33·1	–
Death-rate—All Causes – – –	11·0	12·6	12·3
Do. —Phthisis – – – –	–	0·7	–
Do. —All Tuberculosis – –	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		–1	1–	5–	10–	15	25–	35–	45–	55–	65–	75 and over
*Enteric Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Measles – – – – –	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough – – – –	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup – – –	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis –	3	–	–	–	1	1	–	1	–	–	–	–
Tuberculous Meningitis – – –	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis – – –	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases – –	2	–	–	1	–	1	–	–	–	–	–	–
Cancer, Malignant Disease – –	3	–	–	–	–	–	–	1	–	–	2	–
Rheumatic Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis – – – – –	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease – – –	2	–	–	–	–	–	–	1	–	–	–	1
Bronchitis – – – – –	4	–	1	–	–	–	–	–	–	1	1	1
Pneumonia (all forms) – – –	5	3	2	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis – –	2	–	–	–	–	–	–	–	–	2	–	–
All Liver Diseases (not Malignant) –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease – –	2	–	–	–	–	–	–	–	–	–	1	1
Puerperal Sepsis – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide –	1	–	–	–	–	–	–	1	–	–	–	–
Suicide – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases – – –	14	3	1	1	–	1	–	1	–	2	3	2
Diseases Ill-defined or Unknown –	–	–	–	–	–	–	–	–	–	–	–	–
Total – – – –	53	14	8	2	3	3	–	5	–	5	7	6

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Earlsferry** (Burgh).

Population—Census 1901, - - - 317.
Do. Do. 1911, - - - 322.
Do. estimated to middle of 1911, - 321.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1	0	0	1	1	0
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	5	0	0	5	1	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	3·1	3·1	-
Death-rate—All Causes - - -	15·6	15·6	13·4
Do. —Phthisis - - - -	-	3·1	-
Do. —All Tuberculosis - -	-	3·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0 0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	-	-	-	-	-	-	-	-	-	1	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - -	5	-	-	-	-	-	-	2	-	-	2	1

YEAR 1911.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Elie, Liberty, and Williamsburgh** (Burgh).

Population—Census 1901, - - - 687.
Do. Do. 1911, - - - 692.
Do. estimated to middle of 1911, - 690.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	2	8
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	3	0	0	3	1	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·5	14·5	–
Death-rate—All Causes - - -	4·3	4·3	3·5
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	–	–	–	–	–	–	–	–	–	–	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	3	1	–	–	–	–	–	–	–	–	–	2

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Falkland** (Burgh).

Population—Census 1901, - - - 809.
Do. Do. 1911, - - - 830.
Do. estimated to middle of 1911, - 827.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	2	1	12	8	4
Illegitimate Births -	0	0	1	1	1	0
Deaths - - -	11	0	3	14	6	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·7	14·5	-
Death-rate—All Causes - - -	13·3	16·9	12·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	-	-	-	-	-	1	4	-	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	1	-	-	-	-	-	1	2	4	2	4

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Inverkeithing** (Burgh).

Population—Census 1901, - - - - 1,965.
Do. Do. 1911, - - - 3,291.
Do. estimated to middle of 1911, 3,312.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	1	0	94	40	54
Illegitimate Births -	5	0	0	5	0	5
Deaths - - -	37	0	11	48	23	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·7	28·4	-
Death-rate—All Causes - - -	11·2	14·5	14·6
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	1	-	-	-	2	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	1	-	1	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	1	-	-	-	1	2	-	-
Bronchitis - - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	6	-	2	-	-	2	-	-	-	1	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	1	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	3	-	-	-	1	1	-	3	2	3	3
Diseases Ill-defined or Unknown -	1	-	-	-	-	1	-	-	-	-	-	-
Total - - - -	48	6	4	1	1	6	3	2	5	6	9	5

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kilrenny** (Burgh).

Population—Census 1901, - - - 2,542.
Do. Do. 1911, - - - 2,557.
Do. estimated to middle of 1911, 2,548.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	0	57	36	21
Illegitimate Births -	2	0	0	2	2	0
Deaths - - -	28	1	0	27	12	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·4	22·4	-
Death-rate—All Causes - - -	11·0	10·6	9·7
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—35.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	1	1	1	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	-	1	4
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	1	-	-	-	-	-	-	1	-	5	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	27	2	-	-	1	1	1	-	2	1	8	11

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kinghorn** (Burgh).

Population—Census 1901, - - - 1,550.
Do. Do. 1911, - - - 1,549.
Do. estimated to middle of 1911, 1,544.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	3	1	37	21	16
Illegitimate Births -	4	0	0	4	2	2
Deaths - - -	27	1	1	27	10	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·3	24·0	-
Death-rate—All Causes - - -	17·5	17·5	16·7
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	2	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	1	-	1	-	-	2	-
Bronchitis - - - - -	5	-	-	-	-	-	-	1	-	-	2	2
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-		-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	6	-	1	-	-	-	1	-	1	1	2	-
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	27	3	5	-	1	2	1	3	2	1	6	3

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).

Population—Census 1901, - - - 34,079.
Do. Do. 1911, - - - 39,601.
Do. estimated to middle of 1911, 39,597.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	952	4	16	964	491	473
Illegitimate Births -	65	1	7	71	31	40
Deaths - - -	499	6	62	555	266	289

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·0	24·3	-
Death-rate—All Causes - - -	12·6	14·0	14·3
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	6	-	3	3	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	14	5	9	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	8	1	5	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	43	-	-	1	-	11	10	11	7	2	-	1
Tuberculous Meningitis - - -	12	3	7	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	1	4	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	17	1	5	4	1	-	1	1	4	-	-	-
Cancer, Malignant Disease - -	43	-	-	-	-	1	-	5	9	14	10	4
Rheumatic Fever - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	7	1	3	-	-	-	1	-	2	-	-	-
Organic Heart Disease - - -	69	-	-	-	-	3	1	2	9	16	24	14
Bronchitis - - - - -	30	11	6	-	-	-	1	-	1	2	3	6
Pneumonia (all forms) - - -	31	4	7	1	2	-	1	3	3	3	5	2
Other Diseases of Respiratory Organs	10	1	3	-	-	-	-	-	2	3	-	1
*Diarrhœa and Enteritis (under 2 years)	14	14	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	5	-	1	-	-	-	2	-	1	-	-	1
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	1	1	-	1	-
Other Diseases of Digestive System (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	17	-	-	-	-	1	-	2	4	7	3	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	37	37	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	14	-	3	1	1	3	-	2	1	1	1	1
Suicide - - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - -	134	7	5	1	-	2	8	7	10	17	31	46
Diseases Ill-defined or Unknown -	17	3	1	1	1	-	1	2	-	4	3	1
Total - - - -	555	94	65	15	6	23	29	41	55	69	81	77

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Ladybank and Monkston** (Burgh).

Population—Census 1901, - - - 1,340.
Do. Do. 1911, - - - 1,266.
Do. estimated to middle of 1911, 1,260.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	16	14
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	14	0	3	17	7	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·8	23·8	-
Death-rate—All Causes - - -	11·1	13·5	11·2
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-		-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	2	-	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	-	-	-	-	-	-	-	1	1	-	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	17	4	-	-	-	1	-	-	2	4	-	6

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Leslie** (Burgh).

Population—Census 1901, - - - 2,064.
Do. Do. 1911, - - - 2,142.
Do. estimated to middle of 1911, 2,136.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	1	0	45	27	18
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	38	0	5	43	16	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·5	21·1	-
Death-rate—All Causes - - -	17·8	20·1	17·3
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	2	-	-	1	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	1	-	-	-	-	-
Bronchitis - - - - - -	3	1	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	4	-	1	-	-	-	1	-	-	-	-	2
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	1	1	-	-	-	2	1	-	3	1	6
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	1	1	1	1
Total - - - -	43	4	7	-	-	1	4	2	4	8	2	11

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

Population—Census 1901, - - - 5,577.
Do. Do. 1911, - - - 6,559.
Do. estimated to middle of 1911, 6,561.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	182	2	6	186	89	97
Illegitimate Births -	12	0	0	12	2	10
Deaths - - -	82	1	9	90	41	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·7	28·3	-
Death-rate—All Causes - - -	12·5	13·7	14·6
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—134.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	1	-	1	4	1	-	2	-	1	-
Tuberculous Meningitis - - -	2	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	-	1	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	1	1	-	1	2
Bronchitis - - - - -	10	3	-	-	-	-	-	-	1	-	5	1
Pneumonia (all forms) - - -	9	3	2	-	1	-	-	1	1	1	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	1	1	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	1	-	-	-	-	2	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	5	-	-	-	-	1	1	3	1	5	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	90	25	7	3	3	6	4	3	11	4	14	10

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Lochgelly** (Burgh).

Population—Census 1901, - - - 5,472.
Do. Do. 1911, - - - 9,149.
Do. estimated to middle of 1911, 9,208.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	322	1	7	328	168	160
Illegitimate Births -	12	1	0	11	8	3
Deaths - - -	97	0	21	118	75	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	35·0	35·6	-
Death-rate—All Causes - - -	10·5	12·8	13·9
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	8	3	4	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	1	-	1	3	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	1	5	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	2	-	1	1
Bronchitis - - - - - -	5	-	-	-	-	-	-	1	-	2	2	-
Pneumonia (all forms) - - -	14	3	5	-	-	-	2	-	2	-	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	21	20	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	1	-	-	-	1	3	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	31	4	-	-	-	5	1	-	2	8	8	3
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	118	34	15	1	3	6	6	9	7	16	15	6

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Markinch** (Burgh).

Population—Census 1901, - - - 1,499.
Do. Do. 1911, - - - 1,641.
Do. estimated to middle of 1911, 1,638.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	45	1	1	45	26	19
Illegitimate Births -	2	0	1	3	3	0
Deaths - - -	12	0	2	14	4	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·5	27·5	-
Death-rate—All Causes - - -	7·3	8·5	7·4
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—22.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·6.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-		-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-		-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	2	1
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	-	-	-	1	-	1	-	-	-	1	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	1	3	1	1	-	1	-	3	-	3	1

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Newburgh** (Burgh).

Population—Census 1901, - - - 1,904.
Do. Do. 1911, - - - 1,977.
Do. estimated to middle of 1911, - 1,972.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	0	0	43	20	23
Illegitimate Births -	2	0	0	2	2	0
Deaths - - -	28	0	6	34	20	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·8	21·8	-
Death-rate—All Causes - - -	14·2	17·2	13·1
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—**93.**
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—**4·7.**

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	1	1	-	1	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	-	-	-	-	-	2	1	-	1	3	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	1	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	11	1	2	-	-	-	-	-	1	2	2	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	34	4	2	-	-	3	2	2	2	4	8	7

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Newport** (Burgh).

Population—Census 1901, - - - 3,856.
Do. Do. 1911, - - - 3,643.
Do. estimated to middle of 1911, - 3,625.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	0	2	46	20	26
Illegitimate Births -	2	0	2	4	1	3
Deaths - - -	41	0	7	48	14	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·1	12·7	–
Death-rate—All Causes - - -	11·3	13·2	11·3
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	–	–	–	–	1	1	–	–	–	1	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	–	–	–	–	–	–	–	1	2	3	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	–	–	–	–	–	–	–	1	1	1	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	3	–	–	–	–	–	–	–	1	–	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	1	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	2	1	–	–	–	1	–
Suicide - - - - - -	3	–	–	–	–	–	1	–	2	–	–	–
Other Defined Diseases - - -	13	–	–	–	–	–	1	–	1	1	6	4
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	48	3	–	1	1	3	4	–	6	6	17	7

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Pittenween** (Burgh).

Population—Census 1901, - - - 1,863.
Do. Do. 1911, - - - 1,888.
Do. estimated to middle of 1911, - 1,882.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	2	3	41	25	16
Illegitimate Births -	0	0	1	1	1	0
Deaths - - -	20	0	2	22	9	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·3	21·8	-
Death-rate—All Causes - - -	10·6	11·7	10·5
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—49.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·4.

CUASES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	1	1	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	-	-	-	-	-	-	-	-	1	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	22	2	2	1	-	2	1	-	1	-	3	10

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**St. Andrews** (Burgh).

Population—Census 1901, - - - 7,621.
Do. Do. 1911, - - - 7,851.
Do. estimated to middle of 1911, 7,829.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	128	1	2	129	65	64
Illegitimate Births -	5	0	1	6	2	4
Deaths - - -	89	6	9	92	42	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·3	16·5	-
Death-rate—All Causes - - -	11·4	11·8	11·9
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—23.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	-	3	-	1	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	-	1	2	5	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	-	-	-	-	-	-	-	2	2	7	4
Bronchitis - - - - - -	4	-	-	-	-	-	1	-	-	1	-	2
Pneumonia (all forms) - - -	7	-	1	-	-	-	-	-	2	-	3	1
Other Diseases of Respiratory Organs	2	-	-	1	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	1	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	1	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	2	-	1	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	31	-	-	1	-	1	2	3	-	3	6	15
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	92	3	2	4	1	2	7	9	8	12	21	23

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Tayport** (Burgh).

Population—Census 1901, - - - 3,325.
Do. Do. 1911, - - - 3,272.
Do. estimated to middle of 1911, 3,259.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	2	1	56	23	33
Illegitimate Births -	4	0	1	5	1	4
Deaths - - -	43	0	4	47	21	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·5	17·2	-
Death-rate—All Causes - - -	13·2	14·4	12·5
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	1	-	1	2	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	1	-	-	1	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - -	3	-	-	-	-	-	-	-	1	-	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	1	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	20	-	-	-	-	2	-	1	2	6	4	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	47	4	1	-	1	3	2	3	4	9	8	12

YEAR 1911.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Cupar** (County District).

Population—Census 1901, - - - 15,004.
Do. Do. 1911, - - - 15,523.
Do. estimated to middle of 1911, 15,481.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	293	7	10	296	148	148
Illegitimate Births -	22	1	5	26	12	14
Deaths - - -	278	50	16	244	111	133

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·9	19·0	-
Death-rate—All Causes - - -	18·0	15·8	12·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—82.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	18	-	-	-	-	6	1	6	3	2	-	-
Tuberculous Meningitis - - -	3	-	1	1	-	-	-	-	1	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	-	-	-	-	2	-
Cancer, Malignant Disease - -	25	-	-	-	-	-	1	-	2	5	14	3
Rheumatic Fever - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	47	-	-	-	-	1	-	2	3	10	16	15
Bronchitis - - - - -	13	2	-	-	-	-	-	-	-	1	7	3
Pneumonia (all forms) - - -	10	2	1	-	-	-	1	-	2	1	1	2
Other Diseases of Respiratory Organs	5	-	-	1	-	-	-	1	-	-	1	2
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	1	-	-	1	-	1	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	13	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	-	-	-	-	3	1	1	-
Suicide - - - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Defined Diseases - - -	81	5	-	1	-	4	1	6	6	13	14	31
Diseases Ill-defined or Unknown -	5	1	-	-	-	-	-	-	-	1	1	2
Total - - - -	244	24	3	5	2	13	5	17	22	35	59	59

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dunfermline** (County District).

Population—Census 1901, - - - 24,688.
Do. Do. 1911, - - - 31,403.
Do. estimated to middle of 1911, 31,459.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	900	12	14	902	460	442
Illegitimate Births -	39	2	3	40	21	19
Deaths - - -	367	8	49	408	213	195

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·6	28·7	-
Death-rate—All Causes - - -	11·7	13·0	13·5
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—105.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	5	-	2	1	2	-	-	-	-	-	-	-
*Whooping-cough - - - -	16	10	6	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	20	1	10	8	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Phthisis, Pulmonary Tuberculosis -	19	-	-	1	1	6	6	4	-	1	-	-
Tuberculous Meningitis - - -	6	3	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	2	1	2	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	-	1	1	-	2	1	-	-	-	-	-
Cancer, Malignant Disease -	18	-	-	-	-	-	2	1	2	5	6	2
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	42	1	-	1	1	1	2	2	4	11	14	5
Bronchitis - - - - -	28	10	-	-	-	-	-	-	3	1	6	8
Pneumonia (all forms) - - -	39	10	7	-	-	3	-	5	6	2	5	1
Other Diseases of Respiratory Organs	5	1	3	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	14	11	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	9	6	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	1	1	-	1	1	-	2
Puerperal Sepsis - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	6	-	-	-	-	-	4	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	25	25	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	31	1	5	1	1	1	9	7	3	-	3	-
Suicide - - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Defined Diseases - - -	83	12	4	1	1	3	1	2	11	8	16	24
Diseases Ill-defined or Unknown -	9	-	-	-	-	-	-	1	2	2	3	1
Causes of Death.	408	95	52	18	9	17	27	26	34	32	55	43

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kirkcaldy** (County District).

Population—Census 1901, - - - 28,322.
Do. Do. 1911, - - - 42,027.
Do. estimated to middle of 1911, 42,219.

REGISTRATION RETURNS.

	Numbers Registered in District	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1333	16	14	1331	665	666
Illegitimate Births -	72	7	5	70	37	33
Deaths - - -	576	60	50	566	286	280

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·6	31·5	–
Death-rate—All Causes - - -	13·6	13·4	13·9
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	6	–	–	1	–	3	2	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	9	2	7	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	6	–	6	–	–	–		–	–	–	–	–
*Whooping-cough - - - -	25	15	10	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	8	–	4	2	1	–	–	–	–	–	–	1
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	2	1	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	30	–	1	–	1	9	9	4	2	2	1	1
Tuberculous Meningitis - - -	5	1	1	1	–	–	1	1	–	–	–	–
Abdominal Tuberculosis - - -	7	2	4	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	9	2	4	–	–	–	–	2	1	–	–	–
Cancer, Malignant Disease - -	33	–	–	–	–	1	1	5	6	10	8	2
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	7	2	1	2	–	1	–	–	1	–	–	–
Organic Heart Disease - - -	38	–	–	3	1	2	2	2	3	7	10	8
Bronchitis - - - - -	26	9	4	–	–	–	–	–	1	3	6	3
Pneumonia (all forms) - - -	52	11	15	3	1	1	3	4	6	3	2	3
Other Diseases of Respiratory Organs	13	4	3	2	–	–	–	–	–	2	1	1
*Diarrhœa and Enteritis (under 2 years)	24	18	6	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	5	–	–	–	–	–	–	–	2	3	–	–
Other Diseases of Digestive System (under 2 years)	6	4	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	16	–	2	–	–	–	1	2	3	3	4	1
Puerperal Sepsis - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	4	–	–	–	–	2	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	57	56	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	28	2	2	3	–	5	2	3	2	4	2	3
Suicide - - - - - -	2	–	–	–	–	–	–	–	1	1	–	–
Other Defined Diseases - - -	136	16	11	2	2	6	8	10	8	12	32	29
Diseases Ill-defined or Unknown -	8	–	–	–	–	–	–	2	–	2	3	1
Total - - - -	566	146	84	21	6	31	30	38	36	52	69	53

YEAR 1911.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**St. Andrews** (County District).

Population—Census 1901, - - - 14,739.
Do. Do. 1911, - - - 15,379.
Do. estimated to middle of 1911, 15,340.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	293	5	7	295	148	147
Illegitimate Births -	14	0	1	15	7	8
Deaths - - -	191	10	22	203	96	107

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·1	19·2	-
Death-rate—All Causes - - -	12·5	13·2	12·4
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—51.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	-	3	1	-	1	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	-	-	-	1	4	2	4	-	-	-
Tuberculous Meningitis - - -	2	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	-	-	1	-	-	1	-	-	1
Cancer, Malignant Disease - -	21	-	-	-	-	-	-	-	3	6	7	5
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	26	-	-	-	-	1	-	1	1	6	6	11
Bronchitis - - - - - -	5	1	-	-	-	-	1	-	-	1	1	1
Pneumonia (all forms) - - -	16	1	3	1	1	-	1	1	-	2	5	1
Other Diseases of Respiratory Organs	3	1	-	-	-	-	-	-	1	-	-	1
*Diarrhœa and Enteritis (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	5	-	-	1	-	2	-	-	1	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	-	-	1	-	-	-	-	2	1	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	5	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	13	-	1	-	1	1	-	3	2	1	4	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	64	5	4	-	-	-	3	3	3	4	14	28
Diseases Ill-defined or Unknown -	7	-	-	-	-	-	1	-	-	1	3	2
Total - - - -	203	15	15	5	2	9	10	12	18	24	42	51

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

Population—Census 1901, - - - 22,398.
Do. Do. 1911, - - - 20,647.
Do. estimated to middle of 1911, 20,530.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	438	3	5	440	228	212
Illegitimate Births -	39	3	3	39	21	18
Deaths - - -	355	6	17	366	163	203

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·3	21·4	-
Death-rate—All Causes - - -	17·3	17·8	16·3
Do. —Phthisis - - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	6	5	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	12	-	10	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	18	-	-	-	-	6	3	2	3	1	3	-
Tuberculous Meningitis - - -	4	1	-	2	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	5	-	-	-	1	1	-	2	1	-	-	-
Cancer, Malignant Disease - -	33	-	-	-	-	-	1	3	3	6	11	9
Rheumatic Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	5	2	2	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	32	-	-	-	-	-	-	3	3	10	7	9
Bronchitis - - - - -	47	5	2	-	1	1	1	1	3	6	7	20
Pneumonia (all forms) - - -	18	1	-	1	1	1	2	4	1	3	2	2
Other Diseases of Respiratory Organs	3	-	1	-	-	-	-	-	1	1	-	-
*Diarrhœa and Enteritis (under 2 years)	7	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	5	-	-	-	-	-	-	-	1	4	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	16	-	-	1	-	4	-	4	4	1	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	4	-	-	-	-	-	2	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	24	24	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	1	-	-	-	-	-	3	2	-
Suicide - - - - - - -	4	-	-	-	-	-	-	3	-	1	-	-
Other Defined Diseases - - -	100	3	3	-	-	1	7	5	11	14	31	25
Diseases Ill-defined or Unknown -	11	3	-	-	-	-	-	-	1	1	2	4
Total - - - -	366	50	21	7	3	16	17	30	33	51	68	70

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

Population—Census 1901, - - - 8,941.
Do. Do. 1911, - - - 8,439.
Do. estimated to middle of 1911, 8,396.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	160	1	4	163	86	77
Illegitimate Births -	25	1	4	28	16	12
Deaths - - -	159	1	9	167	78	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·1	19·4	–
Death-rate—All Causes - - -	18·9	19·9	17·7
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—202.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	11	–	–	–	–	3	1	1	6	–	–	–
Tuberculous Meningitis - - -	2	1	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	1	–	1	1	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	16	–	–	–	–	–	–	1	–	6	6	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	16	2	–	1	–	1	–	–	2	3	4	3
Bronchitis - - - - -	11	7	–	–	–	–	–	–	–	1	2	1
Pneumonia (all forms) - - -	17	4	2	–	–	1	–	–	3	1	2	4
Other Diseases of Respiratory Organs	4	1	1	–	–	–	–	–	1	–	–	1
*Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	–	–	–	–	–	–	2	–	1	–	2
Suicide - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	57	2	–	–	–	3	3	1	5	4	13	26
Diseases Ill-defined or Unknown -	3	–	–	–	–	–	–	–	1	–	2	–
Total - - - -	167	33	3	4	1	10	4	7	18	16	30	41

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Broughty-Ferry** (Burgh).

Population—Census 1901, - - - 10,484.
Do. Do. 1911, - - - 11,058.
Do. estimated to middle of 1911, 11,033.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	206	1	5	210	99	111
Illegitimate Births -	6	0	2	8	4	4
Deaths - - -	112	5	12	119	61	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·7	19·0	-
Death-rate—All Causes - - -	10·2	10·8	10·5
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—52.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	-	1	2	3	3	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	1	1	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	1	-	-	1	-	-	1	1	3	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	-	-	-	-	-	-	-	2	5	4	3
Bronchitis - - - - - -	5	-	-	-	-	-	-	-	-	-	1	4
Pneumonia (all forms) - - -	5	1	-	-	-	-	-	1	1	2	-	-
Other Diseases of Respiratory Organs	5	-	1	-	-	-	-	-	-	-	1	3
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	-	-	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	-	1	-	-	3	2	-	1	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	36	2	1	1	-	-	1	1	3	4	7	16
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	-	-	-	1	3	1
Total - - - -	119	11	9	4	-	5	5	8	13	13	21	30

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Carnoustie** (Burgh).

Population—Census 1901, - - - 5,204.
Do. Do. 1911, - - - 5,358.
Do. estimated to middle of 1911, 5,343.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	1	1	81	44	37
Illegitimate Births -	3	0	0	3	2	1
Deaths - - -	79	3	4	80	39	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·2	15·2	-
Death-rate—All Causes - - -	14·8	15·0	12·8
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—49.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	-	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	1	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	1	1	2	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	2	-	1	-
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	8	1	3	-	-	-	-	1	1	-	2	-
Other Diseases of Respiratory Organs	4	-	-	-	-	-	-	-	1	1	-	2
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	2	-	-	3	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	1	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	33	-	-	-	-	-	1	2	3	2	7	18
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - -	80	4	5	3	-	4	3	6	13	6	14	22

YEAR 1911.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Dundee** (Burgh).

Population—Census 1901, - - - 162,982.
Do. Do. 1911, - - - 165,004.
Do. estimated to middle of 1911, 164,466.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4330	61	21	4290	2174	2116
Illegitimate Births -	395	37	9	367	180	187
Deaths - - -	2899	97	67	2869	1338	1531

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·3	26·1	-
Death-rate—All Causes - - -	17·6	17·4	18·0
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	2.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—157.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	4	-	-	-	-	1	1	1	1	-	-	-
*Measles - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	13	2	5	4	1	-	1	-	-	-	-	-
*Whooping-cough - - - -	93	39	51	3	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	38	3	23	9	2	-	-	-	-	-	-	1
Influenza - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	7	2	-	-	-	-	1	-	-	-	1	3
Phthisis. Pulmonary Tuberculosis -	280	3	5	11	7	70	66	49	38	19	11	1
Tuberculous Meningitis - - -	40	9	11	12	4	2	2	-	-	-	-	-
Abdominal Tuberculosis - - -	39	15	15	2	3	1	2	-	-	-	1	-
Other Tuberculous Diseases - -	62	7	12	11	6	10	9	2	4	1	-	-
Cancer, Malignant Disease - -	178	-	-	1	-	1	6	10	37	54	56	13
Rheumatic Fever - - - -	10	1	-	1	-	1	4	1	2	-	-	-
Meningitis - - - - -	22	13	4	1	1	2	1	-	-	-	-	-
Organic Heart Disease - - -	251	-	1	5	5	12	12	28	33	57	58	40
Bronchitis - - - - -	218	60	14	1	-	2	1	5	16	28	55	36
Pneumonia (all forms) - - -	264	68	63	8	2	9	8	13	24	24	31	14
Other Diseases of Respiratory Organs	37	-	3	2	2	2	-	1	3	8	7	9
*Diarrhœa and Enteritis (under 2 years)	151	126	25	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	17	-	1	1	4	3	3	2	1	1	1	-
All Liver Diseases (not Malignant) -	19	-	-	1	-	1	2	2	3	8	1	1
Other Diseases of Digestive System (under 2 years)	16	13	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	69	3	5	2	1	3	5	9	11	16	7	7
Puerperal Sepsis - - - -	5	-	-	-	-	-	5	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	15	-	-	-	-	2	9	4	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	224	220	3	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	96	26	8	4	3	5	7	9	5	16	5	8
Suicide - - - - - -	15	-	-	-	-	2	3	2	5	-	2	1
Other Defined Diseases - - -	639	58	17	13	6	14	34	39	71	94	147	146
Diseases Ill-defined or Unknown -	42	4	1	1	1	2	2	4	6	7	7	7
Total - - - -	2869	672	272	93	49	147	184	182	260	333	390	287

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

Population—Census 1901, - - - 11,397.
Do. Do. 1911, - - - 10,849.
Do. estimated to middle of 1911, 10,796.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	236	2	4	238	123	115
Illegitimate Births -	24	1	3	26	16	10
Deaths - - -	178	6	6	178	85	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·9	22·0	-
Death-rate—All Causes - - -	16·5	16·5	15·4
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	6	3	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	10	-	2	4	3	1	-	-	-	-	-	-
Influenza - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	1	-	-	4	1	4	1	-	-	-
Tuberculous Meningitis - - -	3	-	-	2	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	18	-	-	-	-	-	2	-	3	7	4	2
Rheumatic Fever - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	25	-	-	-	-	-	1	1	3	3	8	9
Bronchitis - - - - -	4	2	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	12	3	3	-	-	-	-	1	-	2	2	1
Other Diseases of Respiratory Organs	3	-	-	-	-	-	1	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	1	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	1	2	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	16	16	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - - - -	4	-	-	-	-	-	1	-	2	1	-	-
Other Defined Diseases - - -	43	-	1	-	-	-	-	2	5	5	15	15
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	1	1	1
Total - - - -	178	28	14	8	4	8	6	9	17	20	34	30

YEAR 1911.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Kirriemuir** (Burgh).

Population—Census 1901, - - - 4,096
Do. Do. 1911, - - - 3,776
Do. estimated to middle of 1911, 3,755

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	4	0	64	36	28
Illegitimate Births -	7	0	0	7	5	2
Deaths - - -	60	0	5	65	32	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·1	17·0	–
Death-rate—All Causes - - -	16·0	17·3	14·7
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—141.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	–	–	4	–	–	–	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	–	–	–	–	–	–	–	1	1	4	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	9	–	–	–	–	1	–	2	–	–	3	3
Bronchitis - - - - - -	4	1	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	2	–	–	–	–	–	–	–	–	–	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	–	–	1	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	24	–	1	–	–	–	–	1	2	5	5	10
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	2	–
Total - - - -	65	9	2	1	–	5	–	3	3	6	20	16

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Monifieth** (Burgh).

Population—Census 1901, - - - 2,134
Do. Do. 1911, - - - 3,098
Do. estimated to middle of 1911, 3,111

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	1	1	67	33	34
Illegitimate Births -	2	1	0	1	0	1
Deaths - - -	52	0	4	56	21	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·5	21·5	–
Death-rate—All Causes - - -	16·7	18·0	17·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—60.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—1·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	–	–	–	–	1	–	–	1	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	8	–	–	–	–	–	–	–	3	1	4	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	–	–	–	–	2	1	–	–	1	3	–
Bronchitis - - - - -	4	–	–		–	–	–	–	–	1	2	1
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	21	–	–	–	2	–	–	5	–	1	7	6
Diseases Ill-defined or Unknown -	3	–	1	–	–	–	–	1	–	–	–	1
Total - - - -	56	4	2	–	2	3	2	7	4	5	16	11

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Montrose** (Burgh).

Population—Census 1901, - - - 12,427.
Do. Do. 1911, - - - 10,974.
Do. estimated to middle of 1911, 10,899.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	211	1	3	213	111	102
Illegitimate Births -	19	0	3	22	14	8
Deaths - - -	186	5	5	186	71	115

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·4	19·5	-
Death-rate—All Causes - - -	17·1	17·1	14·3
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	1	1	-	2	-	3	-	-	-	-
Tuberculous Meningitis - - -	3	-	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	-	2	5	-	2
Rheumatic Fever - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	27	-	-	1	-	1	-	2	4	4	11	4
Bronchitis - - - - -	17	3	-	-	-	-	-	-	-	3	3	8
Pneumonia (all forms) - - -	7	1	-	1	-	-	1	1	-	2	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	-	1	1	2	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	-	-	-	-	-	2	-	-	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	83	2	-	-	-	1	3	1	5	6	23	42
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	186	16	5	4	2	7	5	10	13	24	41	59

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

Population—Census 1901, - - - 8,929.
Do. Do. 1911, - - - 8,434.
Do. estimated to middle of 1911, - 8,392.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	212	1	5	216	113	103
Illegitimate Births -	19	0	3	22	13	9
Deaths - - -	105	4	8	109	60	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·3	25·7	-
Death-rate—All Causes - - -	12·5	13·0	11·5
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	2	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	-	3	1	1	-	2	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	1	1	2
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	1	-	1	1	-	4
Bronchitis - - - - -	7	-	1	1	-	-	-	-	-	1	2	2
Pneumonia (all forms) - - -	5	-	1	-	-	-	-	-	-	2	1	1
Other Diseases of Respiratory Organs	4	2	1	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	1	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	*5	-	2	1	-	-	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	42	-	1	-	1	-	-	2	5	2	8	23
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	-	1
Total - - - - -	*109	15	8	6	2	5	4	3	6	11	14	34

* 1 Age not stated.

YEAR 1911.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Brechin** (County District).

Population—Census 1901, - - - 13,356.
Do. Do. 1911, - - - 12,821.
Do. estimated to middle of 1911, - 12,762.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	275	5	5	275	143	132
Illegitimate Births -	22	1	4	25	13	12
Deaths - - -	193	52	6	147	73	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·5	21·6	-
Death-rate—All Causes - - -	15·1	11·5	10·1
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	1	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	15	-	-	-	-	5	5	1	3	1	-	-
Tuberculous Meningitis - - -	4	1	-	3	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	1	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	18	-	-	-	-	-	-	1	1	6	7	3
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	3	-	1	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	16	-	-	-	-	-	1	-	2	3	3	7
Bronchitis - - - - - -	7	-	1	-	-	-	-	-	-	1	2	3
Pneumonia (all forms) - - -	10	1	2	-	1	-	1	-	-	2	-	3
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	-	-	-	-	-	-	1	-	3	1	2
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	1	-	1	2	-
Suicide - - - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Defined Diseases - - -	34	3	-	-	-	-	1	-	4	4	9	13
Diseases Ill-defined or Unknown -	5	1	-	-	-	1	-	-	-	-	-	3
Total - - - -	147	15	6	5	3	8	12	7	11	22	24	34

YEAR 1911.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Dundee** (County District).

Population—Census 1901, - - - 9,912.
Do. Do. 1911, - - - 9,807.
Do. estimated to middle of 1911, - 9,769.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	208	3	6	211	104	107
Illegitimate Births -	14	0	4	18	8	10
Deaths - - -	136	59	11	88	34	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·3	21·6	-
Death-rate—All Causes - - -	13·9	9·0	8·3
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	-	-	-	-	-	1	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	1	-	2	1	1	1	-	-	1
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	11	-	-	-	-	-	-	2	2	3	2	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	1	-	-	-	1	-	1	2	5	3	2
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - -	5	1	1	-	-	-	1	-	1	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	1	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	4	-	-	-	-	-	-	-	2	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	1	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	18	-	-	-	1	2	-	1	-	1	3	10
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	1	1	1
Total - - - -	88	15	1	3	1	7	2	5	8	14	15	17

YEAR 1911.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Forfar** (County District).

Population—Census 1901, - - - 11,822.
Do. Do. 1911, - - - 11,152.
Do. estimated to middle of 1911, 11,095.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	237	5	5	237	112	125
Illegitimate Births -	25	3	1	23	11	12
Deaths - - -	150	6	16	160	80	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·4	21·4	-
Death-rate—All Causes - - -	13·5	14·4	11·8
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—55.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	5	2	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	-	1	-	2	3	1	2	-	1	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	22	-	-	-	-	-	2	2	1	2	11	4
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	20	-	-	-	-	-	2	-	3	2	5	8
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	9	1	4	-	-	-	-	2	-	-	1	1
Other Diseases of Respiratory Organs	7	-	-	-	-	3	-	-	1	-	1	2
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	1	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	2	-	-	-	-	-	1	-	-	-	-	1
Other Defined Diseases - - -	55	-	-	1	-	1	3	-	4	8	10	28
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	1
Total - - - - -	160	13	9	3	2	6	12	7	12	15	31	50

YEAR 1911.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Cockenzie and Port Seton** (Burgh).

Population—Census 1901, - - - 1,687.
Do. Do. 1911, - - - 2,400.
Do. estimated to middle of 1911, 2,409.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	79	1	2	80	38	42
Illegitimate Births -	3	1	1	3	2	1
Deaths - - -	31	1	5	35	22	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·8	33·2	-
Death-rate—All Causes - - -	12·9	14·5	14·2
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	1	-	1	-	1	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	1	1	-	1	2	-
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	1	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	1	-	2	-	2	-	1	3	1	2	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	35	7	2	3	-	4	2	3	4	2	6	2

YEAR 1911.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Dunbar** (Burgh).

Population—Census 1901, - - - 3,581.
Do. Do. 1911, - - - 3,346.
Do. estimated to middle of 1911, 3,328.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	1	2	67	34	33
Illegitimate Births -	11	1	1	11	5	6
Deaths - - -	65	7	8	66	29	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·8	20·1	–
Death-rate—All Causes - - -	19·5	19·8	18·7
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—209.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	–	–	1	1	3	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	8	–	1	–	–	–	–	1	1	2	3	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	–	–	–	–	–	–	1	–	–	5	1
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	3	–	–	–	1	–	–	–	–	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	4	3	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	1	–	–	1	–	–	1	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	20	2	1	1	–	–	1	–	4	1	3	7
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	–	1	–	–	–
Total - - - -	66	14	5	2	2	2	2	6	7	4	12	10

YEAR 1911.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**East Linton** (Burgh).

Population—Census 1901, - - - 912.
Do. Do. 1911, - - - 877.
Do. estimated to middle of 1911, 873.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	15	1	1	15	10	5
Illegitimate Births -	4	1	0	3	3	0
Deaths - - -	21	10	1	12	4	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·2	17·2	-
Death-rate—All Causes - - -	24·1	13·7	10·3
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	1	-	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	-	-	-	-	-	-	1	-	2	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	12	-	-	-	-	-	1	1	1	2	3	4

YEAR 1911.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Haddington** (Burgh).

Population—Census 1901, - - - 3,993.
Do. Do. 1911, - - - 4,140.
Do. estimated to middle of 1911. 4,129.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	73	0	1	74	38	36
Illegitimate Births -	5	0	0	5	0	5
Deaths - - -	69	16	8	61	34	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·7	17·9	-
Death-rate—All Causes - - -	16·7	14·8	13·7
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·8.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	1	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	2	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	2	1	-	3	-
Bronchitis - - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Pneumonia (all forms) - - -	4	-	1	-	-	1	-	-	-	-	2	-
Other Diseases of Respiratory Organs	4	-	-	-	-	-	-	-	-	3	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	1	-	-	1	-	1	3	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	-	-	-	-	-	2	1	2	2	6	5
Diseases Ill-defined or Unknown -	5	1	-	-	-	-	-	-	1	2	-	1
Total - - - -	61	6	1	1	-	2	4	5	7	12	15	8

YEAR 1911.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**North Berwick** (Burgh).

Population—Census 1901, - - - 2,902.
Do. Do. 1911, - - - 3,246.
Do. estimated to middle of 1911, 3,243.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	45	0	4	49	25	24
Illegitimate Births -	3	0	0	3	1	2
Deaths - - -	42	0	4	46	26	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·9	15·1	-
Death-rate—All Causes - - -	13·0	14·2	14·7
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below).	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	-	-	-	1	1	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	-	1	2	3	4
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	1	-	-	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	1	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	-	-	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	-	-	-	-	-	1	-	4	5	3	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	46	3	-	-	-	-	3	2	8	9	10	1

YEAR 1911.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICTS—**Prestonpans** (Burgh).

Population—Census 1901, - - - 1,721.
Do. Do. 1911, - - - 1,923.
Do. estimated to middle of 1911, - 1,921.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	2	1	75	37	38
Illegitimate Births -	2	0	1	3	1	2
Deaths - - -	28	0	7	35	18	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	39·6	39·6	-
Death-rate—All Causes - - -	14·6	18·2	17·6
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	1
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	2	-	2	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	2	-	-	-	-	1	-	4	1	2	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	35	5	9	1	-	-	3	1	4	3	3	6

YEAR 1911.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Tranent** (Burgh).

Population—Census 1901, - - - 2,766.
Do. Do. 1911, - - - 4,369.
Do. estimated to middle of 1911, - 4,393.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	157	4	1	154	72	82
Illegitimate Births -	8	1	0	7	5	2
Deaths - - -	55	0	9	64	27	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	35·7	35·1	-
Death-rate—All Causes - - -	12·5	14·6	15·3
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—136.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	9	4	5	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	3	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	1	-	-	-	1	-	-	-	1	1
Bronchitis - - - - - -	6	2	-	-	-	-	1	-	-	2	1	-
Pneumonia (all forms) - - -	6	2	-	2	-	1	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	1	-	-	-	-	-	-	1	1	2	4
Diseases Ill-defined or Unknown -	5	1	2	-	-	-	-	-	-	1	-	1
Total - - - -	64	21	10	2	-	2	8	2	2	6	5	6

YEAR 1911.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

Population—Census 1901, - - - 6,459.
Do. Do. 1911, - - - 6,189.
Do. estimated to middle of 1911, - 6,160.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	0	2	110	48	62
Illegitimate Births -	12	0	1	13	4	9
Deaths - - -	63	0	13	76	31	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·5	17·9	–
Death-rate—All Causes - - -	10·2	12·3	12·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	–	1	1	–	–	–	–	–	–	–
Influenza - - - - - - -	2	1	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	–	–	–	1	1	1	1	1	–	–	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	9	–	–	–	–	–	–	1	3	1	2	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	12	–	–	–	–	–	–	–	–	4	2	6
Bronchitis - - - - - -	10	3	1	–	–	–	–	–	–	–	1	5
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	–	–	–	1	–	1	–	1	1	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	1	–	1	–	–	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	17	2	1	–	–	–	–	–	1	1	3	9
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	76	11	4	1	2	3	1	4	7	9	10	24

YEAR 1911.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Western Haddington** (County District).

Population—Census 1901, - - - 14,644.
Do. Do. 1911, - - - 16,764.
Do. estimated to middle of 1911, 16,758.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	449	8	14	455	219	236
Illegitimate Births -	33	2	6	37	18	19
Deaths - - -	190	5	28	213	100	113

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·8	27·2	-
Death-rate—All Causes - - -	11·3	12·7	13·1
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—101.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	5	1	3	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	12	-	-	-	-	2	6	2	-	1	1	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	1	-	2	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	21	-	-	-	-	-	-	1	4	4	8	4
Rheumatic Fever - - - -	5	-	-	1	-	2	1	-	1	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - -	18	-	-	-	1	-	3	-	2	2	7	3
Bronchitis - - - - - -	13	2	1	-	1	-	-	-	-	1	3	5
Pneumonia (all forms) - - -	4	1	-	-	1	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	1	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	1	-	-	-	-	-	-	1	2	1	1
Puerperal Sepsis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	25	25	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	*16	-	-	1	2	2	1	2	2	2	1	2
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	57	7	3	-	1	1	-	5	4	5	14	17
Diseases Ill-defined or Unknown -	6	-	-	-	-	-	-	-	1	1	4	-
Total - - - -	*213	46	10	3	10	10	14	11	17	18	40	33

* 1 Age not stated.

YEAR—1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Fort-William** (Burgh).

Population—Census 1901, - - - 2,087.
Do. Do. 1911, - - - 2,002.
Do. estimated to middle of 1911, 1,993.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	1	1	54	27	27
Illegitimate Births -	6	0	0	6	5	1
Deaths - - -	30	4	2	28	11	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·1	27·1	-
Death-rate—All Causes - - -	15·1	14·0	12·8
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	-	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	1	-	-	-	1	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	2	-	-	-	-	1	-	2	1	4	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	28	4	-	-	-	2	2	2	2	1	10	5

YEAR—1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Inverness** (Burgh).

Population—Census 1901, - - - 23,075.
Do. Do. 1911, - - - 22,216.
Do. estimated to middle of 1911, 22,115.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	482	16	8	474	242	232
Illegitimate Births -	66	11	4	59	28	31
Deaths - - -	386	20	7	373	161	212

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·8	21·4	-
Death-rate—All Causes - - -	17·5	16·9	15·7
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—129.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	9	7	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	8	-	3	4	-	-	1	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	29	-	-	1	1	8	8	7	4	-	-	-
Tuberculous Meningitis - - -	3	-	2	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	34	-	-	-	-	-	1	3	4	9	11	6
Rheumatic Fever - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Meningitis - - - - -	14	7	4	2	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	52	-	-	-	-	-	1	1	8	11	15	16
Bronchitis - - - - -	16	3	2	1	-	-	-	-	-	-	2	8
Pneumonia (all forms) - - -	27	10	3	1	-	1	1	1	2	2	2	4
Other Diseases of Respiratory Organs	6	-	1	-	-	1	-	1	1	-	2	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	17	-	-	-	-	1	2	2	3	2	4	3
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	28	28	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	13	1	3	-	-	-	4	1	1	1	2	-
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	93	3	1	1	1	3	5	5	8	8	28	30
Diseases Ill-defined or Unknown -	11	-	-	-	-	-	-	-	2	3	3	3
Total - - - -	373	61	24	10	2	15	24	24	33	37	72	71

YEAR 1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Kingussie** (Burgh).

Population—Census 1901, - - - - 989.
Do. Do. 1911, - - - 1,171.
Do. estimated to middle of 1911, 1,171.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	2	1	18	14	4
Illegitimate Births -	2	0	1	3	3	0
Deaths - - -	14	1	1	14	5	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·2	15·4	–
Death-rate—All Causes - - -	12·0	12·0	11·9
Do. —Phthisis - - - -	–	2·6	–
Do. —All Tuberculosis - -	–	2·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	–	–	–	–	–	–	1	2	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	–	–	–	–	1	1	–	1	–	2	1
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	14	–	–	–	–	1	1	2	5	–	4	1

YEAR 1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Aird** (County District).

Population—Census 1901, - - - 8,893.
Do. Do. 1911, - - - 8,758.
Do. estimated to middle of 1911, 8,724.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	158	3	8	163	83	80
Illegitimate Births -	14	0	5	19	9	10
Deaths - - -	110	7	11	114	48	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·1	18·7	-
Death-rate—All Causes - - -	12·6	13·1	10·2
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—37.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	1	-	2	1	1	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	15	-	-	-	-	-	1	1	2	7	2	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	-	-	-	-	-	-	-	1	1	7	9
Bronchitis - - - - -	6	-	-	-	-	-	-	1	-	-	2	3
Pneumonia (all forms) - - -	4	1	1	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	-	-	1	-	-	1	1	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	47	2	-	-	1	1	1	2	2	5	8	25
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	-	-	-	3	1	1
Total - - - -	114	6	2	3	2	1	6	5	7	18	23	41

YEAR 1911.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

Population—Census 1901, - - - 6,511.
Do. Do. 1911, - - - 6,496.
Do. estimated to middle of 1911, 6,473.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	96	1	7	102	52	50
Illegitimate Births -	8	0	4	12	6	6
Deaths - - -	74	3	6	77	38	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·8	15·8	-
Death-rate—All Causes - - -	11·4	11·9	9·5
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—49.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	3	1	-	1	1	-	-
Tuberculous Meningitis - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	2	1	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - -	5	2	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	7	1	-	-	-	-	-	2	1	-	-	3
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	-	-	2	1	-	-
Suicide - - - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Other Defined Diseases - - -	34	-	-	-	1	-	-	1	1	4	4	23
Diseases Ill-defined or Unknown -	3	-	-	-	-	1	-	-	-	1	1	-
Total - - - -	77	5	2	-	2	6	2	3	7	11	7	32

YEAR 1911.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Harris** (County District).

Population—Census 1901, - - - 5,271.
Do. Do. 1911, - - - 5,449.
Do. estimated to middle of 1911, - 5,433.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	1	0	142	79	63
Illegitimate Births -	10	0	0	10	5	5
Deaths - - -	47	0	0	47	26	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·3	26·1	–
Death-rate—All Causes - - -	8·7	8·7	6·8
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—56.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	–	–	1	–	2	3	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	–	2	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis . - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	–	–	–	1	–	–	–	–	–	2	1
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	18	–	–	–	–	2	1	–	–	1	3	11
Diseases Ill-defined or Unknown -	9	6	–	1	–	–	–	1	–	1	–	–
Total - - - -	47	8	–	2	1	4	7	2	1	4	5	13

YEAR 1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Inverness** (County District).

Population—Census 1901, - - - 9,269.
Do. Do. 1911, - - - 9,142.
Do. estimated to middle of 1911, 9,106.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	186	4	8	190	85	105
Illegitimate Births -	15	2	3	16	14	2
Deaths - - -	149	35	10	124	63	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·4	20·9	–
Death-rate—All Causes - - -	16·4	13·6	12·0
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—84.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
*Whooping-cough - - - -	2	1	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	10	–	–	–	–	1	3	2	2	1	–	1
Tuberculous Meningitis - - -	–	–	–		–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	11	–	–	–	–	–	–	1	3	–	4	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	3	1	–	1	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	12	–	–	–	–	–	–	–	–	2	2	8
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	7	–	–	1	–	–	1	–	–	2	2	1
Other Diseases of Respiratory Organs	5	–	–	1	–	–	1	–	–	1	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	1	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	–	1	–	–	1	–	1	–	–	2	1
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	1	–	1	1	–	–	1	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	38	2	–	–	1	1	1	1	2	4	8	18
Diseases Ill-defined or Unknown -	7	–	1	–	–	–	1	1	–	4	–	–
Total - - - -	124	16	3	4	2	6	8	8	8	14	21	34

YEAR 1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

Population—Census 1901, - - - - 7,438.
Do. Do. 1911, - - - 7,039.
Do. estimated to middle of 1911, 7,004.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	97	0	7	104	56	48
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	88	1	11	98	54	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·8	14·8	-
Death-rate—All Causes - - -	12·6	14·0	11·3
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—1·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	-	2	-	2	1	-	-
Tuberculous Meningitis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	2	-	3	2
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	11	-	-	-	-	-	-	-	-	-	8	3
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	6	-	-	-	-	-	1	2	-	-	1	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	-	2	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	1	-	2	-	-	2	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	38	1	2	1	-	-	1	1	1	4	7	20
Diseases Ill-defined or Unknown -	6	2	-	-	-	-	1	-	-	1	1	1
Total - - - -	98	9	4	4	-	2	7	4	8	7	22	31

YEAR 1911.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**North Uist** (County District).

Population—Census 1901, - - - 3,891.
Do. Do. 1911, - - - 3,677.
Do. estimated to middle of 1911, - 3,659.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	71	0	1	72	40	32
Illegitimate Births -	6	0	1	7	4	3
Deaths - - -	56	1	2	57	24	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·4	19·7	-
Death-rate—All Causes - - -	15·3	15·6	11·4
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	4	-	2	-	1	-	-	-	-	1	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	2	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	-	2	1	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	-	-	1	1	5
Bronchitis - - - - - -	7	1	-	-	-	-	-	-	-	-	4	2
Pneumonia (all forms) - - -	6	2	-	-	-	-	-	-	-	-	3	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	-	-	-	1	1	1	1	1	2	5	3
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - -	57	5	3	1	3	4	3	2	1	6	15	14

YEAR 1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**South Uist** (County District).

Population—Census 1901, - - - 8,061.
Do. Do. 1911, - - - 8 003.
Do. estimated to middle of 1911, - 7,973.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	173	3	2	172	98	74
Illegitimate Births -	17	0	1	18	7	11
Deaths - - -	110	0	4	114	57	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·7	21·6	-
Death-rate—All Causes - - -	13·8	14·3	11·4
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	14	-	-	-	-	6	4	1	2	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	1	-	1	-	-	1	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	1	-	3	2
Rheumatic Fever - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	-	1	1	-	-	-	5	1
Bronchitis - - - - -	10	3	1	-	1	-	-	-	2	-	1	2
Pneumonia (all forms) - - -	4	-	2	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	1	-	1	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	2	-	-	-	-	-	1	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	34	-	-	-	-	1	2	-	-	2	11	18
Diseases Ill-defined or Unknown -	12	4	-	-	-	-	-	-	1	2	3	2
Total - - - -	114	13	7	2	2	9	10	3	9	7	25	27

YEAR 1911.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Skye** (County District).

Population—Census 1901, - - - 14,619.
Do. Do. 1911, - - - 13,319.
Do. estimated to middle of 1911, 13,239.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	256	4	4	256	137	119
Illegitimate Births -	11	0	2	13	7	6
Deaths - - -	220	3	14	231	111	120

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·3	19·3	-
Death-rate—All Causes - - -	16·6	17·4	12·2
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	2	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	4	-	-	-	-	-	-	-	-	-	2	2
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	21	-	-	-	1	3	5	8	1	3	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	11	-	-	-	-	-	-	-	-	-	4	7
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	16	-	-	-	-	1	-	1	-	2	7	5
Bronchitis - - - - -	11	-	1	-	-	-	-	-	1	-	5	4
Pneumonia (all forms) - - -	16	2	-	1	-	-	2	3	2	2	3	1
Other Diseases of Respiratory Organs	6	1	-	-	-	-	-	-	-	-	1	4
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	-	1	-	1	3	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	-	1	-	-	1	1	-	4	2	1	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	63	3	-	-	-	-	-	4	1	9	16	30
Diseases Ill-defined or Unknown -	48	4	-	1	-	1	1	1	2	4	14	20
Total - - - -	231	15	5	4	1	9	11	19	11	23	57	76

YEAR 1911.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Banchory** (Burgh).

Population—Census 1901, - - - 1,475.
Do. Do. 1911, - - - 1,633.
Do. estimated to middle of 1911, 1,631.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	0	4	32	14	18
Illegitimate Births -	1	0	3	4	1	3
Deaths - - -	24	0	3	27	15	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·2	19·6	-
Death-rate—All Causes - - -	14·7	16·6	14·9
Do. —Phthisis - - - -	-	3·1	-
Do. —All Tuberculosis - -	-	4·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	1	3	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	-	-	-	1	-	-	1	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	1	-	-	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	1	-	-	-	-	-	-	1	2	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	27	3	3	-	-	2	5	1	-	3	5	5

YEAR 1911.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Inverbervie** (Burgh).

Population—Census 1901, - - - 1,207.
Do. Do. 1911, - - - 1,173.
Do. estimated to middle of 1911, 1,168.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	2	0	17	8	9
Illegitimate Births -	3	0	0	3	3	0
Deaths - - -	20	0	2	22	13	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·3	14·6	-
Death-rate—All Causes - - -	17·1	18·8	16·5
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	1	-	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	1	-	1	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	1	1	1	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	-	-	-	-	-	-	-	-	3	3
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	22	2	-	3	1	-	-	1	1	2	6	6

YEAR 1911.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Laurencekirk** (Burgh).

Population—Census 1901, - - - 1,512.
Do. Do. 1911, - - - 1,438.
Do. estimated to middle of 1911, 1,431

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	2	1	24	8	16
Illegitimate Births -	3	0	1	4	1	3
Deaths - - -	27	0	3	30	10	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·5	16·8	-
Death-rate—All Causes - - -	18·9	21·0	13·9
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—**83.**
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—**16·7.**

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	-	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1		-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	-	-	-	-	-	1	-	-	2	2	9
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	30	2	3	1	-	-	1	1	1	2	6	13

YEAR 1911.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Stonehaven** (Burgh).

Population—Census 1901, - - - 4,577
Do. Do. 1911, . - - 4,266
Do. estimated to middle of 1911, 4,243

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	76	2	2	76	39	37
Illegitimate Births -	11	1	2	12	9	3
Deaths - - -	68	14	3	57	24	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·9	17·9	-
Death-rate—All Causes - - -	16·0	13·4	9·8
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—79.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—15·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	1	1	-	1	-	-
Tuberculous Meningitis - - -	2	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	2	2	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	-	1	-	-	-	1	3	3
Bronchitis - - - - -	5	-	-	-	-	-	-	1	-	-	1	3
Pneumonia (all forms) - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	22	-	1	1	1	-	-	-	3	3	6	7
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - -	57	6	2	2	1	3	3	2	6	7	11	14

YEAR 1911.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

Population—Census 1901, - - - 4,907
Do. Do. 1911, - - - 4,668
Do. estimated to middle of 1911, 4,645

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	116	0	1	117	66	51
Illegitimate Births -	13	0	1	14	6	8
Deaths - - - -	58	0	7	65	29	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·0	25·2	-
Death-rate—All Causes - - -	12·5	14·0	11·9
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—68.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	1	2	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	1	1	-	3	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	-	3	1
Bronchitis - - - - - -	5	1	-	-	-	-	-	-	-	-	1	3
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	-	-	1	-
Suicide - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	21	2	2	-	-	1	-	1	1	1	5	8
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	-	2
Total - - - -	65	8	6	3	1	2	4	5	3	6	10	17

YEAR 1911.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Lower Deeside** (County District).

Population—Census 1901, - - 4,205
Do. Do. 1911, - - 3,934
Do. estimated to middle of 1911, 3,913

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	77	0	3	80	38	42
Illegitimate Births -	5	0	3	8	1	7
Deaths - - -	49	10	9	48	29	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·7	20·4	-
Death-rate—All Causes - - -	12·5	12·3	11·6
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—**63**.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	-	-	1	-	1
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	1	1	-	2	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Herat Disease - - -	3	-	-	-	-	-	1	-	-	-	1	1
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	-	-	-	1	3	4	1	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	1	-	-	1	-	-	-	-	2	3	8
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	48	5	4	-	2	3	6	3	-	6	8	11

YEAR 1911.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

Population—Census 1901, - - - 5,036
Do. Do. 1911, - - - 4,761
Do. estimated to middle of 1911, - 4,737

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	129	1	0	128	74	54
Illegitimate Births -	13	2	0	11	6	5
Deaths - - -	67	0	2	69	37	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·2	27·0	-
Death-rate—All Causes - - -	14·1	14·6	12·6
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—94.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	-	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	-	-	-	-	-	-	-	1	2	2	4
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	4	-	-	-	-	-	-	2	-	-	1	1
Other Diseases of Respiratory Organs	2	-	1	-	-	1	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	-	2
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	1	-	-	1	1	2	1	-	-
Suicide - - - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Other Defined Diseases - - -	23	2	-	1	-	-	-	2	2	2	3	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	69	12	2	3	2	2	1	6	6	7	8	20

YEAR 1911.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

Population—Census 1901, - - - 5,134
Do. Do. 1911, - - - 4,564
Do. estimated to middle of 1911, - 4,534

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males	Females
Births - - -	98	3	2	97	49	48
Illegitimate Births -	14	2	2	14	6	8
Deaths - - -	55	2	5	58	22	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·6	21·4	-
Death-rate—All Causes - - -	12·1	12·8	11·2
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—93.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	1	1	-	1	-	-	-	1
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	2	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	1	-	1	-	-	2	4
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	5	3	-	1	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	20	1	1	2	1	-	1	1	1	1	2	9
Diseases Ill-defined or Unknown -	3	1	-	-	-	1	-	-	-	-	1	-
Total - - - -	58	9	2	4	4	2	3	3	4	1	9	17

YEAR 1911.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Upper Deeside** (County District).

Population—Census 1901, - - - 3,484.
Do. Do. 1911, - - - 3,143.
Do. estimated to middle o 1911, 3,123.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	1	2	68	37	31
Illegitimate Births -	11	1	2	12	5	7
Deaths - - -	36	4	4	36	17	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·5	21·8	-
Death-rate—All Causes - - -	11·5	11·5	10·0
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—59.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	1	2	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	1	1	-	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	3	1	-	-	1	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	1	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	14	-	1	-	-	1	1	-	2	2	6	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	36	4	1	-	1	1	2	3	4	4	11	5

YEAR 1911.
COUNTY—**Kinross.**
PUBLIC HEALTH DISTRICT—**Kinross** (Burgh).

Population—Census 1901. - - - 2,177.
Do. Do. 1911, - - - 2,618.
Do. estimated to middle of 1911, 2,620.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	57	3	0	54	24	30
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	35	0	4	39	19	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	43·5	44·3	-
Death-rate—All Causes - - -	13·4	14·9	13·1
Do. —Phthisis - - - -	-	2·7	-
Do. —All Tuberculosis - -	-	3·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—26.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	1	2	-	2	1	1	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	1	1	-	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	1	-	1	-	-	-	1	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	-	-	-	-	-	-	-	-	2	2	9
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	39	3	-	-	2	2	2	3	4	5	5	13

YEAR 1911.
COUNTY—**Kinross.**
PUBLIC HEALTH DISTRICT—**Kinross** (County District).

Population—Census 1901, - - - 4,804.
Do. Do. 1911, - - - 4,909.
Do. estimated to middle of 1911, 4,894.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	114	3	5	116	58	58
Illegitimate Births -	12	0	1	13	5	8
Deaths - - -	69	4	4	69	38	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	11·6	11·0	-
Death-rate—All Causes - - -	14·1	14·1	12·1
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—241.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—1·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	1	-	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	-	1	1	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	-	-	-	-	1	1	-	1	1	3	2
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	24	3	-	-	-	-	1	-	2	2	9	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	69	13	6	1	1	1	4	2	6	6	14	15

YEAR 1911.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Castle-Douglas** (Burgh).

Population—Census 1901, - - - 3,018.
Do. Do. 1911, - - - 3,016.
Do. estimated to middle of 1911, 3,005.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	70	3	1	68	35	33
Illegitimate Births -	9	2	1	8	3	5
Deaths - - -	50	3	0	47	22	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·3	22·6	-
Death-rate—All Causes - - -	16·6	15·6	14·3
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	1	1	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	1	3	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	-	3	2
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	1	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	1	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	2	-	-	-	-	-	-	4	2	3	7
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	1	-	-	1
Total - - - -	47	4	2	1	2	1	1	1	11	4	9	11

YEAR 1911.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Dalbeattie** (Burgh).

Population—Census 1901, - - - 3,469.
Do. Do. 1911, - - - 3,357.
Do. estimated to middle of 1911, - 3,342.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	0	0	81	35	46
Illegitimate Births -	14	0	0	14	6	8
Deaths - - -	60	0	2	62	27	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·2	24·2	-
Death-rate—All Causes - - -	18·0	18·6	16·9
Do. —Phthisis - - - -	-	2·7	-
Do. —All Tuberculosis - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	1	-	-	2	2	1	-	2	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	-	3	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	1	2	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	3	-	-	-	-	-	-	-	-	2	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	-	1	1	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	2	-	-	-	-	-	1	2	2	7	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	62	9	3	-	-	3	5	3	3	13	12	11

YEAR 1911.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Gatehouse** (Burgh).

Population—Census 1901, - - 1,013.
Do. Do. 1911, - - - 1,032.
Do. estimated to middle of 1911, - 1,029.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	0	16	5	11
Illegitimate Births -	3	0	0	3	1	2
Deaths - - -	19	0	5	24	13	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·5	15·5	-
Death-rate—All Causes - - -	18·5	22·3	16·5
Do. —Phthisis - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	1	1	-	5	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	-	-	-	-	-	-	-	2	3	1
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	24	-	2	-	-	4	-	1	1	3	10	3

YEAR 1911.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Kirkcudbright** (Burgh).

Population—Census 1901, - - - 2,386.
Do. Do. 1911, - - - 2,205.
Do. estimated to middle of 1911, - 2,193.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	0	0	42	25	17
Illegitimate Births -	7	0	0	7	5	2
Deaths - - -	29	0	6	35	17	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	19·2	–
Death-rate—All Causes - - -	13·2	16·0	13·4
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	2·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	–	–	1	1	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	1	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	1	–	–	1
Rheumatic Fever - - - -	1	–	1	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	–	–	–	–	1	2
Bronchitis - - - - -	1	–	–	–	–	–	1	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	1	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	–	2	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	1	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	1	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	–	–	–	–	1	–	–	–	3	1	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	35	2	4	1	3	2	2	1	2	4	6	8

YEAR 1911.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Maxwelltown** (Burgh).

Population—Census 1901, - - - 5,796.
Do. Do. 1911, - - - 6,200.
Do. estimated to middle of 1911, 6,188.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	146	0	1	147	76	71
Illegitimate Births -	15	0	0	15	4	11
Deaths - - -	93	2	11	102	45	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·6	23·8	-
Death-rate—All Causes - - -	15·0	16·5	16·8
Do. —Phthisis - - -	-	1·5	-
Do. —All Tuberculosis -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)		0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—102.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	-	4	1	3	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	-	-	1	-	2	-	1	-	-	-	-
Cancer, Malignant Disease - -	8	-	-	-	-	-	-	1	1	3	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	1	4	1	2	2
Bronchitis - - - - -	10	1	-	-	-	-	-	-	1	2	3	3
Pneumonia (all forms) - - -	9	1	-	1	-	-	1	-	-	3	3	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-		-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	1	-	-	1	-	-	-	1	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	26	3	-	1	-	1	-	2	3	4	5	7
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - -	102	15	1	4	1	9	4	9	10	16	18	15

YEAR 1911.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**New Galloway** (Burgh).

Population—Census 1901, - - - 376.
Do. Do. 1911, - - - 352.
Do. estimated to middle of 1911, 350.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6	0	0	6	3	3
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	3	0	0	3	2	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·1	17·1	–
Death-rate—All Causes - - -	8·6	8·6	7·1
Do. —Phthisis - - - -	–	2·9	–
Do. —All Tuberculosis - -	–	2·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	–	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	3	–	–	–	–	1	–	–	–	2	–	–

YEAR 1911.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,021.
Do. Do. 1911, - - - 7,553.
Do. estimated to middle of 1911, 7,514.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	161	0	4	165	86	79
Illegitimate Births -	11	0	1	12	9	3
Deaths - - -	98	4	8	102	49	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·4	22·0	-
Death-rate—All Causes - - -	13·0	13·6	11·9
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	-	-	-	-	1	2	3	1	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	11	-	-	-	-	-	-	1	1	4	2	3
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	-	-	-	-	-	-	-	-	1	6	6
Bronchitis - - - - -	5	1	-	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	9	1	-	-	-	-	-	1	1	1	3	2
Other Diseases of Respiratory Organs	3	1	-	-	-	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	7	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	2	-	1	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	31	1	-	-	-	-	1	1	-	2	12	14
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	102	13	3	-	-	5	4	8	4	11	26	28

YEAR 1911.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Northern Kirkcudbright** (County District).

Population—Census 1901, - - - 2,926.
Do. Do. 1911, - - - 2,814.
Do. estimated to middle of 1911, 2,801.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	1	2	63	29	34
Illegitimate Births -	7	0	2	9	3	6
Deaths - - -	39	2	7	44	27	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	22·5	-
Death-rate—All Causes - - -	13·9	15·7	13·4
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	1	2	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	2	1	-
Bronchitis - - - - -	4	-	-	-	-	-	-	1	-	-	2	1
Pneumonia (all forms) - - -	3	-	-	-	-	-	-	-	1	-	2	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	2	-	-	2	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	17	-	-	-	-	-	1	-	-	2	2	12
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - -	44	3	2	-	-	3	3	1	4	6	9	13

YEAR 1911.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Southern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,363.
Do. Do. 1911, - - - 8,257.
Do. estimated to middle of 1911, 8,226.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	160	2	4	162	80	82
Illegitimate Births -	15	0	2	17	7	10
Deaths - - -	90	5	4	89	40	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·5	19·7	-
Death-rate—All Causes - - -	10·9	10·8	10·0
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—62.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	-	2	-	1	2	1	-
Tuberculous Meningitis - - -	1	-	1		-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	-	1	2	3	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	13	-	-	-	-	-	1	2	1	1	6	2
Bronchitis - - - - -	9	-	-	1	-	1	-	-	1	2	1	3
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	3	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	27	1	1	-	-	1	-	-	1	4	8	11
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	89	10	4	1	-	2	4	5	5	17	22	19

YEAR 1911.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Western Kirkcudbright** (County District).

Population—Census 1901, - - - 4,015.
Do. Do. 1911, - - - 3,581.
Do. estimated to middle of 1911, 3,557.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	0	1	70	36	34
Illegitimate Births -	9	0	0	9	7	2
Deaths - - -	39	0	2	41	23	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·4	19·7	–
Death-rate—All Causes - - -	11·0	11·5	10·9
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	–	–	1	–	–	–	–	2	2	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	4	–	–	–	–	–	–	–	–	–	1	3
Bronchitis - - - - -	2	1	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	4	–	2	–	–	1	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	1	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	1	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	15	3	–	–	–	–	1	–	–	3	2	6
Diseases Ill-defined or Unknown -	3	–	–	–	–	–	–	–	1	–	–	2
Total - - - -	41	4	3	2	–	1	2	1	5	6	3	14

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Airdrie** (Burgh).

Population—Census 1901, - - - - 22,288.
Do. Do. 1911, - - - 24,388.
Do. estimated to middle of 1911, 24,353.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	757	2	7	762	395	367
Illegitimate Births -	50	1	2	51	28	23
Deaths - - -	325	0	24	349	189	160

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·1	31·3	-
Death-rate—All Causes - - -	13·3	14·3	15·8
Do. —Phthisis - - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—122.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	6	1	2	2	-	1	-	-	-	-	-	-
*Whooping-cough - - -	17	9	8	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	2	2	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	30	-	-	-	1	9	5	10	4	-	1	-
Tuberculous Meningitis - - -	4	2	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	-	1	2	-	1	-	-	-	1	-	1
Other Tuberculous Diseases - -	6	-	2	1	-	2	1	-	-	-	-	-
Cancer, Malignant Disease - -	26	-	-	1	1	1	-	3	5	7	6	2
Rheumatic Fever - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - - -	6	3	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	22	1	-	-	1	2	3	4	2	5	3	1
Bronchitis - - - - - -	24	3	2	1	-	2	1	-	-	6	7	2
Pneumonia (all forms) - - -	25	9	4	-	-	-	1	4	3	2	1	1
Other Diseases of Respiratory Organs	3	1	-	-	2	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	18	16	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	5	-	-	-	-	-	1	1	1	2	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	-	-	-	-	-	1	5	-	1	1	2
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	35	34	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	1	1	-	-	-	2	-	-	1	-
Suicide - - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	76	9	1	-	3	2	4	4	8	9	13	23
Diseases Ill-defined or Unknown -	10	3	2	-	-	-	-	1	1	-	2	1
Total - - - -	349	93	33	11	8	23	19	36	25	33	35	33

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Biggar** (Burgh).

Population—Census 1901, - - - 1,366.
Do. Do. 1911, - - - 1,326.
Do. estimated to middle of 1911, 1,320.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	28	1	0	27	16	11
Illegitimate Births -	2	0	0	2	2	0
Deaths - - -	18	1	2	19	6	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·2	20·5	-
Death-rate—All Causes - - -	13·6	14·4	11·6
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—148.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	2	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	1	-	-	-	1	1	1	-	-	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	19	4	1	-	-	-	1	1	1	4	5	2

YEAR 1911.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Coatbridge** (Burgh).

Population—Census 1901, - - - 36,991.
Do. Do. 1911, - - - 43,286.
Do. estimated to middle of 1911, 43,288.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	1396	16	10	1390	697	693
Illegitimate Births -	60	2	4	62	35	27
Deaths - - -	655	9	33	679	376	303

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·3	32·1	-
Death-rate—All Causes - - -	15·2	15·7	17·0
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—140.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	5	-	1	1	-	2	-	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	5	3	1	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	10	-	7	3	-	-	-	-	-	-	-	-
Influenza - - - - - - -	3	-	-	1	-	-	-	-	-	1	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	47	-	2	3	1	14	12	10	4	-	1	-
Tuberculous Meningitis - - -	7	1	5	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	14	2	4	5	-	-	3	-	-	-	-	-
Other Tuberculous Diseases - -	14	1	3	4	3	-	1	1	1	-	-	-
Cancer, Malignant Disease - -	30	-	-	-	-	-	1	1	11	10	5	2
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	22	10	10	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	42	-	1	-	-	2	6	5	7	11	9	1
Bronchitis - - - - - -	65	16	8	2	-	-	-	4	3	16	12	4
Pneumonia (all forms) - - -	77	21	21	1	1	2	1	8	8	6	6	2
Other Diseases of Respiratory Organs	6	-	2	1	-	-	-	-	1	-	2	-
*Diarrhœa and Enteritis (under 2 years)	38	33	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	5	-	-	-	-	-	-	-	1	3	1	-
Other Diseases of Digestive System (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	21	-	2	-	-	1	4	1	3	5	5	-
Puerperal Sepsis - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	10	-	-	-	-	1	6	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	71	70	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	26	4	2	1	-	-	7	5	3	2	2	-
Suicide - - - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Defined Diseases - - -	130	22	8	4	1	5	12	8	16	16	23	15
Diseases Ill-defined or Unknown -	14	4	-	-	-	-	-	2	1	4	3	-
Total - - - -	679	194	86	30	8	28	56	49	60	74	70	24

YEAR 1911.
COUNTIES—**Lanark and Renfrew.**
PUBLIC HEALTH DISTRICT—**Glasgow** (Burgh).

Population—Census 1901, - - - 775,594.
Do. Do. 1911, - - - 784,496.
Do. estimated to middle of 1911, - 781,922.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21,750	401	220	21,569	11,129	10,440
Illegitimate Births -	1,736	222	89	1,603	831	772
Deaths - - -	13,896	1,120	880	13,656	7,094	6,562

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·8	27·6	–
Death-rate—All Causes - - -	17·8	17·5	19·2
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—137.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	59	–	3	2	1	8	28	10	4	2	–	1
Typhus Fever - - - - -	3	–	–	–	–	1	–	2	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	297	64	218	15	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	91	3	53	23	6	4	1	1	–	–	–	–
*Whooping-cough - - - -	645	269	352	24	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	179	21	101	44	12	–	1	–	–	–	–	–
Influenza - - - - - -	23	4	–	1	–	–	–	–	3	2	9	4
Erysipelas - - - - - -	43	6	1	–	–	3	3	7	13	6	4	–
Phthisis, Pulmonary Tuberculosis -	1154	5	38	25	41	254	269	250	152	84	34	2
Tuberculous Meningitis - - -	239	74	115	22	9	12	2	3	2	–	–	–
Abdominal Tuberculosis - - -	169	32	65	29	12	11	8	8	1	1	1	1
Other Tuberculous Diseases - -	219	28	58	26	16	31	17	19	16	5	3	–
Cancer, Malignant Disease - -	809	–	1	2	2	7	27	73	162	278	192	65
Rheumatic Fever - - - -	29	–	–	4	5	9	4	3	3	1	–	–
Meningitis - - - - -	163	58	57	27	5	5	3	3	4	1	–	–
Organic Heart Disease - - -	892	5	1	13	23	63	52	100	134	198	214	89
Bronchitis - - - - -	954	203	93	5	3	4	9	38	91	161	216	131
Pneumonia (all forms) - - -	1425	344	360	32	23	35	77	103	150	134	122	45
Other Diseases of Respiratory Organs	207	49	26	6	–	8	12	24	25	21	19	17
*Diarrhœa and Enteritis (under 2 years)	543	431	112	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	83	–	4	15	17	15	8	9	7	4	2	2
All Liver Diseases (not Malignant) -	82	–	2	–	1	–	3	12	20	16	21	7
Other Diseases of Digestive System (under 2 years)	90	70	20	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	492	6	12	12	3	18	42	51	116	117	90	25
Puerperal Sepsis - - - -	54	–	–	–	–	16	21	16	1	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	79	–	–	–	–	8	39	31	1	–	–	–
Congenital Debility and Malformation, including Premature Birth	872	865	4	1	1	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	523	57	60	30	16	39	52	94	69	45	42	19
Suicide - - - - - - -	34	–	–	–	–	1	11	6	7	5	4	–
Other Defined Diseases - - -	2939	340	125	61	43	78	126	225	329	445	660	507
Diseases Ill-defined or Unknown -	265	30	19	5	3	3	6	31	38	54	46	30
Total - - - -	13656	2964	1900	424	242	634	821	1119	1348	1580	1679	945

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Govan** (Burgh).

Population—Census 1901, - - - 82,174.
Do. Do. 1911, - - - 89,605.
Do. estimated to middle of 1911, - 89,471.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	2,622	32	90	2,680	1,399	1,281
Illegitimate Births -	123	15	39	147	84	63
Deaths - - -	1,348	14	213	1,547	833	714

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·3	30·0	–
Death-rate—All Causes - - -	15·1	17·3	19·3
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·5.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	6	–	–	–	–	1	5	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	55	9	42	4	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	15	1	7	5	1	–	–	1	–	–	–	–
*Whooping-cough - - - - -	102	34	66	2	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	20	1	17	2	–	–	–	–	–	–	–	–
Influenza - - - - - - -	2	–	–	–	–	–	1	–	–	–	1	–
Erysipelas - - - - - -	5	–	–	–	–	1	–	1	1	1	1	–
Phthisis, Pulmonary Tuberculosis -	101	1	4	3	3	26	23	20	10	10	1	–
Tuberculous Meningitis - - -	27	9	15	3	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	19	7	6	2	1	3	–	–	–	–	–	–
Other Tuberculous Diseases - -	27	1	7	1	5	5	2	4	1	1	–	–
Cancer, Malignant Disease - -	81	–	–	–	–	–	3	10	18	26	20	4
Rheumatic Fever - - - - -	2	–	–	–	1	–	–	1	–	–	–	–
Meningitis - - - - - -	28	12	10	3	1	1	1	–	–	–	–	–
Organic Heart Disease - - -	79	–	–	1	2	5	9	9	6	15	22	10
Bronchitis - - - - - -	107	19	8	2	–	2	3	3	11	25	22	12
Pneumonia (all forms) - - -	163	36	43	3	2	7	7	13	18	17	14	3
Other Diseases of Respiratory Organs	40	16	10	–	1	3	3	2	2	3	–	–
*Diarrhœa and Enteritis (under 2 years)	57	43	14	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	7	–	–	2	2	1	–	1	–	1	–	–
All Liver Diseases (not Malignant) -	4	–	–	–	–	–	–	1	1	–	2	–
Other Diseases of Digestive System (under 2 years)	11	11	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	50	–	1	2	2	1	4	5	13	14	6	2
Puerperal Sepsis - - - - -	6	–	–	–	–	1	3	2	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	4	–	–	–	–	1	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	106	106	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	59	4	7	5	3	5	11	6	7	6	3	2
Suicide - - - - - - -	6	–	–	–	–	–	1	1	2	2	–	–
Other Defined Diseases - - -	319	38	12	6	3	7	13	21	37	60	78	44
Diseases Ill-defined or Unknown -	39	8	7	1	–	1	3	3	6	5	3	2
Total - - -	1547	356	276	47	27	71	94	105	133	186	173	79

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

Population—Census 1901, - - - 32,775.
Do. Do. 1911, - - - 38,644.
Do. estimated to middle of 1911, - 38,653.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,319	16	19	1,322	692	630
Illegitimate Births -	64	6	7	65	36	29
Deaths - - -	553	25	46	574	320	254

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	34·1	34·2	–
Death-rate—All Causes - - -	14·3	14·9	16·1
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	–	–	1	–	–	1	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	14	1	12	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	5	–	2	1	2	–	–	–	–	–	–	–
*Whooping-cough - - - -	13	7	6	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	15	1	10	3	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	2	1	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	31	–	3	3	1	5	7	5	3	3	1	–
Tuberculous Meningitis - - -	13	4	4	3	1	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	20	6	6	4	2	1	–	–	–	1	–	–
Other Tuberculous Diseases - -	9	1	2	2	–	–	1	2	–	–	1	–
Cancer, Malignant Disease - -	22	–	–	–	–	1	–	2	5	6	7	1
Rheumatic Fever - - - -	3	–	–	1	–	1	–	–	1	–	–	–
Meningitis - - - - -	13	6	5	–	–	1	1	–	–	–	–	–
Organic Heart Disease - - -	26	–	–	2	–	–	1	2	4	6	7	4
Bronchitis - - - - -	46	10	2	1	–	–	4	2	2	6	14	5
Pneumonia (all forms) - - -	45	14	17	–	–	3	2	1	2	1	2	3
Other Diseases of Respiratory Organs	13	3	5	–	1	–	1	1	2	–	–	–
*Diarrhœa and Enteritis (under 2 years)	33	25	8	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	1	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	6	–	–	–	–	–	–	1	–	2	3	–
Other Diseases of Digestive System (under 2 years)	5	3	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	13	–	–	2	1	1	–	3	3	–	1	2
Puerperal Sepsis - - - -	3	–	–	–	–	1	1	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	3	–	–	–	–	–	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	47	47	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	22	–	8	1	–	1	5	4	1	1	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	130	15	7	3	1	2	8	7	18	18	20	31
Diseases Ill-defined or Unknown -	17	4	2	–	–	–	2	1	–	4	4	–
Total - - - - -	574	148	101	28	11	18	36	36	41	48	60	47

YEAR 1911.
COUNTY **Lanark.**
PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

Population—Census 1901, - - - 5,359.
Do. Do. 1911, - - - 5,900.
Do. estimated to middle of 1911, 5,893.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	149	5	0	144	81	63
Illegitimate Births -	11	2	0	9	7	2
Deaths - - -	81	10	8	79	35	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·3	24·4	–
Death-rate—All Causes - - -	13·7	13·4	13·1
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	2	–	1	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	1	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	–	–	–	–	–	–	–	2	2	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	–	–	–	–	1	–	1	–	–	2	2
Bronchitis - - - - -	9	2	–	–	–	–	–	1	2	–	1	3
Pneumonia (all forms) - - -	5	1	–	–	–	–	–	–	–	1	1	2
Other Diseases of Respiratory Organs	3	–	1	–	–	–	–	–	–	1	1	–
*Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	7	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	26	1	–	–	1	–	1	2	2	1	7	11
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	1	–	–	–	–
Total - - - -	79	16	4	–	3	3	1	6	7	7	13	19

YEAR 1911.

COUNTY—**Lanark**.

PUBLIC HEALTH DISTRICT—**Motherwell** (Burgh).

Population—Census 1901, - - - 31,144.
Do. Do. 1911, , - - 40,380.
Do. estimated to middle of 1911, 40,466.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1341	15	21	1347	674	673
Illegitimate Births -	47	6	6	47	24	23
Deaths - - -	474	2	53	525	261	264

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·1	33·3	-
Death-rate—All Causes - - -	11·7	13·0	14·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—109.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	9	-	4	2	2	-	1	-	-	-	-	-
*Whooping-cough - - - -	38	21	17	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	18	1	9	7	1	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	38	1	-	2	4	8	9	6	6	2	-	-
Tuberculous Meningitis - -	17	5	6	4	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	13	1	6	2	1	1	1	1	-	-	-	-
Other Tuberculous Diseases - -	5	-	-	1	3	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	30	-	-	-	1	-	2	6	6	6	6	3
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	9	4	4	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	29	1	-	1	1	-	1	1	8	3	10	3
Bronchitis - - - - -	43	13	-	-	1	-	-	1	3	7	9	9
Pneumonia (all forms) - - -	29	10	11	-	-	1	2	-	3	1	1	-
Other Diseases of Respiratory Organs	3	-	-	-	-	-	2	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	28	23	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	6	4	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	21	1	-	-	-	-	2	3	5	5	4	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	8	-	-	-	-	3	4	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	43	43	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	19	-	1	-	1	8	4	2	2	1	-	-
Suicide - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	100	13	5	2	2	4	9	4	13	14	19	15
Diseases Ill-defined or Unknown -	9	3	-	-	-	-	-	-	-	3	2	1
Total - - - -	525	147	70	22	19	27	39	26	48	43	52	32

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Partick** (Burgh).

Population—Census 1901, - - - 54,298.
Do. Do. 1911, - . . 66,849.
Do. estimated to middle of 1911, 66,924.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,725	37	68	1,756	883	873
Illegitimate Births -	84	28	33	89	57	32
Deaths - - -	730	12	241	959	492	467

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·8	26·2	–
Death-rate—All Causes - - -	10·9	14·3	15·7
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - -	6	–	–	–	2	3	–	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	4	–	3	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	11	–	5	4	1	1	–	–	–	–	–	–
*Whooping-cough - - - -	57	23	28	6	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	15	1	12	–	–	2	–	–	–	–	–	–
Influenza - - - - - -	2	–	–	–	1	–	1	–	–	–	–	–
Erysipelas - - - - -	2	–	1	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	68	–	3	–	3	17	20	13	10	–	2	–
Tuberculous Meningitis - - -	19	3	12	2	–	2	–	–	–	–	–	–
Abdominal Tuberculosis - - -	12	1	2	3	2	1	1	–	1	–	1	–
Other Tuberculous Diseases - -	11	2	1	3	1	1	–	2	1	–	–	–
Cancer, Malignant Disease - -	52	–	–	–	–	–	3	3	23	15	5	3
Rheumatic Fever - - - -	6	–	–	1	1	1	1	1	1	–	–	–
Meningitis - - - - -	20	10	4	3	1	–	1	1	–	–	–	–
Organic Heart Disease - - -	74	–	–	–	1	3	3	10	5	17	17	18
Bronchitis - - - - -	58	12	6	1	–	2	2	4	7	8	7	9
Pneumonia (all forms) - - -	89	25	16	3	1	4	3	4	6	13	8	6
Other Diseases of Respiratory Organs	16	6	2	–	–	–	–	2	1	2	1	2
*Diarrhœa and Enteritis (under 2 years)	46	35	11	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	9	–	2	1	1	2	–	2	–	–	1	–
All Liver Diseases (not Malignant) -	4	–	–	–	–	–	–	2	–	–	1	1
Other Diseases of Digestive System (under 2 years)	8	6	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	27	–	2	–	–	–	3	3	10	5	4	–
Puerperal Sepsis - - - -	3	–	–	–	–	–	2	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	7	–	–	–	–	2	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	62	62	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	34	3	5	3	3	5	–	7	4	3	1	–
Suicide - - - - - -	3	–	–	–	–	–	–	1	2	–	–	–
Other Defined Diseases - - -	219	28	10	4	2	2	13	14	17	30	50	49
Diseases Ill-defined or Unknown -	15	2	–	–	–	–	–	4	2	1	4	2
Total - - - -	959	219	127	35	20	48	55	78	90	94	103	90

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Rutherglen** (Burgh).

Population—Census 1901, - - - 18,593.
Do. Do. 1911, - - - 24,319.
Do. estimated to middle of 1911, 24,375.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	656	5	16	667	341	326
Illegitimate Births -	19	1	6	24	17	7
Deaths - - -	329	4	91	416	198	218

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·9	27·4	-
Death-rate—All Causes - - -	13·5	17·1	18·9
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	24	8	15	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	-	-	2	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	26	9	17	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	-	4	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	30	-	1	-	2	14	6	5	-	2	-	-
Tuberculous Meningitis - - -	9	1	5	2	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	7	-	3	2	1	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	5	-	1	1	-	2	1	-	-	-	-	-
Cancer, Malignant Disease - -	28	-	-	-	-	-	1	5	5	8	6	3
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	14	3	7	2	-	-	-	-	1	1	-	-
Organic Heart Disease - - -	36	-	-	-	1	-	2	3	9	11	5	5
Bronchitis - - - - -	21	5	2	1	-	-	-	1	3	2	3	4
Pneumonia (all forms) - - -	31	7	5	1	-	1	-	3	5	3	4	2
Other Diseases of Respiratory Organs	4	-	1	-	-	-	-	-	-	1	1	1
*Diarrhœa and Enteritis (under 2 years)	10	8	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	2	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	14	-	-	1	-	2	-	4	2	2	3	-
Puerperal Sepsis - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	34	32	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	1	1	2	-	-	1	3	-	-	1	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	87	5	3	2	4	2	5	5	8	10	23	20
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	-	-	-	3	1	1
Total - - - -	416	80	69	19	10	22	21	32	35	45	47	36

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Wishaw** (Burgh).

Population—Census 1901, - - - 20,873.
Do. Do. 1911, - - - 25,263.
Do. estimated to middle of 1911, 25,283.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	857	8	11	860	443	417
Illegitimate Births -	59	4	5	60	28	32
Deaths - - -	375	3	22	394	219	175

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	33·9	34·0	-
Death-rate—All Causes - - -	14·8	15·6	16·9
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—**136.**
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	8	2	6	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	4	-	1	1	2	-	-	-	-	-	-	-
*Whooping-cough - - - -	37	21	14	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	6	-	4	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	22	1	-	-	1	6	7	4	3	-	-	-
Tuberculous Meningitis - - -	5	1	1	3	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	11	-	6	2	-	1	-	1	1	-	-	-
Other Tuberculous Diseases - -	4	-	-	-	1	2	-	-	1	-	-	-
Cancer, Malignant Disease - -	21	-	-	-	-	1	-	2	4	8	5	1
Rheumatic Fever - - - -	3	-	-	1	-	-	1	-	1	-	-	-
Meningitis - - - - -	14	3	8	1	1	-	1	-	-	-	-	-
Organic Heart Disease - - -	28	-	1	1	-	1	1	4	4	7	6	3
Bronchitis - - - - -	28	4	1	1	-	-	-	4	3	4	8	3
Pneumonia (all forms) - - -	27	9	8	-	-	-	3	1	1	2	2	1
Other Diseases of Respiratory Organs	5	-	3	-	-	-	-	-	-	2	-	-
*Diarrhœa and Enteritis (under 2 years)	32	25	7	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	2	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	-	2	1	-
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	1	-	-	-	-	1	3	-	1	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	31	31	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	1	-	-	1	-	-	2	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	75	13	3	3	2	-	2	6	10	9	8	19
Diseases Ill-defined or Unknown -	9	3	-	-	-	-	-	-	3	1	1	1
Total - - -	394	117	65	17	7	14	18	24	36	36	32	28

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

Population—Census 1901, - - - 39,123.
Do. Do. 1911, - - - 56,974.
Do. estimated to middle of 1911, 57,215.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,656	73	43	1,626	823	803
Illegitimate Births -	95	50	16	61	34	27
Deaths - - -	1,228	535	77	770	375	395

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·9	28·4	-
Death-rate—All Causes - - -	21·5	13·5	14·3
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—124.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	5	-	1	-	2	-	2	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	12	3	9	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	11	-	4	5	1	-	-	1	-	-	-	-
*Whooping-cough - - - - -	29	11	16	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	17	1	12	2	1	1	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - - - -	2	1	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	47	-	1	1	-	13	17	7	4	3	1	-
Tuberculous Meningitis - - -	17	4	9	1	3	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	13	3	4	1	2	3	-	-	-	-	-	-
Other Tuberculous Diseases - -	12	1	1	2	2	4	1	-	-	-	1	-
Cancer, Malignant Disease - -	39	-	-	-	-	1	2	4	11	6	8	7
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	20	4	8	2	1	1	2	1	1	-	-	-
Organic Heart Disease - - -	55	-	-	-	2	5	2	4	9	14	9	10
Bronchitis - - - - - -	61	16	8	-	-	1	-	1	5	10	14	6
Pneumonia (all forms) - - -	79	26	19	3	1	4	5	1	6	5	8	1
Other Diseases of Respiratory Organs	9	1	1	-	-	-	-	1	2	2	2	-
*Diarrhœa and Enteritis (under 2 years)	47	39	8	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	6	-	-	-	-	-	-	2	2	2	-	-
Other Diseases of Digestive System (under 2 years)	7	4	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	21	-	-	-	-	2	1	1	3	8	4	2
Puerperal Sepsis - - - - -	3	-	-	-	-	-	2	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	4	-	-	-	-	1	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	67	67	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	23	1	1	1	2	4	1	6	-	4	1	2
Suicide - - - - - - -	3	-	-	-	-	-	1	1	-	1	-	-
Other Defined Diseases - - -	141	16	5	1	2	5	6	15	17	15	24	35
Diseases Ill-defined or Unknown -	16	4	2	-	-	1	-	1	1	1	3	3
Total - - - -	770	202	112	22	19	46	43	51	61	71	76	67

YEAR 1911.

COUNTY—**Lanark**.

PUBLIC HEALTH DISTRICT—**Middle Lanark** (County District).

Population—Census 1901, - - - 178,637.
Do. Do. 1911, - - - 202,663.
Do. estimated to middle of 1911, 202,540.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6,923	68	72	6,927	3,505	3,422
Illegitimate Births -	348	19	39	368	197	171
Deaths - - -	2,941	126	200	3,015	1,616	1,399

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	34·2	34·2	-
Death-rate—All Causes - - -	14·5	14·9	15·9
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	22	-	1	4	-	9	4	4	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	47	8	34	5	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	23	-	15	6	2	-	-	-	-	-	-	-
*Whooping-cough - - - -	144	63	78	3	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	43	3	27	8	3	1	-	1	-	-	-	-
Influenza - - - - - -	8	1	1	-	1	-	-	1	-	-	4	-
Erysipelas - - - - - -	5	2	-	-	-	-	-	1	-	-	1	1
Phthisis, Pulmonary Tuberculosis -	190	2	1	6	12	61	51	29	19	7	2	-
Tuberculous Meningitis - - -	60	16	32	6	4	2	-	-	-	-	-	-
Abdominal Tuberculosis - - -	60	15	25	8	3	4	2	2	-	1	-	-
Other Tuberculous Diseases - -	39	7	11	3	2	9	1	3	1	2	-	-
Cancer, Malignant Disease - -	132	-	1	1	-	-	6	9	25	43	33	14
Rheumatic Fever - - - -	14	-	2	-	1	5	2	2	1	1	-	-
Meningitis - - - - -	59	21	22	6	2	3	1	-	3	1	-	-
Organic Heart Disease - - -	187	1	3	5	3	12	12	18	26	38	47	22
Bronchitis - - - - -	185	45	17	-	-	1	3	4	16	42	41	16
Pneumonia (all forms) - - -	335	93	80	6	6	11	16	20	25	30	37	11
Other Diseases of Respiratory Organs	37	5	7	4	1	-	1	-	7	6	4	2
*Diarrhœa and Enteritis (under 2 years)	197	148	49	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	20	-	-	1	2	7	5	3	1	1	-	-
All Liver Diseases (not Malignant) -	14	-	-	-	-	1	-	2	2	3	3	3
Other Diseases of Digestive System (under 2 years)	24	22	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	79	3	2	2	1	3	3	8	22	17	15	3
Puerperal Sepsis - - - -	7	-	-	-	-	1	6	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	30	-	-	-	-	5	15	10	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	253	252	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	149	6	18	7	9	21	24	19	17	14	9	5
Suicide - - - - - -	4	-	-	-	-	-	1	2	-	1	-	-
Other Defined Diseases - - -	581	64	29	9	7	20	27	46	56	81	124	118
Diseases Ill-defined or Unknown -	67	7	5	1	-	-	3	3	8	19	14	7
Total - - - -	3015	784	462	92	59	176	183	187	229	307	334	202

YEAR 1911.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

Population—Census 1901, - - 40,145.
Do. Do. 1911, - - - 42,978.
Do. estimated to middle of 1911, 42,896.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	1,173	14	23	1,182	588	594
Illegitimate Births -	86	1	11	96	45	51
Deaths - - -	520	13	41	548	268	280

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·3	27·6	–
Death-rate—All Causes - - -	12·1	12·8	13·0
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	14	5	8	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	–	2	2	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	37	–	–	–	3	13	8	3	5	5	–	–
Tuberculous Meningitis - - -	3	1	1	–	–	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	7	1	3	1	–	1	1	–	–	–	–	–
Other Tuberculous Diseases - -	8	–	1	–	2	–	3	1	–	1	–	–
Cancer, Malignant Disease - -	39	1	–	–	–	–	–	3	8	10	12	5
Rheumatic Fever - - - - -	2	–	–	–	–	1	–	–	–	1	–	–
Meningitis - - - - - -	9	2	4	–	1	1	–	–	–	1	–	–
Organic Heart Disease - - -	57	1	–	–	–	4	–	2	6	13	19	12
Bronchitis - - - - - -	22	5	5	–	–	–	–	1	–	3	5	3
Pneumonia (all forms) - - -	36	7	7	2	2	–	–	1	2	1	8	6
Other Diseases of Respiratory Organs	10	1	2	–	–	–	–	1	–	3	1	2
*Diarrhœa and Enteritis (under 2 years)	24	19	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	4	–	–	–	1	1	–	1	1	–	–	–
All Liver Diseases (not Malignant) -	8	–	–	–	–	–	1	–	1	2	1	3
Other Diseases of Digestive System (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	15	–	–	–	–	1	4	2	2	4	1	1
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	7	–	–	–	–	1	4	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	37	36	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	28	1	3	1	1	3	4	6	3	2	3	1
Suicide - - - - - - -	3	–	–	–	–	–	–	1	1	–	–	1
Other Defined Diseases - - -	154	11	5	3	3	3	7	10	14	22	28	48
Diseases Ill-defined or Unknown -	12	1	–	–	–	–	–	–	–	3	6	2
Total - - - -	548	95	49	10	13	30	34	34	43	71	84	85

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Armadale** (Burgh).

Population—Census 1901, - - - 3,921.
Do. Do. 1911, - - - 4,739.
Do. estimated to middle of 1911, 4,742.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	153	2	0	151	79	72
Illegitimate Births -	10	0	0	10	6	4
Deaths - - -	68	0	9	77	41	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·3	32·3	-
Death-rate—All Causes - - -	14·3	16·2	17·6
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—196.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	2	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	1	2	1	-	-
Bronchitis - - - - -	7	1	-	-	-	-	-	1	1	3	1	-
Pneumonia (all forms) - - -	5	3	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	4	1	1	-	-	-	-	-	1	-	1	-
*Diarrhœa and Enteritis (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	21	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	-	1	-	2	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	12	-	2	-	1	-	1	1	2	1	1	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	77	30	11	1	1	1	4	4	9	8	5	3

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Bathgate** (Burgh).

Population—Census 1901, - - - 6,786.
Do. Do. 1911, - - - 8,226.
Do. estimated to middle of 1911, - 8,232.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	297	5	7	299	133	166
Illegitimate Births -	11	1	3	13	3	10
Deaths - - -	120	0	10	130	68	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	36·1	36·3	-
Death-rate—All Causes - - -	14·6	15·8	17·1
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—117.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	13	5	8	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	-	1	-	-	-	-	-		-
*Whooping-cough - - - -	4	1	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	-	-	-	-	1	4	2	1	-	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	-	-	2	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	3	1	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	-	-	2	3	1	1	1	-
Bronchitis - - - - -	6	3	2	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	4	3	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	4	1	2	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	1	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	2	1	-	1	-	-	1	-	1	-
Suicide - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	35	2	2	-	-	3	3	2	4	3	5	11
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	130	35	22	4	4	6	11	11	9	7	8	13

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Borrowstounness** (Burgh).

Population—Census 1901, - - - 9,306.
Do. Do. 1911, - - - 10,862.
Do. estimated to middle of 1911, - 10,862.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	351	0	4	355	184	171
Illegitimate Births -	17	0	1	18	8	10
Deaths - - -	140	0	23	163	91	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·3	32·7	–
Death-rate—All Causes - - -	12·9	15·0	16·5
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—130.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	11	5	5	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	13	-	1	1	1	1	5	1	2	1	-	-
Tuberculous Meningitis - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	-	-	1	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - -	4	1	1	-	-	-	1	-	1	-	-	-
Cancer, Malignant Disease - -	8	-	-	-	-	-	-	1	-	2	4	1
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	6	4	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	1	1	1	3	-	-
Bronchitis - - - - -	14	3	1	-	-	-	-	1	-	4	4	1
Pneumonia (all forms) - - -	8	2	2	-	-	-	1	2	-	1	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	10	8	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	1	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	19	18	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	1	-	1	1	-	-	2	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	34	2	1	-	1	1	1	5	7	3	10	3
Diseases Ill-defined or Unknown -	4	-	1	-	-	-	-	-	1	-	1	1
Total - - - -	163	46	22	3	3	6	12	13	15	16	20	7

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Linlithgow** (Burgh).

Population—Census 1901, - - - - 4,279.
Do. Do. 1911, - - - 4,002.
Do. estimated to middle of 1911, - 3,981.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	0	0	108	51	57
Illegitimate Births -	11	0	0	11	7	4
Deaths - - -	47	0	7	54	20	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·1	27·1	-
Death-rate—All Causes - -	11·8	13·6	13·4
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	1	1	-	3	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	-	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	1	-	-	2	1	1
Bronchitis - - - - - -	4	3	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	5	3	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Other Defined Diseases - - -	17	-	1	-	-	-	1	2	1	2	6	4
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	1	-	-	-
Total - - - -	54	12	4	1	1	1	2	5	4	6	13	5

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Queensferry** (Burgh).

Population—Census 1901, - - - 1,850.
Do. Do. 1911, - - - 3,510.
Do. estimated to middle of 1911, 3,538.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	0	1	67	32	35
Illegitimate Births -	2	0	1	3	1	2
Deaths - - -	25	0	6	31	17	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·7	18·9	-
Death-rate—All Causes - - -	7·1	8·8	13·0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—149.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	1	1	1	-	-	3	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	-	1	1	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	1	-	-	-	-	-	2	-	1	3	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	31	10	1	1	1	1	2	3	3	1	8	-

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Whitburn** (Burgh).

Population—Census 1901, - - - 1,442.
Do. Do. 1911, - - - 1,876.
Do. estimated to middle of 1911 1,880.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	0	0	66	32	34
Illegitimate Births -	2	0	0	2	0	2
Deaths - - -	21	0	6	27	13	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	35·1	35·1	-
Death-rate—All Causes - - -	11·2	14·4	15·5
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-		-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	-	-	-	1	-	-	3	2	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	27	6	1	1	-	1	1	3	1	5	4	4

YEAR 1911.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

Population—Census 1901, - - - 25,214.
Do. Do. 1911, - - - 31,725.
Do. estimated to middle of 1911, 31,775.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,037	4	11	1,044	546	498
Illegitimate Births -	47	1	3	49	25	24
Deaths - - -	429	4	48	473	236	237

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·6	32·9	-
Death-rate—All Causes - - -	13·5	14·9	15·8
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	55-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	20	2	16	2	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	5	-	2	1	2	-	-	-	-	-	-	-
*Whooping-cough - - - - -	16	9	7	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	20	-	10	9	1	-	-	-	-	-	-	-
Influenza - - - - - - -	4	1	-	-	-	-	-	1	-	-	2	-
Erysipelas - - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	29	-	-	1	4	6	9	4	2	3	-	-
Tuberculous Meningitis - - -	11	4	4	2	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	8	-	7	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	7	-	-	1	-	4	-	1	1	-	-	-
Cancer, Malignant Disease - -	22	-	-	-	-	1	-	5	4	5	6	1
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	13	8	2	1	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	36	-	-	-	1	3	1	5	1	12	9	4
Bronchitis - - - - - -	24	6	1	1	-	1	-	2	2	1	7	3
Pneumonia (all forms) - - -	19	5	5	-	-	2	1	2	2	-	2	-
Other Diseases of Respiratory Organs	8	2	4	-	-	-	-	-	-	2	-	-
*Diarrhœa and Enteritis (under 2 years)	28	23	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	-	-	3	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	6	2	-	-	-	-	-	1	3	-	-	-
Other Diseases of Digestive System (under 2 years)	7	6	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	1	-	-	1	2	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	48	46	2	-	-		-	-	-	-	-	-
Violent Deaths, excluding Suicide -	26	4	3	2	-	7	3	4	-	1	2	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	93	3	3	5	3	2	6	4	9	15	21	22
Diseases Ill-defined or Unknown -	8	2	-	-	-	-	-	2	-	3	-	1
Total - - - -	473	123	73	30	13	29	23	33	25	42	51	31

YEAR 1911.
COUNTY—**Linlithgow**.
PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

Population—Census 1901, - - - 12,910.
Do. Do. 1911, - - - 15,215.
Do. estimated to midddle of 1911, 15,219.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	453	3	9	459	262	197
Illegitimate Births -	24	0	2	26	16	10
Deaths - - -	265	94	22	193	95	98

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·8	30·2	-
Death-rate—All Causes - - -	17·4	12·7	13·0
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	14	9	5	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	6	-	4	1	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	12	-	-	-	3	3	1	1	1	1	2	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	16	-	-	-	-	1	1	2	1	5	4	2
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	4	2	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	20	1	1	-	-	1	1	2	4	2	4	4
Bronchitis - - - - - -	9	4	-	-	-	-	-	-	-	3	1	1
Pneumonia (all forms) - - -	14	6	-	-	-	1	-	1	4	-	-	2
Other Diseases of Respiratory Organs	3	2	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years)		-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	-	-	-	1	3	2	2	2	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	43	4	2	2	2	1	1	4	2	6	9	10
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	2	-	-
Total - - - -	193	50	20	5	7	13	7	14	15	21	21	20

YEAR 1911.
COUNTY—**Nairn.**
PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

Population—Census 1901, - - - 4,487.
Do. Do. 1911, - - . 4,661.
Do. estimated to middle of 1911, 4,649.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	88	1	4	91	46	45
Illegitimate Births -	4	1	3	6	3	3
Deaths - - -	59	1	3	61	32	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·9	19·6	–
Death-rate—All Causes - - -	12·7	13·1	11·9
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	1	–	1	–	–	–	–
Cancer, Malignant Disease - -	8	–	–	–	–	–	–	–	2	3	1	2
Rheumatic Fever - - - -	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	–	–	–	–	–	–	–	–	3	3	1
Bronchitis - - - - - -	7	–	–	–	–	–	–	1	–	–	4	2
Pneumonia (all forms) - - -	5	2	–	–	–	–	1	–	1	1	–	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	–	–	–	–	–	–	–	–	–	2	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	1	–	–	–	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	19	2	–	–	–	–	2	1	2	1	4	7
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	61	7	1	–	1	2	4	3	5	8	16	14

YEAR 1911.
COUNTY—**Nairn.**
PUBLIC HEALTH DISTRICT—**Nairn** (County).

Population—Census 1901, - - - 4,804.
Do. Do. 1911, - - - 4,658.
Do. estimated to middle of 1911, 4,638.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	107	5	1	103	47	56
Illegitimate Births -	20	3	1	18	8	10
Deaths - - -	73	8	2	67	32	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·1	22·2	-
Death-rate—All Causes - - -	15·7	14·4	12·5
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	2	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	1	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	1	1	-	-	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	-	-	-	1	-	-	-	-	1	6	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	1	-	-	1
Puerperal Sepsis - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	4	1	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	24	1	-	-	1	1	-	1	-	3	6	11
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	-	-	-	-	1	2
Total - - - -	67	8	3	1	7	3	2	3	2	4	15	19

YEAR 1911.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Kirkwall** (Burgh).

Population—Census 1901, - - - 3,711.
Do. Do. 1911, - - - 3,810.
Do. estimated to middle of 1911, 3,799.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	5	1	76	34	42
Illegitimate Births -	4	0	0	4	2	2
Deaths - - -	82	8	1	75	35	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	20·0	-
Death-rate—All Causes - - -	21·6	19·7	15·9
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—197.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	11	5	3	2	-	-	-	-	-	1	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	1	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	-	2	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	-	2	4	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	1	2	1
Bronchitis - - - - -	9	1	-	-	-	-	-	-	-	-	3	5
Pneumonia (all forms) - - -	5	2	2	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	1	2	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	20	1	2	-	-	-	1	-	4	1	4	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	75	15	7	2	-	-	3	6	6	5	14	17

YEAR 1911.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Stromness** (Burgh).

Population—Census 1901, - - - 2,450.
Do. Do. 1911, - - - 1,653.
Do. estimated to middle of 1911, 1,627.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	5	2	28	16	12
Illegitimate Births -	2	1	2	3	1	2
Deaths - - -	33	3	3	33	12	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·1	17·2	-
Death-rate—All Causes - - -	20·3	20·3	16·4
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	1	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	1	2	1
Bronchitis - - - - -	5	-	-	-	-	-	-	-	1	-	-	4
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	1	-	1	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	1	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	-	-	-	-	-	-	-	1	-	5	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	33	2	1	1	-	1	-	2	3	3	12	8

YEAR 1911.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Population—Census 1901, - - - 10,144.
Do. Do. 1911, - - - 9,304.
Do. estimated to middle of 1911, 9,251.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	159	2	6	163	81	82
Illegitimate Births -	6	0	1	7	2	5
Deaths - - -	138	0	14	152	58	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·2	17·6	-
Death-rate—All Causes - - -	14·9	16·4	12·1
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	6	-	-	-	-	-	-	-	-	1	-	5
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	10	-	-	-	1	-	5	1	3	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	-	3	4	7	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	-	-	-	-	1	-	2	-	-	4	8
Bronchitis - - - - - -	7	-	1	-	-	-	-	-	-	-	3	3
Pneumonia (all forms) - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	1	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2*	-	-	-	-	1	-	-	-	-	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	70	-	1	-	-	1	4	-	2	4	15	43
Diseases Ill-defined or Unknown -	9	1	-	-	-	-	1	-	-	-	5	2
Total - - - -	152	7	3	-	1	4	14	4	9	11	37	62

YEAR 1911.

COUNTY—**Orkney.**

PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 7,845.
Do. Do. 1911, - - - 7,095.
Do. estimated to middle of 1911, - 7,051.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	137	3	6	140	66	74
Illegitimate Births -	12	0	0	12	9	3
Deaths - - -	108	0	4	112	57	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·4	19·9	-
Death-rate—All Causes - - -	15·3	15·9	11·2
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—50.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	-	-	-	-	2	1	3	1	1	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	-	2	-	2	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	-	-	2	3	2
Bronchitis - - - - -	12	2	-	-	-	-	-	-	-	-	2	8
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	-	1	2
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	3	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	47	1	2	-	-	1	-	-	2	1	8	32
Diseases Ill-defined or Unknown -	9	-	-	-	-	-	-	1	-	1	1	6
Total - - - -	112	7	5	2	-	4	1	6	5	9	18	55

YEAR 1911.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**South Ronaldshay** (County District).

Population—Census 1901, - - - - 2,707.
Do. Do. 1911, - - - 2,395.
Do. estimated to middle of 1911, - 2,378.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	1	4	48	18	30
Illegitimate Births -	6	0	0	6	3	3
Deaths - - -	37	1	2	38	17	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·9	20·2	-
Death-rate—All Causes - - - -	15·6	16·0	10·7
Do. —Phthisis - - - -	-	4·2	-
Do. —All Tuberculosis - -	-	4·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	-	-	1	3	4	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	-	-	1	-	-	-	-	-	4	5	9
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	2	-	2	-
Total - - - -	38	2	-	1	1	3	4	2	2	5	7	11

YEAR 1911.
COUNTY—**Orkney.**
PUBLIC HEALTH DISTRICT—**Walls** (County District).

Population—Census 1901, - - - 1,842.
Do. Do. 1911, - - - 1,640.
Do. estimated to middle of 1911, - 1,629.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District. from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	0	3	34	17	17
Illegitimate Births -	4	0	1	5	0	5
Deaths - - -	25	0	0	25	13	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·0	20·9	–
Death-rate—All Causes - - -	15·3	15·3	10·4
Do. —Phthisis - - - -	–	3·1	–
Do. —All Tuberculosis - -	–	3·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	–	–	–	2	2	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	–	–	1	–	–	2
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–		–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	–	–	–	–	–	–	–	–	–	–	5
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	25	3	2	–	–	1	3	3	2	–	2	9

YEAR 1911.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Innerleithen** (Burgh).

Population—Census 1901, - - - 2,181.
Do. Do. 1911, - - - 2,547.
Do. estimated to middle of 1911, 2,547.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	1	0	48	19	29
Illegitimate Births -	3	0	0	3	1	2
Deaths - - -	19	1	4	22	5	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	18·8	–
Death-rate—All Causes - - -	7·5	8·6	8·3
Do. —Phthisis - - - -	–	0·4	–
Do. —All Tuberculosis - -	–	0·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	–	–	–	–	–	–	–	1	2	3	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	2	–	–	1	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	1	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	–	–	–	–	–	–	–	–	1	2	1
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	22	2	1	2	–	1	–	1	2	4	6	3

YEAR 1911.
COUNTY—**Peebles.**
PUBLIC HEALTH DISTRICT—**Peebles** (Burgh).

Population—Census 1901, - - - 5,266.
Do. Do. 1911, - - . 5,554.
Do. estimated to middle of 1911, 5,541.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	2	1	69	30	39
Illegitimate Births -	4	0	1	5	2	3
Deaths - - -	71	5	7	73	31	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·6	12·5	–
Death-rate—All Causes - - -	12·8	13·2	12·9
Do. —Phthisis - - - -	–	0·4	–
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—145.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	–	–	–	–	1
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	–	–	–	–	–	–	1	–	1	3	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	11	–	–	–	–	–	–	–	–	6	4	1
Bronchitis - - - - -	4	1	–	–	–	–	–	–	1	–	–	2
Pneumonia (all forms) - - -	6	3	1	–	–	–	–	–	1	1	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–		–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	–	1	–	1	–	–	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	–	–	–	1	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	24	–	–	–	–	–	–	–	1	6	7	10
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	–	–	–	–	1
Total - - - -	73	10	1	3	–	2	2	2	4	17	15	17

YEAR 1911.
COUNTY—**Peebles.**
PUBLIC HEALTH DISTRICT—**Peebles** (County District).

Population—Census 1901, . . . 7,619.
Do. Do. 1911, . . . 7,157.
Do. estimated to middle of 1911, 7,121.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births – – –	147	2	2	147	83	64
Illegitimate Births –	10	0	1	11	6	5
Deaths – – –	95	3	10	102	53	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate – – – – – –	20·6	20·6	–
Death-rate—All Causes – – –	13·3	14·3	13·7
Do. —Phthisis – – – –	–	0·6	–
Do. —All Tuberculosis – –	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Measles – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever – – – – – –	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough – – – – –	2	1	–	–	–	1	–	–	–	–	–	–
*Diphtheria and Croup – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – – – –	2	–	–	–	–	–	–	–	–	–	1	1
Erysipelas – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis –	4	–	–	–	–	–	3	1	–	–	–	–
Tuberculous Meningitis – – –	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis – – –	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases – –	3	–	–	–	–	–	2	1	–	–	–	–
Cancer, Malignant Disease – –	9	–	–	–	–	–	–	–	1	2	2	4
Rheumatic Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease – – –	10	–	–	–	–	–	1	–	–	2	2	5
Bronchitis – – – – – –	5	1	–	–	–	1	–	–	1	–	–	2
Pneumonia (all forms) – – –	7	–	1	–	–	–	–	–	–	–	2	4
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	1	1	–
*Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis – –	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant) –	2	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease – –	3	–	–	–	–	–	–	1	2	–	–	–
Puerperal Sepsis – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide –	3	–	–	–	–	–	–	1	1	–	–	1
Suicide – – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases – – –	30	–	–	3	1	1	2	–	–	2	6	15
Diseases Ill-defined or Unknown –	9	1	–	–	–	1	–	1	–	1	1	4
Total – – – –	102	11	1	4	1	5	8	5	5	10	16	36

YEAR 1911.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Aberfeldy** (Burgh).

Population—Census 1901, - - - 1,508.
Do. Do. 1911, - - - 1,592.
Do. estimated to middle of 1911, 1,588.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	29	1	0	28	15	13
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	20	0	2	22	11	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·3	17·6	-
Death-rate—All Causes - - -	12·6	13·9	12·0
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	-	2	-	-	1	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	1	-	-	-	1	1	-	1	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	-	-	-	-	1	-	-	-	1	-	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	22	2	2	2	-	2	3	1	-	4	3	3

YEAR 1911.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Abernethy** (Burgh).

Population—Census 1901, - - - 623.
Do. Do. 1911, - - - 593.
Do. estimated to middle of 1911, - 590.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	5	0	0	5	3	2
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	10	0	0	10	5	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	8·5	8·5	-
Death-rate—All Causes - - -	16·9	16·9	12·9
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	3·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ag .	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	1	-	-	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	-	-	-	-	-	-	-	-	2	-	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	10	-	-	-	-	-	1	1	1	4	1	2

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALH DISTRICT—**Alyth** (Burgh).

Population—Census 1901, - - - 1,965.
Do. Do. 1911, - - - 1,860.
Do. estimated to middle of 1911, - 1,850.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	1	0	32	19	13
Illegitimate Births -	6	0	0	6	2	4
Deaths - - -	29	0	2	31	13	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·8	17·3	-
Death-rate—All Causes - - -	15·7	16·8	13·8
Do. —Phthisis - - - -	-	2·2	-
Do. —All Tuberculosis - -	-	2·2	
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	1	-	1	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	2	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	1	-	2	3
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	1	-	-	1	-	-	-	1	1	4	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	31	3	-	1	1	1	-	1	5	3	6	10

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Auchterarder** (Burgh),

Population—Census 1901, - - - 2,308.
Do. Do. 1911, - - - 2,294.
Do. estimated to middle of 1911, 2,286.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	42	2	0	40	21	19
Illegitimate Births -	6	1	0	5	3	2
Deaths - - -	32	0	2	34	20	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·4	17·5	-
Death-rate—All Causes - - -	14·0	14·9	12·4
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	1	1	-	2
Bronchitis - - - - -	4	-	-	-	-	-	-	1	-	-	-	3
Pneumonia (all forms) - - -	3	-	-	-	-	-	-	2	-	-	-	1
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	1	1	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	-	-	-	-	-	-	-	1	2	2	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	34	4	1	1	-	1	-	3	2	6	4	12

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Blairgowrie** (Burgh).

Population—Census 1901, - - - 3,378.
Do. Do. 1911, - - - 3,249.
Do. estimated to middle of 1911, 3,234.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	66	0	3	69	28	41
Illegitimate Births -	8	0	1	9	1	8
Deaths - - -	50	3	2	49	22	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·4	21·3	-
Death-rate—All Causes - - -	15·5	15·2	12·4
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	2	1	-	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	1	1	1	3
Bronchitis - - - - -	5	-	-	-	-	-	-	-	-	-	3	2
Pneumonia (all forms) - - -	4	-	-	-	-	-	-	-	-	1	2	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	22	1	-	-	-	1	2	1	1	4	6	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	49	3	-	-	-	2	2	3	5	8	12	14

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Callander** (Burgh).

Population—Census 1901, - - - 1,458.
Do. Do. 1911, - - - 1,504.
Do. estimated to middle of 1911, 1,500.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	16	0	1	17	5	12
Illegitimate Births -	1	0	0	1	1	0
Deaths - - -	27	0	3	30	16	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	10·7	11·3	–
Death-rate—All Causes - - -	18·0	20·0	17·7
Do. —Phthisis - - - -	–	2·7	–
Do. —All Tuberculosis - -	–	3·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	–	–	–	–	2	–	–	1	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	1	–	1	–	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	–	–	–	–	1	2
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	3	–	–	–	–	–	–	–	–	1	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	–	–	1	–	–	1	–	–	–	4	3
Diseases Ill-defined or Unknown -	3	–	–	–	–	–	1	–	–	1	–	1
Total - - - -	30	1	–	1	–	2	4	–	2	5	6	9

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Coupar-Angus** (Burgh).

Population—Census 1901, - - - 2,064.
Do. Do. 1911, - - - 2,095.
Do. estimated to middle of 1911, 2,089.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	1	0	47	27	20
Illegitimate Births -	5	0	0	5	3	2
Deaths - - -	39	0	2	41	18	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·0	22·5	-
Death-rate—All Causes - - -	18·7	19·6	15·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-		-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	2	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	1	1	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	-	1	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	-	5	-
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	-	-	-	-	-	-	-	2	1	7	9
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	41	3	-	2	-	-	2	2	3	2	18	9

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Crieff** (Burgh).

Population—Census 1901, - - - 5,208.
Do. Do. 1911, - - - 5,571.
Do. estimated to middle of 1911, 5,560.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	1	0	89	34	55
Illegitimate Births -	8	0	0	8	4	4
Deaths - - -	77	2	5	80	25	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·2	16·0	–
Death-rate—All Causes - - -	13·8	14·4	12·7
Do. —Phthisis - - -	–	0·9	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—169.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·0

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	6	4	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	1	1	1	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	9	–	–	–	–	–	–	1	2	3	2	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	–	–	–	–	–	–	–	2	2	2	4
Bronchitis - - - - -	3	–	–	–	–	–	–	1	–	–	1	1
Pneumonia (all forms) - - -	9	1	–	2	–	–	–	–	1	1	1	3
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	1	1	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	19	2	–	–	–	–	–	–	1	4	5	7
Diseases Ill-defined or Unknown -	5	1	–	–	–	–	–	–	–	–	2	2
Total - - - -	80	15	2	5	1	1	2	4	6	10	15	19

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Doune** (Burgh).

Population—Census 1901, - - - 930.
Do. Do. 1911, - - - 893.
Do. estimated to middle of 1911, 889.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	0	2	20	11	9
Illegitimate Births -	1	0	1	2	1	1
Deaths - - -	7	0	1	8	3	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	22·5	-
Death-rate—All Causes - - -	7·9	9·0	8·3
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	4	-	-	-	-	-	-	-	-	-	3	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	8	1	1	-	-	-	-	1	-	-	4	1

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Dunblane** (Burgh).

Population—Census 1901, - - - 2,516.
Do. Do. 1911, - - - 2,978.
Do. estimated to middle of 1911, 2,978.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	0	2	51	25	26
Illegitimate Births -	7	0	1	8	3	5
Deaths - - -	36	2	10	44	23	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	17·1	-
Death-rate—All Causes - - -	12·1	14·8	13·7
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—15·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	1	1	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	1	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	1	1	1	1	1
Bronchitis - - - - -	4	1	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	-	-	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	10	-	-	-	-	-	3	-	-	1	3	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	44	4	3	-	1	2	6	2	1	6	12	7

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Perth** (Burgh).

Population—Census 1901, - - - 33,995.
Do. Do. 1911, - - - 35,854.
Do. estimated to middle of 1911, 35,772.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	740	13	17	744	365	379
Illegitimate Births -	69	7	9	71	32	39
Deaths - - -	558	45	23	536	268	268

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·7	20·8	–
Death-rate—All Causes - - -	15·6	15·0	14·7
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—129.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	–	–	–	–	–	–	1	–	1	1	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	6	2	4	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	3	–	2	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	18	8	7	2	1	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	23	2	9	11	–	1	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–		–
Erysipelas - - - - - -	2	–	–	–	–	–	–	–	–	2	–	–
Phthisis, Pulmonary Tuberculosis -	42	1	1	–	–	12	12	8	6	2	–	–
Tuberculous Meningitis - - -	12	2	7	2	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	8	4	2	1	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	6	2	3	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	32	–	1	–	–	1	–	1	8	7	5	9
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	6	3	1	–	–	–	–	1	–	1	–	–
Organic Heart Disease - - -	53	–	–	1	2	2	1	4	5	13	13	12
Bronchitis - - - - - -	36	2	4	–	–	1	–	–	4	4	13	8
Pneumonia (all forms) - - -	27	3	5	–	–	1	3	2	2	5	4	2
Other Diseases of Respiratory Organs	8	–	–	–	–	1	–	1	1	2	2	1
*Diarrhœa and Enteritis (under 2 years)	27	22	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	–	–	–	1	–	1	1	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	1	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	11	–	–	–	1	–	1	3	3	1	2	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	5	–	–	–	–	1	2	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	30	29	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	16	3	–	2	–	2	2	1	–	4	1	1
Suicide - - - - - - -	4	–	–	–	–	–	1	–	2	1	–	–
Other Defined Diseases - - -	142	9	5	–	–	1	3	9	13	18	31	53
Diseases Ill-defined or Unknown -	7	1	1	–	–	–	1	–	–	2	2	–
Total - - - -	536	96	58	20	6	25	28	35	45	63	74	86

YEAR 1911.

COUNTY—**Perth.**

PUBLIC HEALTH DISTRICT—**Rattray** (Burgh).

Population—Census 1901, - - - 2,019.
Do. Do. 1911, - - - 1,730.
Do. estimated to middle of 1911, 1,717.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	0	2	40	17	23
Illegitimate Births -	6	0	1	7	2	5
Deaths - - -	24	1	4	27	6	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·1	23·3	-
Death-rate—All Causes - - -	14·0	15·7	13·0
Do. —Phthisis - - - -	-	2·3	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—17·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	1	-	-	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	2	-	3
Bronchitis - - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	-	-	-	-	-	-	1	1	1	1	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	27	5	-	1	-	1	2	2	2	4	4	6

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Blairgowrie** (County District).

Population—Census 1901, - - - 9,963.
Do. Do. 1911, - - - 9,830.
Do. estimated to middle of 1911, 9,792.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	198	8	6	196	112	84
Illegitimate Births -	22	2	3	23	13	10
Deaths - - -	99	3	22	118	59	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	20·0	-
Death-rate—All Causes - - -	10·1	12·1	10·6
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—46.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	1	1	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	13	-	-	-	-	-	-	-	4	4	5	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - - -	3	-	-	1	-	1	-	-	1	-	-	-
Organic Heart Disease - - -	18	-	-	-	-	-	-	2	1	4	6	5
Bronchitis - - - - - -	6	1	-	-	-	-	-	-	-	-	1	4
Pneumonia (all forms) - - -	6	1	-	-	1	-	-	-	-	1	1	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	-	-	1	-	1	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	1	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	-	-	1	1	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	38	1	-	-	-	3	-	1	5	2	10	16
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	1	1	2	-
Total - - - - -	118	9	3	2	2	6	2	4	15	15	31	29

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Central Perth** (County District).

Population—Census 1901, - - - 11,099.
Do. Do. 1911, - - - 10,417.
Do. estimated to middle of 1911, 10,363.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhe re	Both Sexes.	Males.	Females.
Births - - -	212	5	12	219	116	103
Illegitimate Births -	15	3	4	16	5	11
Deaths - - -	151	5	16	162	86	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·5	21·1	-
Death-rate—All Causes - - -	14·6	15·6	13·4
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	1	-	2	1	-	-	1
Tuberculous Meningitis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	21	-	-	-	-	1	-	-	2	3	7	8
Rheumatic Fever - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	13	-	-	-	-	-	1	1	1	1	5	4
Bronchitis - - - - -	12	2	1	-	1	1	-	-	-	2	2	3
Pneumonia (all forms) - - -	11	-	2	-	-	1	1	1	1	2	-	3
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	1	-	-	2	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	-	-	2	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	-	2	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	13	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	-	1	1	-	-	2	-	1	1	-	2
Suicide - - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Defined Diseases - - -	47	1	-	-	-	-	3	2	4	6	11	20
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	-	1	1	2	-	1
Total - - - -	162	20	8	2	1	6	10	11	13	17	31	43

YEAR 1911.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Highland Perth** (County District).

Population—Census 1901, - - - 13,389.
Do. Do. 1911, - - - 12,900.
Do. estimated to middle of 1911, 12,842.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	226	3	8	231	128	103
Illegitimate Births -	24	0	1	25	14	11
Deaths - - -	230	32	8	206	91	115

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·6	18·0	-
Death-rate—All Causes - - -	17·9	16·0	13·3
Do —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	13	-	-	-	1	2	8	1	1	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	20	-	-	-	-	-	-	1	3	5	9	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	23	-	-	-	-	1	1	3	1	5	8	4
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - -	14	1	-	-	1	-	-	1	2	5	2	2
Other Diseases of Respiratory Organs	4	-	-	-	-	-	-	-	-	-	2	2
*Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	2	1	-		-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	1	1	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	1	1	-	-	1	1	2	1	3	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	86	3	-	-	-	3	2	2	6	9	20	41
Diseases Ill-defined or Unknown -	8	1	-	-	-	-	-	2	1	1	3	-
Total - - - -	206	17	4	1	3	8	13	12	18	30	45	55

YEAR 1911.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Perth** (County District).

Population—Census 1901, - - - 20,683.
Do. Do. 1911, - - - 20,852.
Do. estimated to middle of 1911, - 20,782.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	448	16	23	455	244	211
Illegitimate Births -	34	4	12	42	19	23
Deaths - - -	237	7	30	260	108	152

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·6	21·9	-
Death-rate—All Causes - - -	11·4	12·5	10·9
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—**59**.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—**9·2**.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	2	1	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	4	-	-	-	-	-	-	-	-	-	-	4
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	-	-	-	3	6	1	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	-	1	1	1	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	20	-	-	-	-	-	-	1	4	5	6	4
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	4	1	2	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	28	-	-	-	-	-	1	2	1	3	9	12
Bronchitis - - - - -	15	1	1	-	-	-	-	-	-	1	3	9
Pneumonia (all forms) - - -	8	1	1	-	-	1	1	1	-	-	2	1
Other Diseases of Respiratory Organs	9	-	-	-	-	-	-	-	1	1	2	5
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	-	-	1	1	-	1	-	-	2	3	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	-	2	-	1	1	-	-	1	2	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	91	3	-	-	1	2	4	5	6	7	24	39
Diseases Ill-defined or Unknown -	10	-	1	-	-	-	1	-	-	2	2	4
Total - - - -	260	27	12	6	5	8	17	11	14	27	52	81

YEAR 1911.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Western Perth** (County District).

Population—Census 1901, - - - 10,177.
Do. Do. 1911, - - - 10,130.
Do. estimated to middle to 1911, - 10,093.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Males.	Males.	Females
Births - - -	166	3	12	175	96	79
Illegitimate Births -	10	2	4	12	7	5
Deaths - - -	103	2	14	115	58	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·4	17·3	-
Death-rate—All Causes - - -	10·2	11·4	10·9
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	1	-	1	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	1	2	-	-	1	-	1	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	-	1	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	-	3	3	1	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	19	-	-	-	-	-	-	1	2	5	8	3
Bronchitis - - - - - -	5	1	1	-	-	-	-	-	-	-	3	-
Pneumonia (all forms) - - -	6	1	-	-	-	-	-	2	-	1	1	1
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	-	-	3
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	-	2	1	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	1	1	-	1	-	1	1	-	2	-	2
Suicide - - - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - -	39	2	-	-	1	-	-	2	2	5	13	14
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	115	10	2	2	4	3	4	7	10	18	30	25

YEAR 1911.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Barrhead** (Burgh).

Population—Census 1901, - - - 9,855.
Do. Do. 1911, - - - 11,387.
Do. estimated to middle of 1911, - 11,384.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	316	3	5	318	143	175
Illegitimate Births -	16	1	2	17	6	11
Deaths - - -	134	0	17	151	73	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·8	27·9	-
Death-rate—All Causes - - -	11·8	13·3	14·9
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	-	-	1	1	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	4	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	1	-	-	2	-	6	-	2	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	-	3	2	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	-	-	2	-	-	1	-	-	1	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	1	2	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	-	-	-	1	2	3	2	-
Bronchitis - - - - -	5	2	-	-	-	-	-	-	1	-	1	1
Pneumonia (all forms) - - -	9	1	-	-	-	1	2	1	1	1	2	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	1	-	-	1	-	1	1	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	-	1	-	-	-	-	1	1	-	3	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	47	3	5	-	2	-	2	5	4	3	10	13
Diseases Ill-defined or Unknown -	6	1	-	-	-	1	-	-	1	2	-	1
Total - - - -	151	26	22	7	5	5	5	19	11	15	20	16

YEAR 1911.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Gourock** (Burgh).

Population—Census 1901, - - - 5,261.
Do. Do. 1911, - - - 7,442.
Do. estimated to middle of 1911, 7,470.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	155	5	8	158	86	72
Illegitimate Births -	6	2	2	6	3	3
Deaths - - -	105	8	15	112	46	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·7	21·2	-
Death-rate—All Causes - - -	14·1	15·0	15·3
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	-	-	-	1	1	2	2	2	1	-	-
Tuberculous Meningitis - - -	4	1	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	16	-	-	-	-	-	1	1	1	7	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	1	1	3	1	1
Bronchitis - - - - -	5	1	-	-	-	-	-	-	-	1	1	2
Pneumonia (all forms) - - -	11	3	-	-	-	1	-	1	1	1	3	1
Other Diseases of Respiratory Organs	4	-	-	-	-	-	-	-	3	1	-	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	1	-	1	-	-	1	1	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	2	-	-	-	-	1	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	26	2	-	-	1	-	1	2	3	2	5	10
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	-	-	-	1	3	1
Total - - - -	112	18	7	-	4	3	5	10	12	18	18	17

YEAR 1911.

COUNTY—**Renfrew.**

PUBLIC HEALTH DISTRICT—**Greenock** (Burgh).

Population—Census 1901, - - - 68,911.
Do. Do. 1911, - - - 75,140.
Do. estimated to middle of 1911, 75,028.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,303	25	28	2,306	1,200	1,106
Illegitimate Births -	136	15	17	138	80	58
Deaths - - -	1,405	56	35	1,384	731	653

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·7	30·7	-
Death-rate—All Causes - - -	18·7	18·4	18·7
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	-	1	-	-	1	-	1	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	14	3	11	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	14	1	8	3	2	-	-	-	-	-	-	-
*Whooping-cough - - - -	33	13	18	1	1	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	7	1	4	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - - -	5	-	-	-	-	-	1	-	-	2	1	1
Phthisis, Pulmonary Tuberculosis -	113	-	5	1	4	36	33	19	7	5	2	1
Tuberculous Meningitis - - -	31	8	14	6	2	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	23	3	8	4	1	6	1	-	-	-	-	-
Other Tuberculous Diseases - -	18	4	2	4	3	2	3	-	-	-	-	-
Cancer, Malignant Disease - -	85	-	-	-	-	1	-	6	20	20	26	12
Rheumatic Fever - - - -	3	-	-	-	1	1	-	-	-	1	-	-
Meningitis - - - - -	18	5	5	2	2	1	1	1	-	1	-	-
Organic Heart Disease - - -	123	-	-	1	2	2	3	9	20	31	36	19
Bronchitis - - - - -	103	24	12	-	-	-	-	3	7	19	28	10
Pneumonia (all forms) - - -	141	25	44	4	1	6	9	5	13	14	9	11
Other Diseases of Respiratory Organs	14	-	1	-	-	1	1	2	1	2	3	3
*Diarrhœa and Enteritis (under 2 years)	57	47	10	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	6	-	-	1	1	2	-	-	2	-	-	-
All Liver Diseases (not Malignant) -	6	-	-	-	-	-	2	-	-	2	2	-
Other Diseases of Digestive System (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	27	-	3	1	1	-	3	4	3	8	3	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	16	-	-	-	1	5	6	4	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	96	95	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	48	2	4	2	3	6	4	9	7	3	6	2
Suicide - - - - - - -	9	-	-	-	-	-	3	3	1	1	1	-
Other Defined Diseases - - -	326	23	13	5	1	4	13	16	29	48	100	74
Diseases Ill-defined or Unknown -	38	3	3	1	-	1	1	3	4	10	11	1
Total - - - -	1384	260	168	38	26	76	85	86	114	168	228	135

YEAR 1911.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Johnstone** (Burgh).

Population—Census 1901, - - 11,155.
Do. Do. 1911, - - 12,045.
Do. estimated to middle of 1911. 12,024.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	308	3	6	311	169	142
Illegitimate Births -	15	1	2	16	6	10
Deaths - - -	180	1	15	194	84	110

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·6	25·9	-
Death-rate—All Causes - - -	15·0	16·1	17·8
Do. —Phthisis - - - -	-	1·7	-
Do —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—122.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	1	2	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	3	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	21	-	-	2	1	8	6	2	2	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	2	2	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	7	-	-	-	-	-	-	1	1	5	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	16	-	-	-	-	1	1	2	3	3	5	1
Bronchitis - - - - -	29	8	5	1	-	-	-	2	3	4	5	1
Pneumonia (all forms) - - -	8	3	2	-	-	-	1	-	-	1	1	-
Other Diseases of Respiratory Organs	3	-	3	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	7	2	1	-	1	-	-	1	1	-	1	-
Other Diseases of Digestive System (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	13	12	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	1	1	-	-	1	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	49	5	2	1	3	1	2	-	2	7	20	6
Diseases Ill-defined or Unknown -	4	-	-	-	-	1	-	-	-	1	1	1
Total - - - -	194	38	28	9	5	12	13	10	13	22	34	10

YEAR 1911.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Paisley** (Burgh).

Population—Census 1901, - - - 79,363.
Do. Do. 1911, - - - 84,455.
Do. estimated to middle of 1911, 84,281.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,167	16	16	2,167	1,111	1,056
Illegitimate Births -	127	9	8	126	59	67
Deaths - - -	1,286	44	49	1,291	638	653

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·7	25·7	–
Death-rate—All Causes - - -	15·3	15·3	16·9
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	–	–	–	–	1	1	–	1	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
*Measles - - - - - -	3	1	1	–	–	–	1	–	–	–	–	–
*Scarlet Fever - - - - -	14	1	7	4	–	1	–	1	–	–	–	–
*Whooping-cough - - - -	81	33	44	4	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	10	1	6	2	1	–	–	–	–	–	–	–
Influenza - - - - - -	9	–	1	–	–	–	–	–	1	3	1	3
Erysipelas - - - - -	2	1	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	96	–	1	1	1	25	19	30	6	11	2	–
Tuberculous Meningitis - - -	14	3	7	4	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	12	–	5	–	1	4	1	–	–	1	–	–
Other Tuberculous Diseases - -	21	–	5	4	2	2	–	4	4	–	–	–
Cancer, Malignant Disease - -	70	1	–	–	–	1	1	3	20	18	17	9
Rheumatic Fever - - - -	2	–	–	–	1	1	–	–	–	–	–	–
Meningitis - - - - -	32	14	12	1	1	3	1	–	–	–	–	–
Organic Heart Disease - - -	104	–	–	–	1	7	10	14	10	29	26	7
Bronchitis - - - - - -	128	22	18	3	2	3	2	5	15	10	29	19
Pneumonia (all forms) - - -	104	16	17	4	–	12	10	10	10	17	7	1
Other Diseases of Respiratory Organs	14	1	2	2	1	1	–	2	–	2	1	2
*Diarrhœa and Enteritis (under 2 years)	53	41	12	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	7	–	–	–	4	3	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	6	–	–	–	–	–	–	–	2	1	1	2
Other Diseases of Digestive System (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	26	–	–	–	2	4	3	2	4	4	6	1
Puerperal Sepsis - - - -	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	13	–	–	–	–	3	5	5	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	81	81	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	33	1	1	3	1	3	4	4	2	7	4	3
Suicide - - - - - - -	6	–	–	–	–	–	1	1	1	3	–	–
Other Defined Diseases - - -	314	19	17	4	2	9	10	22	33	36	92	70
Diseases Ill-defined or Unknown -	25	2	1	–	–	–	–	1	2	4	11	4
Total - - - -	1291	243	157	36	20	84	70	105	111	146	198	121

YEAR 1911.
COUNTY—**Renfrew**
PUBLIC HEALTH DISTRICT—**Pollokshaws** (Burgh).

Population—Census 1901, - - - 11,183.
Do. Do. 1911, - - - 12,932.
Do. estimated to middle of 1911, 12,930.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	388	1	10	397	187	210
Illegitimate Births -	13	0	4	17	5	12
Deaths - - -	159	0	34	193	88	105

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·0	30·7	-
Death-rate—All Causes - - -	12·3	14·9	15·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	8	5	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	-	4	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	16	-	1	-	1	6	1	2	3	2	-	-
Tuberculous Meningitis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	5	1	3	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	-	2	3	4	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	2	2	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	-	-	-	-	1	-	-	3	5	4	1
Bronchitis - - - - -	14	3	1	1	-	-	-	-	2	3	3	1
Pneumonia (all forms) - - -	17	2	2	2	-	-	1	4	2	2	-	2
Other Diseases of Respiratory Organs	2	-	-	-	-	2	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	7	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	2	-	-	1	3	-	-	-
Puerperal Sepsis - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	18	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	1	3	-	-	-	1	-	1	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	43	3	2	-	-	4	1	4	1	8	11	9
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	1	-	-	-	2	-
Total - - - -	193	43	23	8	3	13	8	17	18	25	22	13

YEAR 1911.

COUNTY—**Renfrew**.

PUBLIC HEALTH DISTRICT—**Port-Glasgow** (Burgh).

Population—Census 1901, - - - 16,857.
Do. Do. 1911, - - - 17,749.
Do. estimated to middle of 1911, 17,708.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	520	1	4	523	278	245
Illegitimate Births -	17	0	1	18	7	11
Deaths - - -	240	4	34	270	145	125

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·4	29·5	-
Death-rate—All Causes - - -	13·6	15·2	16·6
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—122.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	16	-	-	1	1	3	2	4	5	-	-	-
Tuberculous Meningitis - - -	7	2	2	2	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	-	2	1	1	1	-	1	-	-	-	-
Other Tuberculous Diseases - -	9	-	-	2	2	2	1	2	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	1	1	1	3	-	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	6	4	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	22	-	-	-	-	1	2	7	-	3	8	1
Bronchitis - - - - -	15	6	-	-	-	-	-	-	-	1	7	1
Pneumonia (all forms) - - -	31	7	10	2	-	-	-	2	3	4	2	1
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	13	10	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	-	-	-	-	-	2	3	1	2	2	-
Puerperal Sepsis - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	21	2	1	1	1	5	4	2	2	2	1	-
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	58	5	3	1	-	3	5	3	4	9	19	6
Diseases Ill-defined or Unknown -	7	3	-	-	-	-	-	-	3	-	1	-
Total - - - -	270	64	30	10	6	19	19	27	21	21	44	9

YEAR 1911.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Renfrew** (Burgh).

Population—Census 1901, - - - 9,296.
Do. Do. 1911, - - - 12,565.
Do. estimated to middle of 1911, 12,602.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	345	0	0	345	176	169
Illegitimate Births -	15	0	0	15	14	1
Deaths - - -	126	0	31	157	77	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·4	27·4	-
Death-rate—All Causes - - -	10·0	12·5	14·1
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	2	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Erysipelas - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	-	-	-	-	3	2	4	1	1	-	-
Tuberculous Meningitis - - -	6	-	4	-	-	1	1	-	-	-	-	-
Abdominal Tuberculosis - - -	4	2	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	-	1	-	-	2	1	-	-	-	-	1
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	-	-	1	1	2	1	2	1
Bronchitis - - - - -	7	2	2	-	-	1	-	-	1	-	-	1
Pneumonia (all forms) - - -	21	1	4	-	1	1	2	2	2	2	3	3
Other Diseases of Respiratory Organs	2	1	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	1	-	1	1	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	1	-	-	-	2	1	-	1	1
Puerperal Sepsis - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	2	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	-	-	-	-	-	2	-	-	-	1
Suicide - - - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - -	39	1	1	1	-	2	3	3	6	6	13	3
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	2	1	-
Total - - - -	157	27	15	6	1	16	11	16	15	17	22	11

YEAR 1911.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Upper Renfrew** (County District).

Population—Census 1901, - - - 35,097.
Do. Do. 1911, - - - 57,058.
Do. estimated to middle of 1911, 57,402.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	1,315	18	32	1,329	774	555
Illegitimate Births -	53	6	18	65	30	35
Deaths - - -	872	261	64	675	310	365

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·9	23·2	-
Death-rate—All Causes - - -	15·2	11·8	12·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	10	-	1	-	1	1	4	1	1	1	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	8	-	4	2	1	-	-	-	-	1	-	-
*Whooping-cough - - - -	16	9	6	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	23	3	10	8	2	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - - -	2	-	-	1	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	50	1	1	1	2	13	16	12	2	2	-	-
Tuberculous Meningitis - - -	4	-	3	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	13	2	7	2	1	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	12	-	-	1	1	3	4	2	1	-	-	-
Cancer, Malignant Disease - -	53	-	-	-	-	1	1	4	6	18	21	2
Rheumatic Fever - - - -	7	-	1	-	1	2	1	2	-	-	-	-
Meningitis - - - - - -	6	1	2	1	-	-	1	-	-	1	-	-
Organic Heart Disease - - -	51	1	-	1	1	1	3	3	4	11	14	12
Bronchitis - - - - - -	40	5	5	-	1	3	-	1	4	4	6	11
Pneumonia (all forms) - - -	47	5	7	4	-	3	3	6	6	3	7	3
Other Diseases of Respiratory Organs	15	1	2	1	-	-	-	2	-	2	1	6
*Diarrhœa and Enteritis (under 2 years)	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	4	-	-	1	-	3	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	1	-	-	-	-	-	-	-	2	-
Other Diseases of Digestive System (under 2 years)	9	9	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	16	-	2	-	-	1	1	2	-	6	3	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	47	44	2	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	24	2	3	2	-	2	-	4	2	6	2	1
Suicide - - - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - -	178	10	4	2	2	5	8	13	21	25	34	54
Diseases Ill-defined or Unknown -	21	7	-	-	-	-	-	1	1	3	5	4
Total - - - -	675	106	64	30	13	38	45	56	50	84	95	94

YEAR 1911.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Lower Renfrew** (County District).

Population—Census 1901, - - - 21,969.
Do. Do. 1911, - - - 23,742.
Do. estimated to middle of 1911, 23,701.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	499	7	14	506	267	239
Illegitimate Births -	23	3	5	25	13	12
Deaths - - -	299	30	43	312	156	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	21·3	-
Death-rate—All Causes - - -	12·6	13·2	13·9
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	12	5	7	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	1	-	3	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	25	-	-	1	1	1	9	11	1	1	-	-
Tuberculous Meningitis - - -	2	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	1	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	9	-	-	1	1	3	2	-	2	-	-	-
Cancer, Malignant Disease - -	27	-	-	-	-	-	-	3	7	4	11	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	2	1	2	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	34	-	1	-	1	2	1	-	3	3	16	7
Bronchitis - - - - - -	17	3	1	-	-	1	-	1	-	2	6	3
Pneumonia (all forms) - - -	18	4	1	-	-	1	1	2	1	4	2	2
Other Diseases of Respiratory Organs	5	-	1	-	-	1	-	1	1	-	-	1
*Diarrhœa and Enteritis (under 2 years)	4	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	1	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	4	-	-	-	-	-	-	-	-	2	1	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-		-	-	-	-
Nephritis and Bright's Disease - -	13	-	-	-	-	-	-	-	3	6	1	3
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	17	16	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	15	1	3	1	-	3	1	1	-	-	3	2
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	89	4	2	2	3	3	2	4	6	6	25	32
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	1	-	2
Total - - - -	312	41	21	13	6	15	18	23	24	29	67	55

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Cromarty** (Burgh).

Population—Census 1901, - - - 1,242.
Do. Do. 1911, - - - 1,928.
Do. estimated to middle of 1911, 1,938.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	6	4
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	23	1	0	22	13	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	5·2	5 2	-
Death-rate—All Causes - - -	11·9	11·4	13·3
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	1	-	-	-	-	1	-	2	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	3	-	-	-	-	1	-	-	-	1	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	-	-	-	-	-	-	-	1	-	1	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	22	1	3	1	-	1	1	2	2	2	3	6

YEAR 1911.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Dingwall** (Burgh).

Population—Census 1901, - - - 2,519.
Do. Do. 1911, - - - 2,639.
Do. estimated to middle of 1911, 2,633.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	2	59	32	27
Illegitimate Births -	2	0	2	4	1	3
Deaths - - -	46	9	3	40	15	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·6	22·4	-
Death-rate—All Causes - - -	17·5	15·2	13·6
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—102.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	3	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	-	3	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	-	-	4
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	4	2	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	1	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	2	1	-	-	-	1	1	-	1	3	2
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	1	-	1	-
Total - - - -	40	6	2	2	-	3	2	1	2	5	9	8

YEAR 1911.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Fortrose** (Burgh).

Population—Census 1901, - - - 1,065.
Do. Do. 1911, - - - 970.
Do. estimated to middle of 1911, 965.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	2	1	15	8	7
Illegitimate Births -	4	2	1	3	2	1
Deaths - - -	20	3	1	18	7	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·6	15·5	-
Death-rate—All Causes - - -	20·7	18·7	13·3
Do. —Phthisis - - - -	-	2·1	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	-	-	-	-	-	-	1	2	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	18	2	-	-	-	-	-	3	-	2	4	7

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Invergordon** (Burgh).

Population—Census 1901, - - - 1,047.
Do. Do. 1911, - - - 1,051.
Do. estimated to middle of 1911, - 1,047.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	1	0	15	7	8
Illegitimate Births -	3	0	0	3	3	0
Deaths - - -	15	0	5	20	11	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·3	14·3	-
Death-rate—All Causes - - -	14·3	19·1	15·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	1	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	1	-	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	4	1	-	-	-	-	-	1	-	-	2	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown -	2	-	-	-	-	1	-	-	1	-	-	-
Total - - - -	20	2	-	-	-	1	1	3	3	2	3	5

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Stornoway** (Burgh).

Population—Census 1901, - - - 3,885.
Do. Do. 1911, - - - 3,806.
Do. estimated to middle of 1911, - 3,790.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	0	1	63	37	26
Illegitimate Births -	4	0	0	4	3	1
Deaths - - -	41	1	1	41	18	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·6	-
Death-rate—All Causes - - -	10·8	10·8	10·1
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—63.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	1	1	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	1	-	3
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	-	1	3	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	1	-	-	-	1	1	-	1	2	1	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	41	4	3	1	1	1	4	5	5	4	3	10

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

Population—Census 1901, - - - 1,645.
Do. Do. 1911, - - - 1,599.
Do. estimated to middle of 1911, - 1,592.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	0	0	28	15	13
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	14	0	3	17	10	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·6	17·6	–
Death-rate—All Causes - - -	8·8	10·7	8·5
Do. —Phthisis - - - -	–	2·5	–
Do. —All Tuberculosis - -	–	2·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	–	–	–	–	1	1	–	1	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	1	–	–	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	1	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	–	–	–	–	2	–	–	–	–	–	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	17	2	–	1	–	3	1	1	2	2	2	3

YEAR 1911.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Black Isle** (County District).

Population—Census 1901, - - - - 6,331.
Do. Do. 1911, - - - - 8,922.
Do. estimated to middle of 1911, 8,955.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	2	7	128	65	63
Illegitimate Births -	5	0	3	8	5	3
Deaths - - -	81	1	3	83	45	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·7	14·3	-
Death-rate—All Causes - - -	9·0	9·3	10·3
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	1	4	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	8	-	-	-	-	-	-	2	-	1	4	1
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	-	-	-	-	-	1	1	1	1	2	2
Bronchitis - - - - -	6	1	-	-	-	-	-	-	1	-	1	3
Pneumonia (all forms) - - -	6	2	-	-	-	-	-	-	-	-	2	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	1	-	1	1	1	1	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	2	1	2	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	28	1	-	-	1	1	-	-	1	2	5	17
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	1	-	-	-	-
Total - - - -	83	8	2	-	3	6	7	7	5	5	15	25

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

Population—Census 1901, - - - 11,181.
Do. Do. 1911, - - - 10,385.
Do. estimated to middle of 1911, 10,328.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	178	1	5	182	90	92
Illegitimate Births -	18	0	3	21	9	12
Deaths - - -	195	6	10	199	90	109

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·2	17·6	–
Death-rate—All Causes - - -	18·9	19·3	14·7
Do. —Phthisis - - - -	–	1·7	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—104.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	2	–	–	–	–	–	–	–	–	–	1	1
Erysipelas - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	18	–	–	–	–	6	4	5	1	1	1	–
Tuberculous Meningitis - - -	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	16	–	–	–	–	–	1	–	1	5	8	1
Rheumatic Fever - - - - -	3	–	–	1	–	1	–	–	–	–	1	–
Meningitis - - - - - -	4	1	1	–	–	1	–	1	–	–	–	–
Organic Heart Disease - - -	25	–	–	–	–	1	1	–	–	–	13	10
Bronchitis - - - - - -	10	–	1	–	–	–	–	1	–	1	3	4
Pneumonia (all forms) - - -	13	2	–	–	–	–	1	–	1	1	4	4
Other Diseases of Respiratory Organs	3	–	1	–	–	1	1	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	1	–	–	–	–	1	–	–
All Liver Diseases (not Malignant) -	4	–	–	–	1	1	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	–	–	3	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	2	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	–	1	1	–	2	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	58	1	–	–	1	1	3	–	1	7	16	28
Diseases Ill-defined or Unknown -	15	3	–	–	–	–	–	–	1	2	5	4
Total - - - -	199	19	5	1	3	16	12	8	5	21	57	52

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Lewis** (County District).

Population—Census 1901, - - - 25,064.
Do. Do. 1911, - - - 25,797.
Do. estimated to middle of 1911, 25,723.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	613	1	1	613	318	295
Illegitimate Births -	15	0	1	16	10	6
Deaths - - -	371	0	10	381	188	193

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·8	23·8	-
Death-rate—All Causes - - -	14·4	14·8	12·5
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	6	-	-	-	-	3	-	2	1	-	-	-
Typhus Fever - - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	52	12	33	6	1	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	3	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	5	-	-	-	-	-	-	-	-	-	1	4
Erysipelas - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	43	-	-	1	-	16	9	5	9	2	1	-
Tuberculous Meningitis - - -	2	1	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	-	-	-	2	1	2	-	-	-	-	
Cancer, Malignant Disease - -	20	-	-	-	-	-	2	2	4	7	1	4
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	6	2	1	-	1	1	1	-	-	-	-	-
Organic Heart Disease - - -	29	-	-	-	-	1	2	-	2	2	10	12
Bronchitis - - - - - -	22	4	1	1	-	-	1	-	1	1	8	5
Pneumonia (all forms) - - -	30	5	5	1	-	-	1	2	4	3	5	4
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	1	-	-	2
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	-	-	-	-	-	1	1	2	3	1	2
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	5	-	-	-	-	-	2	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	-	-	3	-	2	2	-	-	-	-	-
Suicide - - - - - - -	3	-	-	-	-	-	-	-	2	1	-	-
Other Defined Diseases - - -	102	3	1	3	1	1	1	6	5	3	12	66
Diseases Ill-defined or Unknown -	9	2	-	-	-	-	-	-	-	3	1	3
Total - - - -	381	42	42	15	7	28	25	23	31	25	41	102

YEAR 1911.
COUNTY—**Ross and Cromarty**.
PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

Population—Census 1901, - - - 12,953.
Do. Do. 1911, - - - 11,887.
Do. estimated to middle of 1911, 11,818.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	197	0	3	200	103	97
Illegitimate Births -	15	0	2	17	9	8
Deaths - - -	187	1	10	196	93	103

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·7	16·9	–
Death-rate—All Causes - - -	15·8	16·6	12·0
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—60.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	1	–	–	1	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	–	–	–	–	4	3	1	–	2	–	–
Tuberculous Meningitis - - -	3	1	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	–	–	–	–	–	3	–	–	–	–	–
Cancer, Malignant Disease - -	15	–	–	–	–	–	–	1	1	3	4	6
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	29	–	–	–	–	–	–	–	1	4	14	10
Bronchitis - - - - - -	16	–	–	–	–	–	–	–	–	3	5	8
Pneumonia (all forms) - - -	12	2	–	–	–	–	1	2	2	2	2	1
Other Diseases of Respiratory Organs	5	–	–	–	–	–	–	–	–	–	1	4
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	–	–	–	–	1	–	3	–	–	1	2
Puerperal Sepsis - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	2	1	–	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	75	1	–	–	–	1	1	3	6	5	15	43
Diseases Ill-defined or Unknown -	3	1	–	–	–	–	–	–	–	1	1	–
Total - - - -	196	12	3	2	–	10	9	11	10	20	44	75

YEAR 1911.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**South-Western** (County District).

Population—Census 1901, - - - 4,106.
Do. Do. 1911, - - - 3,622.
Do. estimated to middle of 1911, 3,597.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	58	1	1	58	33	25
Illegitimate Births -	4	0	0	4	3	1
Deaths - - -	66	1	3	68	31	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·1	-
Death-rate—All Causes - - -	18·3	18·9	12·4
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	1	1	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	-	1	1
Rheumatic Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	-	2	3
Bronchitis - - - - -	6	-	-	-	-	-	-	-	1	-	2	3
Pneumonia (all forms) - - -	6	-	1	-	-	-	-	1	1	1	-	2
Other Diseases of Respiratory Organs	4	-	-	-	-	-	-	-	1	-	2	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	2	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-		-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	2	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	29	-	-	-	-	-	1	-	3	-	10	15
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	-	2	1
Total - - - -	68	-	1	1	-	1	3	4	11	1	19	27

YEAR 1911.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Western** (County District).

Population—Census 1901, - - - 5,412.
Do. Do. 1911, - - - 4,758.
Do. estimated to middle of 1911, - 4,725

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	1	58	30	28
Illegitimate Births -	5	0	1	6	4	2
Deaths - - -	67	1	6	72	36	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·1	12·3	-
Death-rate—All Causes - - -	14·2	15·2	9·6
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—155.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	-	2	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	-	1	-	2	1	3
Bronchitis - - - - - -	4	1	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	39	3	-	-	-	-	2	1	3	3	4	23
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	1	-	3	-
Total - - - -	72	9	-	1	-	-	4	2	5	8	13	30

YEAR 1911.
COUNTY—**Roxburgh**.
PUBLIC HEALTH DISTRICT—**Hawick** (Burgh).

Population—Census 1901, - - - 17,303.
Do. Do. 1911, - - - 16,877.
Do. estimated to middle of 1911, - 16,807.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	333	8	3	328	165	163
Illegitimate Births -	38	2	1	37	19	18
Deaths - - -	248	5	12	255	130	125

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·8	19·5	–
Death-rate—All Causes - - -	14·8	15·2	15·3
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	–	1	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	5	3	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	–	–	–	–	1	–	–	–
Influenza - - - - - -	3	–	–	–	–	–	–	–	–	–	1	2
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	20	1	–	–	1	6	5	4	2	1	–	–
Tuberculous Meningitis - - -	5	–	2	1	1	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	–	2	1	–	1	1	–	–	–	–	–
Other Tuberculous Diseases - -	3	–	–	1	–	2	–	–	–	–	–	–
Cancer, Malignant Disease - -	29	–	–	–	–	–	1	4	7	5	6	6
Rheumatic Fever - - - -	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	25	–	–	–	1	1	1	4	1	9	3	5
Bronchitis - - - - -	10	1	–	–	–	–	–	–	1	1	6	1
Pneumonia (all forms) - - -	11	3	2	–	–	–	1	2	–	3	–	–
Other Diseases of Respiratory Organs	4	–	–	–	–	1	–	–	–	–	2	1
*Diarrhœa and Enteritis (under 2 years)	7	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	9	–	–	–	–	–	–	2	2	3	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	–	3	–	–	–	–	2	–	–	–	1
Suicide - - - - - -	2	–	–	–	–	–	–	–	2	–	–	–
Other Defined Diseases - - -	73	4	1	–	1	4	1	4	4	10	26	18
Diseases Ill-defined or Unknown -	11	–	–	–	–	–	–	2	1	1	1	6
Total - - - -	255	36	15	4	5	17	11	24	22	33	48	40

YEAR 1911.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Jedburgh** (Burgh).

Population—Census 1901, - - - 3,136.
Do. Do. 1911, - - - 2,752.
Do. estimated to middle of 1911, 2,732.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	44	1	2	45	26	19
Illegitimate Births -	3	0	1	4	2	2
Deaths - - -	46	4	1	43	25	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·5	-
Death-rate—All Causes - - -	16·8	15·7	15·3
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-		-	-	1	-	1	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	2	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	-	-	1	3	2
Bronchitis - - - - -	4	1	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	5	2	-	-	-	-	-	-	-	1	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	-	-	-	-	-	-	-	2	5	-	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	43	6	-	-	-	1	2	1	7	9	8	9

YEAR 1911.
COUNTY—**Roxburgh**.
PUBLIC HEALTH DISTRICT—**Kelso** (Burgh).

Population—Census 1901, - - - 4,008.
Do. Do. 1911, - - - 3,982.
Do. estimated to middle of 1911, 3,967.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	79	1	2	80	36	44
Illegitimate Births -	7	0	1	8	4	4
Deaths - - -	75	3	7	79	33	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·9	20·2	-
Death-rate—All Causes - - -	18·9	19·9	17·3
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	1	2	-	-	1	-	-	-
Tuberculous Meningitis - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	8	-	-	-	-	-	1	-	1	2	4	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	-	-	1	4	3	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	2	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	1	-	-	-	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	1	-	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	29	-	-	-	-	-	-	1	1	4	8	15
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	1	1	1	-	-
Total - - - -	79	9	6	-	1	3	2	2	6	12	19	19

YEAR 1911.

COUNTY—**Roxburgh**

PUBLIC HEALTH DISTRICT—**Melrose** (Burgh).

Population—Census 1901, - - - 2,195.
Do. Do. 1911, - - - 2,166.
Do. estimated to middle of 1911, 2,157.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	29	0	0	29	12	17
Illegitimate Births -	2	0	0	2	2	0
Deaths - - -	44	23	3	24	13	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·4	13·4	–
Death-rate—All Causes - - -	20·4	11·1	9·4
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—172.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	–	–	–	–	–	–	–	1	4	–	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	1	–	–
Bronchitis - - - - - -	3	–	–	–	–	–	–	–	–	–	–	3
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	1	–	–	1	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	–	–	–	–	–	–	–	–	–	2	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	24	5	1	–	1	–	1	1	1	5	2	7

YEAR 1911.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Hawick** (County District).

Population—Census 1901, - - - 3,265.
Do. Do. 1911, - - - 3,258.
Do. estimated to middle of 1911, 3,246.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	3	1	63	38	25
Illegitimate Births -	5	1	1	5	3	2
Deaths - - -	26	0	3	29	11	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·0	19·4	-
Death-rate—All Causes - - -	8·0	8·9	8·7
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·3	-
Do. *—Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	2	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	1	1	1	1
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	1	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	-	-	-	-	1	-	1	-	3	5	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	29	3	2	-	-	1	1	2	1	6	8	5

YEAR 1911.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Jedburgh** (County District).

Population—Census 1901, . . - 5,257.
Do. Do. 1911, - - - 4,855.
Do. estimated to middle of 1911, 4,828.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	5	6	108	52	56
Illegitimate Births -	10	0	2	12	8	4
Deaths - - -	69	3	2	68	34	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·2	22·6	-
Death-rate—All Causes - - -	14·3	14·1	13·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—37.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	1	2	1	1	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	1	-	1	2	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	-	1	-	3	5	3
Bronchitis - - - - -	4	-	-	-	-	-	1	-	-	1	-	2
Pneumonia (all forms) - - -	3	-	-	-	-	1	-	-	1	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	1	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	26	-	-	-	-	-	-	2	4	2	7	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	68	4	-	-	2	3	2	5	6	9	19	18

YEAR 1911.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Kelso** (County District).

Population—Census 1901, - - - 6,653.
Do. Do. 1911, - - - 6,321.
Do. estimated to middle of 1911, 6,291.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	98	1	5	102	55	47
Illegitimate Births -	9	0	2	11	8	3
Deaths - - -	75	1	5	79	31	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·6	16·1	-
Death-rate—All Causes - - -	11·9	12·6	12·3
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·9

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	-	2	-	1	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	-	-	-	4	-	5	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	-	-	-	-	-	-	1	1	5	7	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	3	-	-	-	-	2	1	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	-	2	-	1	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	2	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	20	1	-	1	1	1	1	3	-	1	6	5
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	1	-	1	2
Total - - - -	79	10	-	1	1	4	4	11	7	9	21	11

YEAR 1911.
COUNTY—**Roxburgh**.
PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

Population—Census 1901, - - - 1,872.
Do. Do. 1911, - - - 1,934.
Do. estimated to middle of 1911, 1,929.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	1	2	49	24	25
Illegitimate Births -	4	0	1	5	3	2
Deaths - - -	22	0	1	23	15	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·9	25·4	-
Death-rate—All Causes - - -	11·4	11·9	9·6
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—102.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	-	1	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	3	-	-	-	-	-	1	-	-	-	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	23	5	-	-	-	-	1	1	-	2	3	11

YEAR 1911.

COUNTY—**Roxburgh**.

PUBLIC HEALTH DISTRICT—**Melrose** (County District).

Population—Census 1901, - - - 5,115.
Do. Do. 1911, - - - 5,047.
Do. estimated to middle of 1911, 5,027.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	88	2	5	91	50	41
Illegitimate Births -	5	0	3	8	5	3
Deaths - - -	51	0	0	51	24	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·5	18·1	–
Death-rate—All Causes - - -	10·1	10·1	8·8
Do. —Phthisis - - - -	–	0·4	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—44.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	–	–	1	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	1	–	1	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	8	–	–	–	–	–	–	–	–	3	4	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	3	1	–	–	–	1	–	1	–	–	–	–
Organic Heart Disease - - -	5	–	–	–	–	–	–	–	–	2	1	2
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	1	1	–
Pneumonia (all forms) - - -	3	–	–	1	–	–	–	1	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–		–	–		–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	17	–	–	–	–	–	–	–	–	1	7	9
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	1	–	1
Total - - - -	51	4	–	3	1	1	–	4	2	9	13	14

YEAR 1911.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Galashiels** (Burgh).

Population—Census 1901, - - - 13,615.
Do. Do. 1911, - - - 14,531.
Do. estimated to middle of 1911, 14,502.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	286	3	4	287	159	128
Illegitimate Births -	21	1	2	22	13	9
Deaths - - -	185	5	7	187	98	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·7	19·8	-
Death-rate—All Causes - - -	12·8	12·9	13·2
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—98

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	7	4	2	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	17	-	-	-	-	3	7	3	1	1	1	1
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	15	-	-	-	-	-	-	-	3	3	6	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	2	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	26	-	-	-	1	-	-	-	3	8	8	6
Bronchitis - - - - -	13	5	-	-	-	-	-	-	2	-	4	2
Pneumonia (all forms) - - -	8	2	-	-	-	-	1	1	-	1	-	3
Other Diseases of Respiratory Organs	5	1	-	-	-	-	-	-	2	1	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	-	-	-	-	-	-	-	1	3	2	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	3	1	-	-	2	-	-	-	1	1	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	60	4	1	-	2	1	2	1	7	18	12	12
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	187	28	9	1	4	7	11	5	19	36	35	32

YEAR 1911.
COUNTY—**Selkirk.**
PUBLIC HEALTH DISTRICT—**Selkirk** (Burgh).

Population—Census 1901, - - - 5,655.
Do. Do. 1911, - - - 5,886.
Do. estimated to middle of 1911, - 5,871.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	3	0	94	45	49
Illegitimate Births -	8	1	0	7	4	3
Deaths - - -	76	2	8	82	39	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	16·0	–
Death-rate—All Causes - - -	12·9	14·0	13·6
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	–	–	–	–	1	2	1	3	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	–	–	–	–	–	–	–	1	5	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	4	1	1	–	–	–	1	1	–	–	–	–
Organic Heart Disease - - -	6	–	–	–	–	–	–	1	2	–	2	1
Bronchitis - - - - -	7	1	–	–	–	–	–	–	–	–	1	5
Pneumonia (all forms) - - -	5	–	1	–	–	–	–	–	–	1	3	–
Other Diseases of Respiratory Organs	4	–	–	–	–	–	1	–	–	1	1	1
*Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–		1
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	–	–	–	–	–	–	–	3	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	26	1	1	–	–	–	–	–	1	6	7	10
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	82	8	3	–	–	1	5	4	7	17	19	18

YEAR 1911.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Selkirk** (County District).

Population—Census 1901, - - - 4,086.
Do. Do. 1911, - - - 4,184.
Do. estimated to middle of 1911, - 4,171.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	1	3	69	42	27
Illegitimate Births -	6	0	2	8	2	6
Deaths - - -	35	1	2	36	17	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·5	-
Death-rate—All Causes - - -	8·4	8·6	8·6
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—72.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	1	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	-	-	-	-	-	-	-	-	1	2	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	1	-	-	-	3	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	1	1	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	-	1	-	-	-	-	-	1	3	3	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	36	5	2	3	1	1	1	-	1	8	7	7

YEAR 1911.
COUNTY—**Shetland.**
PUBLIC HEALTH DISTRICT—**Lerwick** (Burgh).

Population—Census 1901, - - - 4,281.
Do. Do. 1911, - - - 4,664.
Do. estimated to middle of 1911, - 4,657.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	100	5	5	100	56	44
Illegitimate Births -	5	0	0	5	2	3
Deaths - - -	65	5	1	61	23	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·5	21·5	-
Death-rate—All Causes - - -	14·0	13·1	10·7
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	-	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	11	-	-	-	-	-	-	1	1	1	5	3
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	4	1	1	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	26	-	1	1	-	-	-	-	5	1	4	14
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	61	7	2	1	1	2	-	3	7	2	13	23

YEAR 1911.
COUNTY—**Shetland.**
PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Population—Census 1901, - - - 19,109.
Do. Do. 1911, - - - 18,543.
Do. estimated to middle of 1911, 18,463.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	319	3	5	321	166	155
Illegitimate Births -	16	0	0	16	9	7
Deaths - - -	247	1	7	253	104	149

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·3	17·4	-
Death-rate—All Causes - - -	13·3	13·7	9·4
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—47.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	4	1	-	-	-	1	-	-	-	-	1	1
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	19	-	1	1	-	7	3	2	4	1	-	-
Tuberculous Meningitis - - -	4	1	-	-	1	1	-	1	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Tuberculous Diseases - -	3	-	-	-	-	-	-	2	-	1	-	-
Cancer, Malignant Disease - -	14	-	-	1	-	-	1	-	2	1	1	8
Rheumatic Fever - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Meningitis - - - - -	3	-	1	-	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	21	-	-	-	1	1	-	-	2	3	7	7
Bronchitis - - - - -	8	1	-	-	-	-	-	1	-	1	1	4
Pneumonia (all forms) - - -	12	3	-	-	1	2	2	-	1	2	1	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	1	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	1	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	13	-	-	-	-	1	1	-	1	2	4	4
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	6	-	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	12	-	-	-	-	4	1	-	1	1	2	3
Suicide - - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Other Defined Diseases - - -	104	1	-	-	1	2	-	1	5	6	19	69
Diseases Ill-defined or Unknown -	15	2	-	-	-	-	-	1	2	2	2	6
Total - - - -	253	15	3	3	5	23	11	8	22	22	38	103

YEAR 1911.

COUNTY—**Shetland.**

PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 4,776.
Do. Do. 1911, - - - 4,704.
Do. estimated to middle of 1911, 4,686.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	84	2	0	82	40	42
Illegitimate Births -	2	0	0	2	1	1
Deaths - - -	68	1	5	72	29	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·9	17·5	-
Death-rate—All Causes - - -	14·5	15·4	11·4
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—61.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—2·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	1	-	1	-	-	1	1	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	1	-	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	9	-	-	-	-	-	-	1	1	3	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	11	-	-	-	-	-	-	1	1	1	2	6
Bronchitis - - - - -	5	-	-	-	-	-	-	-	-	1	1	3
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	2	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	23	1	-	-	1	-	-	-	1	1	3	16
Diseases Ill-defined or Unknown -	3	1	-	-	-	-	-	1	-	1	-	-
Total - - - -	72	5	2	1	2	-	4	6	6	8	11	27

YEAR 1911.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Bridge of Allan** (Burgh).

Population—Census 1901, - - - 3,240.
Do. Do. 1911, - - - 3,121.
Do. estimated to middle of 1911, 3,107.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	35	3	0	32	17	15
Illegitimate Births -	3	1	0	2	1	1
Deaths - - -	45	4	4	45	17	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	11·3	10·6	-
Death-rate—All Causes - - -	14·5	14·5	13·0
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—152.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	1	-	-	-	1	-	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	-	-	-	-	-	-	-	-	4	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	1	-	1	-	3
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	3	1	-	-	-	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-		-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	2	-	-	-	-	1	-	-	3	6	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	45	5	2	-	1	1	2	1	1	9	8	15

YEAR 1911.
COUNTY—**Stirling**.
PUBLIC HEALTH DISTRICT—**Denny and Dunipace** (Burgh).

Population—Census 1901, - - - 5,288.
Do. Do. 1911, - - - 5,164.
Do. estimated to middle of 1911, 5,143.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	4	3	165	83	82
Illegitimate Births -	4	0	1	5	2	3
Deaths - - -	76	2	5	79	37	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·3	32·1	-
Death-rate—All Causes - - -	14·8	15·4	16·7
Do. —Phthisis - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	2·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—115.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	1	-	1	1	5	-	1	1	-	-
Tuberculous Meningitis - - -	3	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	-	-	-	-	-	-	1	1	3	-	1
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	4	-	2	-	-	1	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	1	-	1	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	2	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	2	-	1	1	1	1	-	3	5	6	3
Diseases Ill-defined or Unknown -	3	2	-	-	-	-	-	-	-	1	-	-
Total - - - -	79	19	7	3	2	5	7	3	7	13	9	4

YEAR 1911.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Falkirk** (Burgh).

Population—Census 1901, - - - 29,280.
Do. Do. 1911, - - - 33,574.
Do. estimated to middle of 1911, 33,561.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	1,028	4	16	1,040	520	520
Illegitimate Births -	50	1	8	57	26	31
Deaths - - -	544	51	17	510	284	226

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·6	31·0	-
Death-rate—All Causes - - -	16·2	15·2	16·7
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	10	1	8	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	28	13	14	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	6	-	6	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	42	-	1	-	2	9	10	5	8	6	1	-
Tuberculous Meningitis - - -	12	4	6	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	1	3	-	1	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	10	1	1	2	-	4	1	1	-	-	-	-
Cancer, Malignant Disease - -	25	-	1	-	1	-	-	-	9	4	7	3
Rheumatic Fever - - - -	4	-	-	-	4	-	-	-	-	-	-	-
Meningitis - - - - -	5	2	-	1	-	1	-	1	-	-	-	-
Organic Heart Disease - - -	33	-	-	-	-	1	1	3	4	11	8	5
Bronchitis - - - - -	27	5	2	-	-	-	1	-	2	4	8	5
Pneumonia (all forms) - - -	55	13	7	2	-	4	3	7	12	3	3	1
Other Diseases of Respiratory Organs	10	2	2	-	-	1	1	2	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	11	9	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	1	-	-	-	-	2	1	3	2	-	-
Puerperal Sepsis - - - -	3	-	-	-	-	-	3	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	4	-	-	-	-	-	4	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	49	48	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	23	1	7	-	-	4	1	5	3	-	1	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	114	12	3	-	1	2	7	4	14	16	28	27
Diseases Ill-defined or Unknown -	11	-	1	-	-	-	1	-	3	4	2	-
Total - - - -	510	117	67	9	10	28	36	30	59	53	59	42

YEAR 1911.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Grangemouth** (Burgh).

Population—Census 1901, - - - 8,999.
Do. Do. 1911, - - - 10,219.
Do. estimated to middle of 1911, 10,214.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	266	3	0	263	128	135
Illegitimate Births -	4	0	0	4	1	3
Deaths - - -	87	1	25	111	60	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·0	25·7	-
Death-rate—All Causes - - -	8·5	10·9	12·2
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—1·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	1	3	-	1	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	10	-	-	-	-	1	-	2	-	5	1	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	3	1	1	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	-	2	5	3	2	-
Bronchitis - - - - -	10	4	-	-	-	-	-	1	-	1	3	1
Pneumonia (all forms) - - -	7	-	1	1	-	-	-	1	3	1	-	-
Other Diseases of Respiratory Organs	3	1	-	-	-	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	-	-	1	-	1	1	3	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	33	3	2	1	-	1	-	2	5	3	10	6
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	1	1	-	-
Total - - - -	111	14	7	6	-	4	8	11	17	18	18	8

YEAR 1911.
COUNTY—**Stirling**.
PUBLIC HEALTH DISTRICT—**Kilsyth** (Burgh).

Population—Census 1901, - - - 7,292.
Do. Do. 1911, - - - 8,106.
Do. estimated to middle of 1911, 8,097.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	271	0	3	274	136	138
Illegitimate Births -	12	0	1	13	8	5
Deaths - - -	116	0	16	132	68	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·5	33·8	–
Death-rate—All Causes - - -	14·3	16·3	17·2
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—131.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	10	3	7	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	2	–	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	1	1	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	–	–	–	–	–	–	–	–	5	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	4	1	2	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	14	–	–	–	–	2	1	1	–	2	6	2
Bronchitis - - - - - -	11	4	3	–	–	–	1	–	–	2	1	–
Pneumonia (all forms) - - -	12	3	2	–	–	1	1	1	1	–	2	1
Other Diseases of Respiratory Organs	3	–	1	–	–	–	1	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	8	6	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	1	–	–	–	–	–	1	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	3	–	–	–	–	–	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	18	17	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	–	–	–	–	3	1	–	1	1	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	21	1	–	–	–	–	2	1	3	4	5	5
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	132	36	19	3	1	7	11	4	6	18	18	9

YEAR 1911.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Stirling** (Burgh).

Population—Census 1901, - - 18,403.
Do. Do. 1911, - - 21,200.
Do. estimated to middle of 1911, 21,194.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	497	17	5	485	238	247
Illegitimate Births -	46	8	4	42	23	19
Deaths - - -	356	55	19	320	178	142

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·5	22·9	–
Death-rate—All Causes - - -	16·9	15·1	15·3
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—105.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	4	–	–	–	1	2	–	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	–	1	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	3	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	–	–	–	–	–	1	–	–	–	1	–
Erysipelas - - - - -	2	–	–	–	–	–	–	–	1	–	–	1
Phthisis, Pulmonary Tuberculosis -	30	–	–	1	2	7	9	3	4	3	1	–
Tuberculous Meningitis - - -	6	3	1	1	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	1	1	–	–	2	–	–	–	–	–	–
Other Tuberculous Diseases - -	4	–	–	1	1	1	1	–	–	–	–	–
Cancer, Malignant Disease - -	24	–	–	–	–	–	–	4	4	7	7	2
Rheumatic Fever - - - -	2	–	–	–	–	1	–	1	–	–	–	–
Meningitis - - - - -	4	1	3	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	33	–	1	–	–	2	2	3	3	7	9	6
Bronchitis - - - - -	19	5	3	–	–	–	–	1	2	1	3	4
Pneumonia (all forms) - - -	13	3	1	1	–	1	1	1	1	1	2	1
Other Diseases of Respiratory Organs	6	1	–	–	–	–	–	1	–	2	–	2
*Diarrhœa and Enteritis (under 2 years)	9	6	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	–	–	1	–	–	1	1	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	10	–	–	–	–	–	1	–	2	3	2	2
Puerperal Sepsis - - - -	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	16	–	2	–	1	3	1	–	2	3	3	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	95	11	3	2	2	3	5	7	7	9	25	21
Diseases Ill-defined or Unknown -	7	1	–	–	–	1	–	–	–	2	3	–
Total - - - -	320	51	20	9	7	25	23	25	26	38	56	40

YEAR 1911.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

Population—Census 1901, - - - 19,217.
Do. Do. 1911, - - - 26,203.
Do. estimated to middle of 1911, 26,284.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	852	8	16	860	432	428
Illegitimate Births -	36	1	4	39	22	17
Deaths - - -	330	8	28	350	182	168

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·4	32·8	-
Death-rate—All Causes - - -	12·6	13·3	13·5
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—108.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	5	-	-	-	-	4	-	-	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	8	1	4	-	-	2	1	-	-	-	-	-
*Whooping-cough - - - -	20	9	11	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	6	-	5	-	-	-	-	1	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	17	1	-	-	-	3	3	3	5	2	-	-
Tuberculous Meningitis - - -	4	1	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	8	-	4	2	1	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	7	1	1	-	2	1	1	-	-	1	-	-
Cancer, Malignant Disease - -	22	-	-	-	-	-	2	3	4	5	5	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	7	4	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	36	-	-	-	-	2	1	1	5	10	8	9
Bronchitis - - - - -	22	7	1	1	-	-	-	2	1	-	8	2
Pneumonia (all forms) - - -	27	6	6	-	-	1	1	3	1	3	6	-
Other Diseases of Respiratory Organs	4	-	1	-	-	-	-	-	-	2	-	1
*Diarrhœa and Enteritis (under 2 years)	14	12	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	1	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	1	1	1	-
Other Diseases of Digestive System (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	14	2	1	-	-	-	1	2	-	4	4	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	6	-	-	-	-	-	4	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	36	35	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	13	-	3	-	1	1	2	1	1	2	-	2
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	53	8	2	-	3	1	3	2	1	5	16	12
Diseases Ill-defined or Unknown -	5	1	-	1	-	-	-	-	-	3	-	-
Total - - - -	350	93	53	4	7	16	19	21	19	41	48	29

YEAR 1911.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

Population—Census 1901, - - - 39,474.
Do. Do. 1911, - - - 41,745.
Do. estimated to middle of 1911, 41,653.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,196	5	25	1,216	627	589
Illegitimate Births -	66	0	10	76	37	39
Deaths - - -	572	96	46	522	282	240

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·7	29·2	-
Death-rate—All Causes - - -	13·7	12·5	13·3
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—102.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	4	-	-	1	1	1	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	4	-	2	-	1	-	-	1	-	-	-	-
*Whooping-cough - - - -	26	7	16	2	1	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	6	1	4	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	36	-	2	-	-	10	7	9	7	1	-	-
Tuberculous Meningitis - - -	6	1	4	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	8	2	2	-	-	1	2	1	-	-	-	-
Other Tuberculous Diseases - -	13	3	2	1	-	3	2	1	-	1	-	-
Cancer, Malignant Disease - -	28	-	-	-	-	-	1	3	6	11	3	4
Rheumatic Fever - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Meningitis - - - - -	11	3	7	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	33	-	-	-	-	-	2	5	4	8	12	2
Bronchitis - - - - - -	25	9	3	-	1	1	-	-	-	3	4	4
Pneumonia (all forms) - - -	38	12	10	1	-	2	2	2	1	3	5	-
Other Diseases of Respiratory Organs	9	2	-	1	-	-	-	1	-	1	3	1
*Diarrhœa and Enteritis (under 2 years)	19	14	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	6	2	-	-	-	-	-	1	1	1	-	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	11	-	-	-	-	1	1	1	4	2	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	12	-	-	-	-	1	7	4	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	42	41	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	24	5	3	2	-	1	2	4	3	1	-	3
Suicide - - - - - - -	3	-	-	-	-	-	1	-	1	1	-	-
Other Defined Diseases - - -	136	17	5	3	1	2	3	10	16	18	25	36
Diseases Ill-defined or Unknown -	13	2	5	-	-	-	1	-	1	-	3	1
Total - - - -	522	124	72	13	5	24	33	46	44	51	56	54

YEAR 1911.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Western Stirling** (County District).

Population—Census 1901, - - - 11,098.
Do. Do. 1911, - - - 11,659.
Do. estimated to middle of 1911, 11,631.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	222	5	6	223	117	106
Illegitimate Births -	13	2	1	12	8	4
Deaths - - -	184	4	23	203	104	99

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·1	19·2	-
Death-rate—All Causes - - -	15·8	17·5	16·1
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	1	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	7	1	3	3	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	16	-	-	-	1	6	2	4	1	-	2	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	-	2	-	-	1	-	1	-	-	-	-
Other Tuberculous Diseases - -	3	-	2	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	-	3	1	4	6
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	31	-	-	-	-	-	-	3	2	5	9	12
Bronchitis - - - - - -	6	1	1	-	-	-	-	-	1	-	2	1
Pneumonia (all forms) - - -	17	3	4	-	-	1	-	1	-	3	2	3
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	1	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	5	-	-	-	-	-	-	-	1	1	1	2
Other Diseases of Digestive System (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	-	-	-	-	-	-	-	-	3	3	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	-	1	-	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	-	-	-	1	3	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	61	3	-	1	-	3	3	6	4	12	11	18
Diseases Ill-defined or Unknown -	5	-	-	-	-	-	1	1	-	1	-	2
Total - - - -	203	21	16	4	1	11	8	18	16	28	35	45

YEAR 1911.
COUNTY—**Sutherland.**
PUBLIC HEALTH DISTRICT—**Dornoch** (Burgh).

Population—Census 1901, - - - 624.
Do. Do. 1911, - - - 741.
Do. estimated to middle of 1911, 741.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	0	0	15	12	3
Illegitimate Births -	0	0	0	0	0	0
Deaths - - -	6	0	3	9	6	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	20·2	-
Death-rate—All Causes - - -	8·1	12·1	11·0
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	3	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	2	-	-	-	1	-	1	-	1	4	-

YEAR 1911.

COUNTY—**Sutherland.**

PUBLIC HEALTH DISTRICT—**Sutherland** (County District).

Population—Census 1901, - - - 20,816.
Do. Do. 1911, - - - 19,438.
Do. estimated to middle of 1911, 19,334.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	318	0	6	324	166	158
Illegitimate Births -	27	0	3	30	17	13
Deaths - - -	307	4	4	307	136	171

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·8	-
Death-rate—All Causes - - -	15·9	15·9	10·4
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—46.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	21	-	-	-	-	6	4	7	2	1	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	3	-	-	1	-	-	1	-	-	-	1	-
Cancer, Malignant Disease - -	23	-	-	-	-	-	-	-	1	9	9	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	-	-	2	1	-	-	-	-	-	-
Organic Heart Disease - - -	34	-	-	-	-	1	-	-	2	1	10	20
Bronchitis - - - - -	10	2	2	-	-	-	-	-	-	-	2	4
Pneumonia (all forms) - - -	16	-	-	-	1	2	1		1	4	4	3
Other Diseases of Respiratory Organs	5	1		-	-	-	-	-	1	-	1	2
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-		-	-	-	-
All Liver Diseases (not Malignant) -	4	-	-	-	-	-	-	-	-	2	1	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	1	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	1	-	1	1	2	1	-	2	1	2	-
Suicide - - - - - - -	-		-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	140	-	1	2	2	1	2	2	11	9	21	89
Diseases Ill-defined or Unknown -	22	2	1	-	-	1	-	1	1	1	6	9
Total - - - - -	307	15	5	4	6	15	9	12	22	28	59	132

YEAR 1911.

COUNTY—**Wigtown.**

PUBLIC HEALTH DISTRICT—**Newton-Stewart** (Burgh).

Population—Census 1901, - - - 2,204.
Do. Do. 1911, - - - 2,063.
Do. estimated to middle of 1911, - 2,052.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	0	1	43	25	18
Illegitimate Births -	5	0	0	5	2	3
Deaths - - -	28	0	2	30	13	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·5	21·0	-
Death-rate—All Causes - - -	13·6	14·6	12·9
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—47.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-		-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	2	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	1	1	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease -	6	-	-	-	-	-	-	-	1	2	3	-
Bronchitis - - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Pneumonia (all forms) - - -	3	1	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-		-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	-	-	-	-	-	-	-	2	-	3	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	30	2	1	-	1	-	2	2	5	5	8	4

YEAR 1911.
COUNTY—**Wigtown**.
PUBLIC HEALTH DISTRICT—**Stranraer** (Burgh).

Population—Census 1901, - - - 6,036.
Do. Do. 1911, - - - 6,444.
Do. estimated to middle of 1911, - 6,431.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	177	4	2	175	73	102
Illegitimate Births -	28	1	1	28	15	13
Deaths - - -	117	1	1	117	66	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	27·5	27·2	-
Death-rate—All Causes - -	18·0	18·2	16·3
Do. —Phthisis - - -	-	2·3	-
Do. —All Tuberculosis - -	-	3·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	15	-	2	-	-	5	3	2	2	1	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	1	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	10	-	-	-	-	-	1	-	2	2	4	1
Bronchitis - - - - - -	8	1	-	-	-	-	-	-	1	2	2	2
Pneumonia (all forms) - - -	9	1	4	-	-	1	-	1	-	2	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	4	-	-	-	-	-		-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	1	-	1	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	1	1	-	-	-	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	35	-	3	-	-	-	-	4	4	8	5	11
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	-	-	1	1	1	-
Total - - - -	117	15	16	1	-	10	7	8	13	18	14	15

YEAR 1911.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Whithorn** (Burgh).

Population—Census 1901, - - - 1,188.
Do. Do. 1911, - - - 1,170.
Do. estimated to middle of 1911, 1,166.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	1	1	24	16	8
Illegitimate Births -	7	1	1	7	4	3
Deaths - - -	14	0	1	15	12	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·6	20·6	-
Death-rate—All Causes - - -	12·0	12·9	9·6
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—29·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	1	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	1	-	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	1	-	-	-	-	-	1	-	-	2	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	15	3	1	-	-	-	-	1	2	2	5	1

YEAR 1911.

COUNTY—**Wigtown.**

PUBLIC HEALTH DISTRICT—**Wigtown** (Burgh).

Population—Census 1901, - - - 1,386.
Do. Do. 1911, - - - 1,369.
Do. estimated to middle of 1911, 1,364.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	1	31	15	16
Illegitimate Births -	2	0	1	3	0	3
Deaths - - -	13	0	0	13	4	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·0	22·7	-
Death-rate—All Causes - - -	9·5	9·5	8·0
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—32.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	-	-	-	-	-	-	-	-	3	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	1	-	-	-	-	-	2	-	4	4	2

YEAR 1911.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Machars** (County District).

Population—Census 1901, - - - 9,186.
Do. Do. 1911, - - - 8,853.
Do. estimated to middle of 1911, 8,813

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	206	0	1	207	89	118
Illegitimate Births -	38	0	1	39	14	25
Deaths - - -	129	1	5	133	69	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·4	23·5	-
Death-rate—All Causes - - -	14·6	15·1	13·2
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—18·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	1	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	1		-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	12	-	-	-	-	-	1	-	1	4	5	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	-	-	-	-	-	-	-	1	-	5	6
Bronchitis - - - - - -	8	-	-	-	-	-	-	-	-	1	1	6
Pneumonia (all forms) - - -	14	1	4	-	-	1	2	-	-	-	4	2
Other Diseases of Respiratory Organs	5	3	-	1	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	-	2	-	-	-	-	-	-	1	3	1
Puerperal Sepsis - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	1	-	-	-	1	2	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	43	1	1	-	1	2	1	3	2	5	8	19
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	133	24	12	2	1	5	6	6	5	11	26	35

YEAR 1911.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Rhins** (County District).

Population—Census 1901, - - - 12,685.
Do. Do. 1911, - - - 12,099.
Do. estimated to middle of 1911, 12,041.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	299	4	3	298	155	143
Illegitimate Births -	40	0	2	42	23	19
Deaths - - -	149	3	4	150	64	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·8	24·7	-
Death-rate—All Causes - - -	12·4	12·5	11·4
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected for Transfers—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—14·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	-	-	1	-	2	2	1	2	2	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	2	-	-	-	-	-
Cancer, Malignant Disease - -	14	-	-	-	-	-	-	1	2	5	6	-
Rheumatic Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	-	-	-	-	-	1	-	2	4	8	3
Bronchitis - - - - - -	9	-	1	-	1	-	-	-	-	1	2	4
Pneumonia (all forms) - - -	8	-	2	2	-	-	1	-	1	1	-	1
Other Diseases of Respiratory Organs	4	2	1	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	1	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	-	-	-	-	-	2	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	6	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	-	-	1	2	-	-	-	2	-	1	2
Suicide - - - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Other Defined Diseases - - -	41	3	3	-	1	3	1	-	2	3	8	17
Diseases Ill-defined or Unknown -	7	2	1	-	-	1	-	-	-	1	1	1
Total - - - -	150	19	13	4	4	8	9	2	12	20	30	29

WELLCOME
LIBRARY
INSTITUTE